


# **PRODUCT CATALOG**

























## **CLASSIC DESIGN. QUALITY CRAFTSMANSHIP.**

BEAUTY-MARK awnings

- EASY TO ASSEMBLE & INSTALL
- PATENTED/TESTED SYSTEMS
- 5YEAR WARRANTY
- STATIONARY & RETRACTABLE MODELS
- EASY TO CLEAN AND MAINTAIN
- QUALITY FABRICS, THREADS, TRIMS & STITCHING

- STRUCTURAL GRADE MATERIALS
  - MANY FABRIC CHOICES
    - DESIGNER STYLES
    - SIGNAGE AVAILABLE
      - VALANCE OPTIONS
- WATER, UV & MILDEW RESISTANT FABRICS, THREADS & TRIMS
  - COMMERCIAL & RESIDENTIAL



# **PRODUCT CATALOG**

### **BOSTONIAN® SERIES**

- WINDOW
- **ENTRY**
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- VALANCE SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS



### **NEW YORKER® SERIES**

- **WINDOW**
- **ENTRY** Regular Entry Low Roof Line Entry
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS



### CHICAGO® SERIES

- **WINDOW**
- **ENTRY**
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- VALANCE SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS



### DALLAS RETRO® SERIES

- **WINDOW**
- **ENTRY** Regular Entry Low Roof Line Entry
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS



### SAVANNAH® SERIES

- **WINDOW**
- **ENTRY**
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER **FABRICS**



### NANTUCKET® SERIES

- **WINDOW**
- **ENTRY** 
  - Regular Entry Low Roof Line Entry
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- VALANCE SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER **FABRICS**




### SAN FRANCISCO® SERIES

- WINDOW
- **ENTRY**

Regular Entry Low Roof Line Entry

- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS



### **NEW ORLEANS® SERIES**

- WINDOW
- **ENTRY**
- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- VALANCE SIGNAGE AVAILABLE
- BEAUTY-MARK® DESIGNER FABRICS





# **PRODUCT CATALOG**

### **CHARLESTON® SERIES** (Ornamental Arm)

- WINDOW
- **ENTRY**

Regular Entry Low Roof Line Entry

- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- BEAUTY-MARK® DESIGNER **FABRICS**
- **4 VALANCE CHOICES**





### **BROADWAY® SERIES** VALANCE ATTACHMENT FOR MANHATTAN® STYLE AWNINGS.

- COMMERCIAL
- VALANCE FOR MANHATTAN®
- BEAUTY-MARK® DESIGNER **FABRICS**
- SIGNAGE AVAILABLE
- **4 VALANCE CHOICES**



### SANTA FE® SERIES (Twisted Rope Arm)

- WINDOW
- **ENTRY**

Regular Entry Low Roof Line Entry

- COMMERCIAL (10" Valance)
- RESIDENTIAL (7" Valance)
- SIGNAGE OPTIONAL
- BEAUTY-MARK® DESIGNER FABRICS

### HOUSTONIAN® **SERIES**

- WINDOW
  - **ENTRY** Regular Entry

Low Roof Line Entry

- COMMERCIAL
- RESIDENTIAL
- BEAUTY-MARK® DESIGNER METALS (copper, bronze, black, silver, white)

### MAUI® & DESTIN® SERIES (Manual & Motorized) RETRACTABLE AWNINGS

- **FOR PATIOS & BALCONIES**
- FOR RESTAURANTS
- RESIDENTIAL 8',10',12',14',16',18',20', 24'
- COMMERCIAL MAUI 20',30',40',50',60'
- ADJUSTABLE PITCH
- REMOTE CONTROL AVAILABLE
- BEAUTY-MARK® DESIGNER **FABRICS**



**MAUI®** 



**DESTIN® W/HOOD** 

### BALTIMORE® SERIES **Entrance Canopies**

- FOR ENTRIES
- FOR PROTECTION
- SIZES 8'L X 6'W, 16'L X 6'W
- **COMMERCIAL & RESIDENTIAL USAGE**
- BEAUTY-MARK® DESIGNER FABRICS
- SIGNAGE AVAILABLE FOR ARCHED FRONT END

### **BAHAMA SERIES**

- WINDOW
- **ENTRY**

Regular Entry Low Roof Line Entry

- COMMERCIAL
- RESIDENTIAL
- BEAUTY-MARK® DESIGNER METALS (copper, bronze, black, silver, white)



### CATALINA® SERIES Solar Shades All Shades have 10' Height

- FOR INTERIOR/EXTERIOR
- WIDTH SIZES 3',4',5',6' 8',10',12',14,16',18',20'
- MANUAL OR MOTORIZED
- BEAUTY-MARK® **HEAT BARRIER FABRICS**









### **MEASURING**

# MEASURING BOSTONIAN® / CHICAGO® Roof Line (Awning Height) (Required Mounting Area) D (Awning Width)

Valance Height (included in measurements)

Residential = 7"


Commercial = 10"

### **BOSTONIAN® SERIES MEASURING REQUIREMENTS**

- Hint: If you wish to have your Bostonian® awning come down over the window (A), purchase one size larger than your window size. This will require less overhead clearance (C).
- C Bostonian<sup>®</sup> Series awnings require a greater amount of overhead clearance (C) than other awnings. The formula for C is (E minus value for #1, #2 or #3 below)
- #I A I3" Maximum Drop (frame) Allowed for Window or In-swinging Door
- #2 A 0" Maximum Drop Over Out-Swinging Door (for awnings less than 3' deep)
- #3 A 7" Maximum Drop Over Out-Swinging Door (For awnings 3' deep or greater)
- D Every awning is 4.5" wider than the window size it is representing. This is for mounting purposes. (Example: 3' Bostonian<sup>®</sup> is actually 40.5" wide)

### CHICAGO® SERIES MEASURING REQUIREMENTS

- C Chicago<sup>®</sup> Series awnings require a greater amount of overhead clearance than other awnings. The formula for C is (E minus value for #4, #5 or #6 below)
- #4 F 6" Minimum Mounting Space Required Above Window or In-swinging Door
- #5 A 13" Maximum Drop Allowed for Window or In-swinging Door
- #6 A 0" Maximum Drop Over Out-Swinging Door (for awnings less than 3' deep)
- A 7" Maximum Drop Over Out-Swinging Door (For awnings 3' deep or greater) (#6)
- D Every awning is 4.5" wider than the window size it is representing. This is for mounting purposes. (Example: 3' Chicago<sup>®</sup> is actually 40.5" wide)



Valance Height (included in measurements)


Residential = 6" & 7"

Commercial = 8" & 10"

SAN FRANCISCO® SERIES
DALLAS RETRO® SERIES
NEW YORKER® SERIES
HOUSTONIAN® SERIES

### **MEASURING REQUIREMENTS**

- F 4" Minimum Mounting Space Required Above Window or In-swinging Door.
- A 0" Maximum Drop Over Out-Swinging Door (for awnings less than 3' deep)
- A 10" Maximum Drop Over Out-Swinging Door (For awnings 3' deep or greater)
- A Except for entries with out-swinging doors, the drop is a personal preference.
   Hint: The greater the drop = more energy savings but less interior light.
- C For entries with low overhead clearance (low roof lines) please see items designated "Low Roof Line Entry Awning"
- D Every awning is 4.5" wider than the window/door size it is representing (B). This is for mounting purposes. (Example: 3' San Francisco® is actually 40.5" wide)
- G Valance Height (Residential = 6", 7" / Commercial = 8", 10")
- E Height measurements INCLUDE valance in the measurements for all awnings.



### MAUI® SERIES / DESTIN® SERIES / DURANGO® SERIES


### **MEASURING REQUIREMENTS**

- A Measure the length of wall space you have available. Then choose from one of our standard widths.
- B I0" (MAUI, DESTIN) Min Clear Horizontal Mounting Space (must be clear space for full length of awning)
- B 8" (DURANGO) Min. Clear Horizontal Mounting Space
- C 80" Minimum Height from Floor to Bottom of Awning (8 ft. is Ideal)
- D Projection (distance available to you from wall to end of your awning)
- Valance Height 10", Valance Style Sahara
- Adjustable Pitch 0" pitch to 24" pitch (front bar).



### FABRIC/VALANCE/GRAPHICS CHOICES

Beauty-Mark Solids		
ВМ-ВВ	Bright Blue	
BM-N	Navy	
BM-W	Off-White	
BM-F	Forest	
ВМ-К	Black	
ВМ-В	Burgundy	
ВМ-А	Olive	
BM-R	Bright Red	
ВМ-Т	Tan	
BM-TER	Terra Cotta	
BM-GUN	Charcoal	
BM-BRN	Chocolate	
BM-Y	Yellow	



Beauty-Mark Stripes		
вм-ат	3" stripes	Olive / Tan Stripe
вм-вт	3" stripes	Burgundy / Tan Stripe
BM-KW	3" stripes	Black / White Stripe
BM-FW	3" stripes	Forest / White Stripe
BM-TW	3" stripes	Tan / White Stripe
BM-BBW	3" stripes	Blue / White Stripe
BM-RW	3" stripes	Red / White Stripe
BM-GW	3" stripes	Gray / White Stripe
BM-BRNT	3" stripes	Brown / Tan Stripe
BM-YW	3" stripes	Yellow / White Stripe

Styles available in solids only:

Bostonian®, Chicago®

To order:

You Need

I. Model ID

2. Fabric Name

3. Valance name

(Valance name not required for New Yorker®)

### **GRAPHICS DIRECTIONS:**

Once you have placed your order for signage you will need to email your graphic or logo to Graphics@Awntech.com along with your name and Order Number.

