



# POOL SHOCK

## LIQUID CHLORINATOR

For Swimming Pool Water Disinfection



**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**Active Ingredient:**  
**Sodium Hypochlorite.....12.5%**  
**Inert Ingredients .....87.5%**  
**Total.....100.0%**

FIRST AID:	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. FOR MEDICAL EMERGENCY Call INFOTRAC 1-800-535-5053	

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NOTICE: VENTED CAP, KEEP UPRIGHT.

Net Contents: One Gallon (128 Fl. Oz.) 3.785 Liters

### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash thoroughly after handling. May be fatal if swallowed. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

### ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over treated area will help avoid run off to water bodies or drainage systems. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not make any chlorine application within 24 hours of discharge.

### PHYSICAL AND CHEMICAL HAZARDS:

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes, which can also be fatal. Mixing this product with cyanide compounds will release cyanogen chloride which is irritating to eyes, lungs and mucous membranes, which can also be fatal.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### SWIMMING POOL WATER DISINFECTION

For a new pool or for spring start up, superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 PPM available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 PPM.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 PPM by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 PPM available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with the appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 PPM available chlorine by weight. Check the level of available chlorine with a test kit. Do not enter pool until the chlorine residual drops below 4.0 PPM.

At the end of swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**WINTERIZING POOLS:** While water is still clear and clean, apply 3 oz. of product per 1000 gallons, while filter is running, to obtain a 3 PPM available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

**NOTE:** Sodium hypochlorite solutions degrade with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chloride.

### DIRECTIONS:

Pour directly into pool or feed through your mechanical chlorinator. Apply in evening or early morning as sunlight dissipates chlorine rapidly.

Pool Capacity in Gallons	Suggested Daily Dosages
10,000	11 oz.
20,000	22 oz.
30,000	33 oz.
40,000	44 oz.
50,000	55 oz.
75,000	82 oz.
100,000	110 oz.

### STORAGE AND DISPOSAL:

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Pesticides Storage: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Do not transfer to unmarked containers. Keep containers closed with closure end up. Use in a well-ventilated area. Before use, review material safety data sheet for other information, including possible chronic health effects. When opening, loosen closure carefully.

**Pesticide Disposal:** Wastes of this product may be dangerous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to the label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**Empty Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**FOR CHEMICAL EMERGENCY DURING TRANSPORTATION ONLY**  
Call INFOTRAC 1-800-535-5053 24 hours per day, 7 days per week

Packaged by:  
Champion Packaging & Distributing, Inc.  
1840 Internationale Parkway  
Woodridge, IL 60517  
Phone: 877-325-4700  
[www.champakinc.com](http://www.champakinc.com)

EPA Reg No. 55852-3  
EPA EST No. 55852-IL-001

Code 07

Lot No.: See bottle bumper

