



2056 Willow Springs Ln
Burlington, NC 27215 USA
Phone: 336-395-6200
Fax: 336-395-6241
Contact: [REDACTED]
[REDACTED]@frostconverting.com

ORDER CONFIRMATION

Order No: 801355

FOB [REDACTED]

Attention: [REDACTED]
Account Address: [REDACTED]

Attention: [REDACTED]
Shipping Address: [REDACTED]

<i>Order Date</i>	<i>Ship Date</i>	<i>Your PO</i>	<i>Payment Terms</i>
11-Aug-2014	07-Nov-2014	TB C	Letter Credit

We are pleased to confirm the delivery of the following 20's Hinge Lid short grain cutting and creasing rotary tools. The equipment is based upon the parameters as indicated below:

Carton Type: Cigarette Hinge Lid 20's - [REDACTED] Standard
Carton Brand: [REDACTED]
Carton Size: KS
Carton Dimensions MD x CD: 98.00 mm x 226.45 (239.61 mm)
Carton Orientation: Short Grain
Cartons Across: 2
Cartons Around: 6
Tool Circumference (Theor.): 588 mm
Tool Diameter (Theor.): 187.166 mm
Die-Cutter Frame: [REDACTED] 560
Board Caliper: 12 Pt - (0.30 mm)
Board Type: TBC
Printed Side: Up
Customer Product Drawing #: [REDACTED] - [REDACTED]
Customer Lay-out Drawing #: [REDACTED]
FCS Product Drawing #: 800751-002
FCS Layout Drawing #: 801188-001
Customer Tool ID #: 801355

Based upon these above specifications, Frost Converting Systems will deliver as follows:

<i>Order Qty</i>	<i>Part ID/Description</i>	<i>Rev</i>	<i>U/M</i>	<i>Unit Price</i>	<i>Extd Price</i>
------------------	----------------------------	------------	------------	-------------------	-------------------

Continued over .../



2056 Willow Springs Ln
 Burlington, NC 27215 USA
 Phone: 336-395-6200
 Fax: 336-395-6241
 Contact: [REDACTED]
 [REDACTED]@frostconverting.com

ORDER CONFIRMATION

Order No: 801355

FOB [REDACTED]

Attention: [REDACTED]
 Account [REDACTED]
 Address: [REDACTED]

Attention: [REDACTED]
 Shipping [REDACTED]
 Address: [REDACTED]

Order Date	Ship Date	Your PO	Payment Terms
11-Aug-2014	07-Nov-2014	TB C	Letter Credit

Order Qty	Part ID/Description	Rev	U/M	Unit Price	Extd Price
2.000	CUTTING-[REDACTED]-CYLINDERS	A	EA		
	CUTTING-[REDACTED]-CYLINDERS		Quote 11183/1		
1.	CUTTING-[REDACTED]-CYLINDERS			[REDACTED]	
	Male upper cylinder:				
	• Cylinder in accordance to [REDACTED] cassette parts				
	• Completely segmented cylinder with RevMax hardened steel segments, all cutting lines are segmented				
	• Hydraulic adjustable hardened conical bearer rings				
	• Blank numbers 1 up to 12: with 50% cutting depth of the board				
	• Cut to crease register marks: with 50% cutting depth of the board				
	• Glue-assist lines in glue flaps: with 50% cutting depth of the board				
	Female (anvil) cylinder:				
	• Cylinder in accordance to [REDACTED] cassette parts				
	• Solid anvil cylinder - induction hardened - with AnvilCoat				
	• Hydraulic adjustable hardened conical bearer rings				
	• Including stripping pins for waste removal type M4				
2.	BEARING-BLOCKS-[REDACTED]			[REDACTED]	
	• Cutting type				
	• Upper and lower bearing blocks with associated hardware				
	• Precision hardened and ground couple gears with anti-backlash and phase adjustment and drive gear				
3.	STRIPPING-PARTS-[REDACTED]			[REDACTED]	
	• Set of stripping combs + set of spare stripping combs				
	• Out-feed bar to transfer the cartons on to the delivery table				
	Quantity	Date	Ship Via	Line Subtotal:	[REDACTED]
	2.000	07-Nov-2014			[REDACTED]

Continued over .../



2056 Willow Springs Ln
 Burlington, NC 27215 USA
 Phone: 336-395-6200
 Fax: 336-395-6241
 Contact: [REDACTED]
 [REDACTED]@frostconverting.com

ORDER CONFIRMATION

Order No: 801355

FOB [REDACTED]

Attention: [REDACTED]
 Account [REDACTED]
 Address: [REDACTED]

Attention: [REDACTED]
 Shipping [REDACTED]
 Address: [REDACTED]

<i>Order Date</i> 11-Aug-2014	<i>Ship Date</i> 07-Nov-2014	<i>Your PO</i> TB C	<i>Payment Terms</i> Letter Credit
---	--	-------------------------------	--

<i>Order Qty</i>	<i>Part ID/Description</i>	<i>Rev</i>	<i>U/M</i>	<i>Unit Price</i>	<i>Extd Price</i>
1.000	CREASING-[REDACTED]-CYLINDERS	A	EA		
	CREASING-[REDACTED]-CYLINDERS		Quote 11183/3		
1.	CREASING-[REDACTED]-CYLINDERS			[REDACTED]	
	Upper / Lower cylinder				
	<ul style="list-style-type: none"> • Cylinder shaft-ends in accordance with [REDACTED] cassette parts and gears • Solid cylinders with creasing lines directly machined in the cylinder bodies • Including crease-to-cut registermarks - executed in separate segments • Cylinders will have a flash chrome surface layer for longer lifetime 				
2.	BEARING-BLOCKS-[REDACTED]			[REDACTED]	
	<ul style="list-style-type: none"> • Upper and lower bearing blocks with associated hardware • Precision hardened and ground couple gears with anti-backlash and phase adjustment and drive gear 				
	Quantity	Date	Ship Via	Line Subtotal:	[REDACTED]
	1.000	07-Nov-2014			[REDACTED]

Continued over .../



2056 Willow Springs Ln
 Burlington, NC 27215 USA
 Phone: 336-395-6200
 Fax: 336-395-6241
 Contact: [REDACTED]
 [REDACTED]@frostconverting.com

ORDER CONFIRMATION

Order No: 801355

FOB [REDACTED]

Attention: [REDACTED]
 Account: [REDACTED]
 Address: [REDACTED]

Attention: [REDACTED]
 Shipping Address: [REDACTED]

<i>Order Date</i> 11-Aug-2014	<i>Ship Date</i> 07-Nov-2014	<i>Your PO</i> TB C	<i>Payment Terms</i> Letter Credit
---	--	-------------------------------	--

Order Qty	Part ID/Description	Rev	U/M	Unit Price	Extd Price
1.000	SHIPPING Shipping & Handling/ Freight	B	EA		
	1. Shipping & Handling/ Freight				
	• From FCS to Airport [REDACTED]				
	• One complete cutting set + including shipping crate				
	• One complete creasing set + including shipping crate				
	2. Letter of Credit				
	Quantity Date Ship Via				
	1.000 07-Nov-2014				
			Line Subtotal:	[REDACTED]	[REDACTED]

Subtotal	[REDACTED]
Freight	[REDACTED]
Tax	[REDACTED]
Order Total	[REDACTED]