



Axon Fleet 2 Installation Manual

Document Revision: MMU0072 Rev D
February 2020

3M, Dual Lock, and VHB are a trademarks of 3M Company; Goo Gone is a trademark of Weiman Product, LLC.; Goof Off is a trademark of WM Barr and Company, Inc.; Bluetooth is a trademark of Bluetooth SIG, Inc.; Cradlepoint is a trademark of Cradlepoint, Inc.; Klein Tools is a trademark of Klein Tools, Inc.; LTE is a trademark of the Institut Européen des Normes; de Télécommunication; Velcro is a trademark of Velcro BVBA; Wi-Fi is a trademark of the Wi-Fi Alliance; and Windows is a trademark of Microsoft Corporation.

Cradlepoint and NetCloud are trademarks of Cradlepoint, Inc.

  Axon, Axon, Axon Evidence, Axon Fleet, Axon Signal, and Axon View XL are trademarks of Axon Enterprise, Inc., some of which are registered in the US and other countries. For more information, visit www.axon.com/legal.

All rights reserved. ©2020 Axon Enterprise, Inc.

MMU0072 Rev D

Table of Contents

- Introduction..... 5**
 - Axon Fleet 2 Network Overview Diagram..... 6
 - Additional Reading..... 7
 - Installation Time Estimates..... 8
 - Axon Fleet 2 Contents..... 8
 - Wiring Harness Assemblies 11
 - Additional Items 12
- Installation..... 13**
 - Upgrading from Axon Fleet to Axon Fleet 2 13
 - Installation Warnings and Prerequisites..... 14
 - General Warnings 14
 - Vehicle Power, Ground and Ignition Inputs 14
 - Pre-deployment Checks 15
 - Installing the SIM Card in the Cradlepoint Router..... 16
 - SIM Card Location 16
 - Inserting the SIM Card into the Integrated Modem (IBR900) 17
 - Inserting the SIM Card into the Integrated Modem: (IBR1700) 18
 - Inserting the SIM Card into the Add-on Modem 19
 - Axon Fleet Router Configuration 19
 - Tools..... 20
 - Required Tools 20
 - Highly Recommended Tools..... 20
 - Axon Fleet Hardware Installation Diagrams..... 21
 - Determine the Mounting Locations..... 22
 - Axon Fleet Power Unit and Axon Signal Vehicle Unit..... 22
 - Axon Fleet Power Unit..... 23
 - Axon Fleet Cameras and Mounts..... 23
 - Locate the Vehicle’s Electronics..... 24
 - Running the Wiring Harness..... 25
 - Radio Frequency Interference Mitigation 25


- Wiring the Axon Fleet Power Unit26
 - Axon Fleet Power Unit to Car26
 - Axon Fleet Power Unit to Camera/Controller Mount.....27
- Affix the Front Camera Mount28
- Affix the Rear Camera Controller and Camera29
- Affixing the Power Unit30
- Axon Signal Vehicle Unit.....31
 - Axon Signal Vehicle Electrical Specifications31
 - Axon Signal Vehicle Wiring Instructions.....32
 - Optional Door Trigger Installation.....33
- Wireless Microphone Installation (If Applicable)33
 - Axon Fleet 2 Wireless Microphone Contents34
 - Additional Tools36
 - Affix the Junction Box37
 - Connecting the Junction Box37
 - Installing the In-Car Charging Dock.....37
 - Connecting Power to the In-Car Charging Dock39
- Completion.....39

Introduction


The Axon Fleet 2 solution is a camera system incorporating an audio and video recording device with a vehicular windshield mount. This camera is designed for use in tough environmental conditions encountered in law enforcement, corrections, military, and security activities. The Axon Fleet 2 cameras are designed to record events for secure storage, retrieval, and analysis via Evidence.com services. The recorded events can be transferred wirelessly to the Evidence.com website using LTE and Wi-Fi technology.

Axon Fleet 2 is a video solution that connects police vehicles to an intelligent, cloud-based evidence ecosystem. Axon Fleet 2 allows agencies to access and analyze in-car video. The cameras are mounted in the car, where they can be activated using Axon Signal technology, through the in-car computer using the Axon View XL application, or manually with the on-camera button. The cameras then communicate with the Axon View XL application and can offload video wirelessly through LTE or Wi-Fi technology to the Evidence.com website.

The Axon Fleet 2 system consists of the Axon Fleet cameras, the Axon Fleet camera mounts, the Axon Fleet rear camera controller, and the Axon Fleet power unit. The Axon Fleet power unit is an inline power supply for the cameras. During normal operation, the camera is powered by the vehicle; however, if the ignition is shut off and a camera is still recording, the associated Axon Fleet power unit is designed to supply the camera with enough energy to continue recording for approximately 4 hours.



Axon Fleet 2 front camera with mount and an Axon Fleet power unit



Axon Fleet 2 rear camera controller, rear camera, and Axon Fleet power unit

The Axon Fleet 2 system has Axon Signal technology integrated into the camera solution. The Axon Signal Vehicle unit is part of a communications platform that sends a signal when certain conditions are met; this signal can be recognized by Axon equipment. For example, the Axon Signal Vehicle unit can be set up to work with an emergency vehicle’s light bar. When the light bar activates, all properly equipped Axon systems within range can begin recording. Currently, Axon Signal technology is built into Axon Fleet 2, Axon Body 2, Axon Body 3, Axon Flex (with an Axon Flex controller equipped with Axon Signal technology) and Axon Flex 2 systems. See the associated product user manuals for more information. Ultimately, this enables a fully integrated Axon camera system, that comes together to form a coordinated car, body camera, and smart weapon environment.

Axon Fleet 2 Network Overview Diagram

The following diagram provide an overview of the Axon Fleet 2 network. See the Additional Reading section on the next page for more information about Axon Fleet 2.

