

Kills SARS-CoV-2² virus, the cause of COVID-19. Effective against SARS-Related Coronavirus 2² [SARS-CoV-2] in 3 minutes.
DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:

Apply **LEMON DISINFECTANT** undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain visibly wet for 10 minutes. **For Influenza Virus Type A and Human Coronavirus**, treated surfaces must remain visibly wet for 1 minute. **For SARS-CoV-2**, treated surfaces must remain visibly wet for 3 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface. Avoid breathing spray.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity, LEMON DISINFECTANT is an effective one-step fungicide against Trichophyton mentagrophytes when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain visibly wet for 10 minutes.

For mold and mildew: Repeat treatment every 7 days or more often if new growth appears.

This product is not for use on medical device surfaces.

***KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD/ BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] associated with AIDS or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal Protection: Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **LEMON DISINFECTANT**

Contact Time: Leave surface wet for 1 minute for HIV-1 and 10 minutes for HBV and HCV. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS: Remove visible filth prior to disinfection.

Empty toilet bowl or urinal and apply this product to exposed surfaces and under the rim with a cloth, mop, sponge, or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

FOR USE ON SEALED FINISHED FLOORS: Apply with a damp mop or autoscrubber. Allow surface to remain visibly wet for 10 minutes. Wipe or allow to air dry.

TO CLEAN AND DEODORIZE: Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

To Refill: Refill 1 qt. sprayer size from this refill container. Use only in **LEMON DISINFECTANT** spray bottle. Do not dilute.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple Rinse. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

APPROVED

ACS

By SRC on 08-18-2020
Per EPA stamped label
07-27-20 See attached
approved certificate

LEMON DISINFECTANT

ONE-STEP DISINFECTANT⁵ • CLEANER • FUNGICIDE

LISTO-PARA-USAR

MILDEWSTAT • VIRUCIDE* • DEODORIZER

READY-TO-USE

Effective in the presence of 5% serum contamination



View SDS

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....0.025%
Dioctyl Dimethyl Ammonium Chloride.....0.010%
Didecyl Dimethyl Ammonium Chloride.....0.015%
Alkyl (C₁₄, 50%; C₁₂, 40%; C₁₆, 10%) dimethyl benzyl ammonium chloride.....0.034%

OTHER INGREDIENTS:.....**99.916%**
TOTAL:.....**100.000%**



View Tech Sheet

**MANTENER FUERA DEL ALCANCE
DE LOS NIÑOS
PRECAUCIÓN**

**Ver Panel derecho de Consejos de prudencia y
Primeros Auxilios**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**See Right Panel for Precautionary Statements
and First Aid**

Questions? Please visit americanchemicalsystems.com

Manufactured by:

AMERICAN CHEMICAL SYSTEMS II, LLC

3505 W. 29th Street South

Wichita, Kansas 67217 • 800-889-3489

E.P.A. Reg. No. 6836-152-86408 E.P.A. Est. No. 86408-KS-001

Net Contents: 1 Gal. (3.8L)



3 75044 01410 9
Item: 14001410

Use **LEMON DISINFECTANT** as a disinfectant on hard, nonporous surfaces. Use for non-scratch cleaning of showers and tubs, shower doors, fixtures and toilet bowl exteriors. Use to clean and disinfect sealed finished floors, sinks and tubs. Use with a mop and bucket, trigger sprayer, sponge or by soaking.

Use **LEMON DISINFECTANT** in: Health care facilities, Restaurants [Front of House], Schools, and Institutional facilities. Cross-contamination is of major housekeeping concern. **LEMON DISINFECTANT** has been formulated to aid in the reduction of cross-contamination between treated surfaces not only in hospitals, but in schools, institutions and industry.

Use **LEMON DISINFECTANT** on washable hard, nonporous surfaces of: bathroom fixtures, floors, and non-critical medical equipment surfaces: medical examining tables, medical lamps, rescue tools, resuscitators, medical scales, stands, stretchers, stethoscopes, walkers and wheelchairs. Other hard nonporous surfaces made of: plastic and stainless steel.

LEMON DISINFECTANT is a disinfecting auto cleaner. Use **LEMON DISINFECTANT** in cars, buses, campers, emergency vehicles, taxis, trailers, boats, airplanes, and transportation terminals.

LEMON DISINFECTANT can be used on hard, non-porous surfaces of: dashboards, instrument panels, doors, door handles, gauges, steering wheel, and gear shifters. Surfaces include: metal, plastic, laminated surfaces, upholstery, vinyl and plastic.

As a disinfectant, LEMON DISINFECTANT is effective against:

Pseudomonas aeruginosa, Staphylococcus aureus [Staph], Salmonella enterica [Salmonella], Escherichia coli [E.coli], Listeria monocytogenes [Listeria], Salmonella schottmuelleri [Salmonella], Shigella dysenteriae [Shigella], Staphylococcus aureus - Methicillin-Resistant [MRSA], *Hepatitis B Virus [HBV], *Hepatitis C Virus [HCV], *Herpes Simplex Virus Type 2, *HIV-1 [AIDS virus], *Influenza Virus Type A/Hong Kong [Influenza], *Norwalk Virus [Norovirus], *Respiratory Syncytial Virus [RSV], *SARS Associated Coronavirus, *SARS-Related Coronavirus 2 [SARS-CoV-2][cause of COVID-19], Trichophyton mentagrophytes [Athletes Foot Fungus, a cause of Ringworm and Ringworm of the foot], Aspergillus Niger.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Have the container or label with you when calling poison control center or doctor, or going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378. You may also contact the poison control center at 1-800-222-1222 for emergency medical treatment information.

²On hard, non-porous, non-food surfaces. ⁵When used according to the disinfection directions.