

Downloaded: Feb. 3, 2022







HARMONY Sensor

All-in-one environmental sensor that connects easily to the ZENITH series and links to the HMI, delivering precise readings of air temperature, relative humidity, and CO2, as well as calculated Vapor Pressure Deficit (VPD) and Dew Point for easy crop management.





ALL-IN-ONE Compact Horticulture Sensor




CONNECTED SYSTEM ZENITH/HMI



MULTI-POINT VISIBILITY Real-time Data



HIGH-VALUE Environmental Metrics









The Agnetix HARMONY is an all-in-one environmental sensor that connects easily to the ZENITH and communicates seamlessly with the HMI to deliver precise readings of temperature, humidity, and ${\rm CO_2}$, as well as calculated Vapor Pressure Deficit (VPD) and Dew Point for easy crop management.

TOP VIEW BOTTOM VIEW

Width 2.4" at widest point

STANDARD USB CONNECTION

3.3" tall From bottom of base to top of housing



PRODUCT SPECIFICATIONS

PHYSICAL

Plastic, Not Water Resistant
3.3" x 2.4"
5oz
USB Connector

WARRANTY AND LIFETIME

Product warranty	1 year
(see terms and conditions)	

ENVIRONMENT

Operating Conditions	32°F (0°C) to 122°F (50°F)
Storage Conditions (no liquid)	-40°F (-40°C) to 158°F (70°C)

SENSOR PERFORMANCE

Temp sensing range 32°F to 122°F
Temp accuracy 0.4°F (0.2°C) typical,
0.7°F (0.4°C) maximum
Humidity sensing range 0 – 100%
Humidity accuracy 2% RH typical,
2.5% RH maximum
CO ₂ sensing range: 400 – 10,000ppm**
CO₂ accuracy ±100ppm
Calculated in HMI
Calculated in HMI

NOTES



^{*}Exposure to very high humidity levels for long periods will temporarily degrade the humidity sensor accuracy

^{**}HARMONY Sensor must be calibrated. Includes sensor variation and temperature effects. Calibration is recommended after sensors installed or subjected to physical stress





The most powerful, efficient and intuitive horticultural lighting solution in the world 1-833-AGNETIX (246-3849)

sales@agnetix.com agnetix.com

