

PRODUCT INFORMATION

SCRUB AND REFINISH FLOORS FASTER WITH UNIPRO!

The UniPro 20 Auto Scrubber was engineered to make the job of cleaning heavy traffic floors easier and more efficient. Retail stores, office buildings, schools, and other places with a high amount of daily visitors will love how much more efficient floor maintenance becomes with the UniPro 20.

With large, 15-gallon solution and 17-gallon recovery tanks, workers' efficiency improves as they'll be able to scrub longer between empty and fill cycles, providing less downtime and helping finish jobs quicker. Designed with an ergonomic handle and easy-to-use operation, training times and worker fatigue are both reduced.

Built with pad-assist drive with two pad pressure settings, the UniPro provides a variety of scrubbing applications and flexible cleaning options, taking on anything from light soiling to heavy, caked-on mud. And with easy access to internal components, plus quick-change squeegee blades, pads, and brushes, there's less downtime and maintenance needs, saving you time and money on replacement parts and maintenance.

HOW TO DISINFECT FLOORS WITH AN AUTO SCRUBBER

Unless the floor is visibly soiled, cleaning and disinfection can be done with the following 3-step process:

- 1. Use an EPA List N disinfectant. Follow the label directions for dilution and add to the solution tank of the auto scrubber.
- 2. Apply the disinfectant and scrub it into the floor with the squeegee in the UP position. Allow the floor to remain visibly wet so the product can dwell for the time specified on the label.
- 3. Scrub and recover solution as normal.

Document title: UniPro 20 inch Auto Floor Scrubber Capture URL: https://www.jondon.com/unipro-auto-scrubber-20-inch.html Capture timestamp (UTC): Fri, 23 Dec 2022 23:21:17 GMT

WINTER STORM ELLIOTT - Jon-Don is actively moving equipment and supplies throughout our network to support restoration contr	LEARN MORE	
		1

Unless the floor is visibly soiled, cleaning and disinfection can be done with the following 3-step process:

- 1. Use an EPA List N disinfectant. Follow the label directions for dilution and add to the solution tank of the auto scrubber.
- 2. Apply the disinfectant and scrub it into the floor with the squeegee in the UP position. Allow the floor to remain visibly wet so the product can dwell for the time specified on the label.
- 3. Scrub and recover solution as normal.

Make sure disinfection is performed in small sections, being careful not to flood the floor with product or allow disinfectant to dry before the dwell time specified on the label is achieved.

BEST-IN-CLASS WARRANTY!

- 5-year warranty on all parts with the exception of wearables
- · 3-year labor warranty on all parts with the exception of wearables
- · 12-year warranty on rotationally molded tanks

FEATURES	ADVANTAGES	BENEFITS
Large, 15-gallon solution tank and 17-gallon recovery tank	Improves working efficiency as you can scrub longer between empty and fill cycles	Enjoy less downtime so you can finish jobs quicker
Pad-assist drive	The drive on this unit is brush assisted, but can still be easily pushed with one hand	Boost your productivity as you can clean longer without getting fatigued
Easy operation with ergonomic handle and state-of- the-art controls	Reduces fatigue and speeds up the training process	New members of your team will get up to speed quickly and be able to clean longer without straining their back and arms
Two pad pressure settings: 66 or 99 pounds of pad pressure	You can perform light scrubbing, deep cleaning, or finish removal	Increase your efficiency and output as one machine can handle multiple applications on a job
Easy access to internal components, plus quick- change squeegee blades, pads, and brushes; no tools needed	Less downtime and maintenance needs; quickly change out squeegees, pads, or brushes without tools	Save time and money on replacing parts or performing routine maintenance

SPECIFICATIONS

Brand	Unipro
Color	Gray/Blue
Powered By	Battery
Diameter (in.)	20
Cleaning Path	20 Inch
Category	Auto Scrubbers
Solution Tank Size	15 Gallon
Waste Tank Size	17 Gallon
Sound Level	68 dB
Pad Pressure	Adjustable
Production Rate	23,680 sq. ft. per hour
Horsepower	0.75
RPMs	200
Width	20
Warranty Information	5 years
Condition	New

WINTER STORM ELLIOTT - Jon-Don is actively r	moving equipment and supplies throughout our network to support restoration con
RPMs	200
Width	20
Warranty Information	5 years
Condition	New
Manufacturer Model Number	20B-Z-130AMP

VIDEO



PRODUCT INFORMATION SHEET



SATISFACTION GUARANTEED!

Same Day Shipping 🧭 100% Money Back Guarantee 🧭 Service & Repair Centers at All Locations

Receive technical tips, exclusive deals and invitations to special events

Help

Contact Us

Click to Chat

Email Preferences

Website Features

Returns

Shipping Information

Signup for Email/SMS

Jon[.]Don

Company Information

About Us Branch Locations Careers Credit Application (PDF) Financing Our Policies Privacy Policy Terms and Conditions Service Centers

Resources

Safety Data Sheets (SDS) Flood Restoration Mediclean Information Seminars Used Truck Mounts How-To Guides Covid Popular Categories

Restoration Carpet Cleaning Janitorial Specialty Concrete Safety Truck Mounts New Truck Mounts Used Truck Mounts 🤓 Click to Chat

L 1-800-400-9473

Live Customer Service Mon. - Fri. 7 a.m. - 7 p.m. CST



Contact Us

LEARN MORE

VIDEO



MANUAL


PRODUCT INFORMATION SHEET



SATISFACTION GUARANTEED!

Same Day Shipping 🧭 100% Money Back Guarantee 🧭 Service & Repair Centers at All Locations

Receive technical tips, exclusive deals and



Contact Us

Used Truck Mounts



© 2022 Copyright Jon-Don, LLC

Terms and Conditions

Service Centers