

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

Disinfection, Virucidal* and Fungicidal Control: Apply this product undiluted to walls, floors and other hard, non-porous surfaces such as, tables, chairs, countertops, sinks, glazed tile and glazed with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. NOTE: With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, a preliminary cleaning is required. Then wipe excess with sponge, mop or cloth or allow to air dry.

Mold and Mildew Control Directions: This product will effectively inhibit the growth of mold and mildew (Aspergillus niger) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

Fungicidal Activity: This product is effective against Trichophyton mentagrophytes (athlete's foot fungus) (a cause of Ringworm) and Candida albicans on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal and Fungicidal Control".

To Disinfect Food Service Establishment Food Contact Surfaces: For countertops, exterior surfaces of appliances, and tables. Before using this product, food products and packaging materials must be removed from area or carefully protected. For heavily soiled areas, a pre-cleaning step is required. Apply undiluted solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. For sprayer applications, use a coarse spray device. Allow to remain wet for 10 minutes. Then remove excess liquid and rinse the surface with potable water. After use, all surfaces in the area must be thoroughly rinsed with potable water. This product is not for use on dishes, glassware, interior surfaces of appliances or eating utensils.

Directions for Food Processing Plants: For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Follow Disinfection directions.

Directions for Food Storage Areas: For use on non-food contact surfaces such as shelves, floors, walls and tables. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Then follow Disinfection directions.

Net Contents: 12/32 oz.
Item Code: EP 722
Rev. 4 / 09



FOR INDUSTRIAL AND INSTITUTIONAL USE



Disinfectant - Cleaner - Fungicide - Mildewstat - Virucide* - Deodorizer

For Hospitals, Home, Institutional, Industrial, Schools, Restaurant, Food Handling and Process Areas, Federally Inspected Meat and Poultry Plants, Bar and Institutional Kitchen Use and for Harvesting & Handling Equipment.

Bactericidal against Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus aureus (Methicillin resistant) (MRSA); Salmonella enterica ; Salmonella typhi ; Escherichia coli; Listeria monocytogenes; Staphylococcus epidermidis (antibiotic resistant)
Virucidal against HIV-1 the AIDS Virus, Influenza A/Brazil Virus, and Herpes Simplex Type 2; Hepatitis B virus; Hepatitis C virus

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl Dimethyl Ammonium Chloride.....	0.013%
Dioctyl Dimethyl Ammonium Chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS:.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See right panel for additional precautionary statements.

E.P.A. Reg. No. 10324-85-4482 E.P.A. Est. No. 4482-NJ-1



Cleaning/Deodorizing Directions: Apply undiluted solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. If mechanical spray device is used, spray should be coarse. Spray 6-8 inches from surface. Rub with sponge or cloth. Do not breathe spray. Allow to air dry or wipe up excess liquid.

*KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). *SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.* PERSONAL PROTECTION: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. CLEANING PROCEDURE: Blood and other body fluids (containing HIV-1, HBV & HCV) must be thoroughly cleaned from surfaces and objects before application of this product. DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. CONTACT TIME: Leave surface wet for 2 minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. PHYSICAL OR CHEMICAL HAZARDS: Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

