

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



ULTIMA FOOD & BEVERAGE HOSE



rubber & accessories, inc.

ULTIMA

Food &
Beverage

HOSE

FDA 3-A
150 PSI
USDA

Product Specifications

Application	A very flexible hose suited for gravity flow, pressure, or suction service transferring oily and non-oily edibles from tank truck and in-plant service.
Construction Tube	White Food Grade Synthetic Rubber (FDA/USDA compliant and conforms to 3-A Sanitary Standard 18-03)
Cover	Blue Synthetic Rubber
Reinforcement	Spiral-plied Synthetic Fabric with Wire Helix
Temperature	-25°F to 230°F (-32°C to 110°C)
Standard Length	100' - Sold in multiples of 5' only
Branding	See above illustration
Couplings	Stainless Steel Sanitary or Quick Disconnect End permanently secured with S/S Ferrules or Sleeves, Crimped

PRODUCT CODE	ID	NOM OD	MAX WP	BEND RADIUS	VACUUM HG	WEIGHT
	Inch	Inch	PSI	Inch	Inch	Lb/Ft
17397	2	2.53	150	5	29	1.23
17398	3	3.60	150	7	29	2.16
17399	4	4.64	150	10	29	3.05

RUBBER FOOD HANDLING HOSE - SMOOTH

Designed to transfer non-dairy food products such as bulk liquid sugar, syrups, and vegetable oils from tank truck or rail car to candy manufacturers, bottling, and processing plants. Smooth white vinyl nitrile tube meets F.D.A. requirements, is easily cleaned and is animal and vegetable oil resistant; and it can be used in pressure applications or at full vacuum. Smooth white vinyl nitrile cover is abrasion, animal fat, oil, and weather resistant. Temperature range -40°F to +180°F.



SIZE I.D.	SIZE O.D.	WORKING PRESSURE	APPROX. WT/C FT.	STANDARD LGTH/FT.	WHITE	GRAY
1½"	2.00	150	86	100	17377	----
2"	2.53	150	123	100	17378	----
2½"	3.25	150	192	100		17390
3"	3.60	150	216	100	17380	----
4"	4.64	150	305	100	17381	----

Couplings: See Hose Couplings

PVC FOOD HANDLING HOSE

The ideal hose for applications that require fast flow with visibility during transfer. Clear hose with wire Helix. This hose meets F.D.A. requirements, is easy to clean, extremely flexible yet durable and tough. Rated for full vacuum. USDA 3A for milk, meat and poultry plants.



SIZE I.D.	SIZE O.D.	DISC. PRESSURE PSI @ 68°F	WORKING PRESSURE PSI @ 140°F	APPROX WT/C FT.	STANDARD LGTH/FT.	PRODUCT CODE
3/4"	1.00	100	42	20	100	17345

1"	1.25	90	42	27	100	17346
1¼"	1.50	90	42	34	100	17347
1½"	1.84	90	42	47	100	17348
2"	2.37	70	37	67	100	17349
2½"	2.90	65	32	92	100	17350
3"	3.46	55	28	123	100	17351
4"	4.53	50	28	189	100	17352

THE TFE MASTER - TFE LINED

RUBBER COVERED FOOD HOSE - CHEMICAL TRANSFER HOSE

Extremely flexible - FDA/Chemical Resistant TFE tube excellent for conveying and transferring a variety of products in plants, trucks, barges, ships, or storage tanks. TEMPERATURE: -40°F to +300°F Normal Service.

Construction: Tube TFE - FDA Approved - Chemical Resistant

Reinforcement: Synthetic high tensile textile with steel wire helix

Cover: Blue EPDM w/yellow lay line

Couplings: Permanently attached — • Swaged • Crimped • Internally Expanded

SIZE I.D.	SIZE O.D.	APPROX. WT/C FT.	WORKING PRESSURE	MIN BEND RADIUS	VACUUM RATINGS	PRODUCT CODE
2"	2.55"	114	200	9"	30	16804
3"	3.59"	178	150	18"	30	16806

[Previous Page](#) || [View PDF of Hoses](#) 

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 | | Tucker, GA - 800.647.3743 | Email: INFO