

[PROJECTS](#)[PRODUCTS](#)[RESOURCES](#)[REPS](#)[CONTACT US](#)

Cyclone VAULT®

The Cyclone VAULT® is now available.

See below for images of the Cyclone VAULT®

Cyclone Roof VAULT®

- ✓ 3rd-party tested to ICC 500 and FEMA 2014 P-361 for tornado 250+ mph impact
- ✓ Custom model sizes ranging from CRV 161010 (16" L x 10" W x 10" H) through to as large as CRV 484848 (48" L x 48" W x 48" H)



[PROJECTS](#)[PRODUCTS](#)[RESOURCES](#)[REPS](#)[CONTACT US](#)

Cyclone Roof Drain

- ✓ 3rd-party tested to ICC 500 and FEMA 2014 P-361 for tornado 250+ mph impact
- ✓ CRD models available in 4", 6", or 10" sizes for poured in place or precast



Cyclone Wall VAULT® Shroud

- ✓ 3rd-party tested to ICC 500 and FEMA 2014 P-361 for tornado 250+ mph impact

Shroud Models Available (used with wall VAULT):

- ✓ CWVSO 101110 (10" L x 11" W x 10" H)
- ✓ CWVSO 242416 (24" L x 24" W x 16" H)
- ✓ CWVSO 484816 (48" L x 48" W x 16" H)
- ✓ CWVSO Duct: able to handle 8" x 8" up to 40" x 14"




[PROJECTS](#)
[PRODUCTS](#)
[RESOURCES](#)
[REPS](#)
[CONTACT US](#)

- ✓ 3rd-party tested to ICC 500 and FEMA 2014 P-361 for tornado 250+ mph impact
- ✓ VTR Models: 2002 2" pipe, 2003 3" pipe, 2004 4" pipe, 2006 6" pipe for both precast or poured in place



Cyclone Wall VAULT® 90°

Elbow

- ✓ 3rd-party tested to ICC 500 and FEMA 2014 P-361 for tornado 250+ mph impact
- ✓ CWV 90 Models: CWV 90-2", CWV 90-3", CWV 90-4", CWV 90-6", CWV 90-8"
- ✓ Custom units available



Contact

PO Box 461024
 San Antonio, TX 78246
 United States

☎ P 1-800-994-0945

Navigation

[Projects](#)
[Schools](#)



[PROJECTS](#)

[PRODUCTS](#)

[RESOURCES](#)

[REPS](#)

[CONTACT US](#)

[Products](#)

[VAULT Models](#)

[VAULT Options](#)

[Standard Vault](#)

[Standard Vaults](#)

[Standard VAULT Exit Seals](#)

[Cyclone Vault](#)

[Cyclone Products](#)

[Cyclone VAULT Exit Seals](#)

[Resources](#)

[Features](#)

[Gallery](#)

[Downloads](#)

[News](#)

[FAQ](#)

[Reps](#)

[Contact Us](#)

