SOLUTION

AQUEOUS

PEROXIDE

HYDROGEN

JN2014,

MC084808

RES.#

L01

HYDROGEN PEROXID

AMLINE

STREAMLINE HYDROGEN PEROXIDE 34%

UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION **UN2014**



Danger GHS CLASSIFICATION:

Skin Corrosion/Irritation Category 1B. Serious Eye Damage/Eye Irritation Category 1. Oxidizing Liquid Category 2. Acute Toxicity - Inhalation Vapour Category 2. Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3. Acute Toxicity - Inhalation Dust / Mist Category 4. Acute Toxicity - Oral Category 4 HAZARD STATEMENTS: May intensify fire; oxidizer. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. Fatal if inhaled.

May cause respiratory intritation. PRECAUTIONARY STATEMENTS PREVENTION: Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust/fume/gas/ mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory pro-tection. tection

RESPONSE: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-able for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Specific treatment is urgent (see on this label). Wash contaminated clothing before reuse. In case of fire: Use large quantities of water, water only, water (flood with

water) to extinguish. **STORAGE:** Store in a well-ventilated place. Keep container tightly closed. Store in a secure manner. **DISPOSAL:** Dispose of in accordance with local, regional and international regulations.

READ AND UNDERSTAND LABEL AND SAFETY DATA SHEET BEFORE PRODUCT USE. SUPPLEMENTAL INFORMATION IN CASE OF SPILL: CORROSIVE MATERIAL. STRONG OXIDIZER. Eliminate all sources of ignition. Evacuate un-protected personnel from area. Maintain adequate ventilation. Follow personal protective equipment recommendations found in Section 8. Never exceed any occupational exposure limit. IN CASE OF FIRE: Evacuate area of unprotected per-sonnel. Wear protective clothing including NIOSH-approved self-contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to cool fire-exposed containers. ATTENTION: Con-tamination from any source may cause rapid decomposition, oxygen gas release and dangerous pressure. Heat may also cause self-accelerating exothermic decomposition with oxygen gas and steam release that can cause dangerous pressures. Avoid storage on wood floors or near wooden walls, etc.. Do not store on wooden pallets.

ATTENTION: THIS CONTAINER IS HAZARDOUS WHEN EMPTIED. Since emptied container retains product residues (vapor, dust or liquid), all labeled hazard precautions must be observed. Cutting, drilling, grinding or welding on containers might cause fire, explosion or release of harmful fumes. Do not use this container for any other product than what is shown on this label. KEEP OUT OF REACH OF CHILDREN. FOR COMMERCIAL USE.



Streamline Innovations, Inc. 20079 Stone Oak Pkwy, Suite 1105 PMB 476 San Antonio, TX 78258 (888) 787-6569 Email: contact@streamlineinnovations.com Company Website: http://www.streamlineinnovations.com

10/30/2017

1

SCH.# **RES.# MC084808** LOT #-

NET WEIGHT: 2832.00 LBS 1284.57 KGS