





Home > All Industries > Sports & Entertainment > Cycling > Bicycle Parts > Bicycle Tires [Subscribe to Trade Alert](#)**Note:** Please be cautious and check with your supplier if this product is for virus protection purposes and if the coronavirus (COVID-19) will affect your order. ✕
**BLACK CAT
TIRE**[View larger image](#)[Share](#)20x1.1/8 butyl rubber tire bicycle inner tube for folding bike
1 buyer

5 - 199 Pieces	200 - 1999 Pieces	2000 - 4999 Pieces	>=5000 Pieces
\$1.23	\$1.08	\$1.00	\$0.92

Color: 

Width: 1.1/8 \$1.23 - 5 +

Protection:  Trade Assurance protection your alibaba.com order

 On-time Dispatch Guarantee  Refund Policy

5 Pieces [Details](#) **\$6.15**
Processing Time 12 days ⓘShipping To Be Negotiated
[Learn more](#)**Total** To Be Negotiated[Start Order](#)[Contact Supplier](#) Add to cart**Jinde Rubber (Fujian) Co., Ltd.**
Manufacturer CN 2 YRSResponse Time On-time delivery rate
≤10h **100.0%**46 Transactions
60,000+**Product Details**

Company Profile

Transactions

[Report Suspicious Activity](#)

Product Description Details Images Packing & Delivery Company Profile Exhibition FAQ

Overview**Quick Details**

Use:	Ordinary bicycle	Place of Origin:	Fujian, China
Brand Name:	Black Cat	Model Number:	20x1.1/8
Material:	Butyl Rubber	Width:	28mm
RUBBER content:	40%-45%	Valve:	AV/FV/DV
Type:	inner tube		

Packaging & Delivery

Selling Units: Single item

Single package size: 8X4X11 cm

Single gross weight: 0.125 kg

Package Type: Carton

Lead Time [Ⓢ]	Quantity(Pieces)	1 - 100	101 - 500	501 - 1000	>1000
	Est. Time(days)	12	15	20	To be negotiated

Product Description

ITEM	20x1.1/8
BRAND	BLACK CAT
WIDTH	28mm
MATERIAL	Butyl Rubber
VALVE	AV/FV/DV/IV

Details Images



BICYCLE TUBE	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH
	700x23/25C	23	27x1.3/8	37	28/29x1.75/1.95	44	24x2.125/2.40	52	16x4.0	103
	700x28/32C	29	16x1.50/1.75	41	12x1.95/2.125	48	26x2.125/2.40	52	20x4.0	106
	700x35/43C	33.5	20x1.50/1.75	41	14x1.95/2.125	48	27x2.125/2.40	52	24x4.0	106
	24x1	23	24x1.50/1.75	41	16x1.95/2.125	48	28/29x2.125/2.40	52	26x4.0	106
	20x1.1/8	28	26x1.50/1.75	41	20x1.95/2.125	48	14x2.50/3.00	64		
	18x1.25	33	28x1.1/2	41	24x1.95/2.125	48	16x2.50/3.00	64		
	26x1.0/1.50	33	12x1.75/1.95	44	26x1.95/2.125	48	18x2.50/3.00	64		
	16x1.35/1.50	37	14x1.75/1.95	44	27x1.95/2.125	48	20x2.50/3.00	64		
	20x1.35/1.50	37	16x1.75/1.95	44	28/29x1.95/2.125	48	24x2.50/3.00	64		
	14x1.3/8	37	18x1.75/1.95	44	12.1/2x2.1/4x2.40	52	26x2.50/3.00	64		
	16x1.3/8	37	20x1.75/1.95	44	14x2.125/2.40	52	27.5x2.50/3.00	64		
	20x1.3/8	37	22x1.75/1.95	44	16x2.125/2.40	52	28/29x2.50/3.00	64		
	22x1.3/8	37	24x1.75/1.95	44	18x2.125/2.40	52	26x2.1/2	66		
	24x1.3/8	37	26x1.75/1.95	44	20x2.125/2.40	52	16x3.00/3.50	80		
26x1.3/8	37	27.5x1.75/1.95	44	22x2.125/2.40	52	26x3.50/4.00	95			

ELEMENT	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH	SPEC.	WIDTH
	16x1.75/1.95	44	16x2.125	52	14x2.50	65	20x2.50	67		



AV 01 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TAR-35L</td> <td>35</td> <td>TAR-48L</td> <td>48</td> </tr> <tr> <td>TAR-40L</td> <td>40</td> <td>TAR-51.5L</td> <td>51.5</td> </tr> <tr> <td>TAR-43.5L</td> <td>43.5</td> <td>TAR-60L</td> <td>60</td> </tr> </tbody> </table>	Specification	L	Specification	L	TAR-35L	35	TAR-48L	48	TAR-40L	40	TAR-51.5L	51.5	TAR-43.5L	43.5	TAR-60L	60	FV 02 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>VFR-26.5L</td> <td>26.5</td> <td>VFR-48L</td> <td>48</td> </tr> <tr> <td>VFR-33L</td> <td>33</td> <td>VFR-60L</td> <td>60</td> </tr> <tr> <td>VFR-40L</td> <td>40</td> <td>VFR-80L</td> <td>80</td> </tr> </tbody> </table>	Specification	L	Specification	L	VFR-26.5L	26.5	VFR-48L	48	VFR-33L	33	VFR-60L	60	VFR-40L	40	VFR-80L	80	RV (Removable core) 03 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>RV-26.5L</td> <td>26.5</td> <td>RV-48L</td> <td>48</td> </tr> <tr> <td>RV-33L</td> <td>33</td> <td>RV-60L</td> <td>60</td> </tr> <tr> <td>RV-40L</td> <td>40</td> <td>RV-80L</td> <td>80</td> </tr> </tbody> </table>	Specification	L	Specification	L	RV-26.5L	26.5	RV-48L	48	RV-33L	33	RV-60L	60	RV-40L	40	RV-80L	80	TR1 (DV) 04 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR1-26.5L</td> <td>26.5</td> <td>TR1-48L</td> <td>48</td> </tr> <tr> <td>TR1-35L</td> <td>35</td> <td>TR1-60L</td> <td>60</td> </tr> <tr> <td>TR1-40L</td> <td>40</td> <td></td> <td></td> </tr> </tbody> </table>	Specification	L	Specification	L	TR1-26.5L	26.5	TR1-48L	48	TR1-35L	35	TR1-60L	60	TR1-40L	40		
Specification	L	Specification	L																																																																
TAR-35L	35	TAR-48L	48																																																																
TAR-40L	40	TAR-51.5L	51.5																																																																
TAR-43.5L	43.5	TAR-60L	60																																																																
Specification	L	Specification	L																																																																
VFR-26.5L	26.5	VFR-48L	48																																																																
VFR-33L	33	VFR-60L	60																																																																
VFR-40L	40	VFR-80L	80																																																																
Specification	L	Specification	L																																																																
RV-26.5L	26.5	RV-48L	48																																																																
RV-33L	33	RV-60L	60																																																																
RV-40L	40	RV-80L	80																																																																
Specification	L	Specification	L																																																																
TR1-26.5L	26.5	TR1-48L	48																																																																
TR1-35L	35	TR1-60L	60																																																																
TR1-40L	40																																																																		
TR1 (DV) 05 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR1-26.5L</td> <td>26.5</td> <td>TR1-48L</td> <td>48</td> </tr> <tr> <td>TR1-35L</td> <td>35</td> <td>TR1-60L</td> <td>60</td> </tr> <tr> <td>TR1-40L</td> <td>40</td> <td></td> <td></td> </tr> </tbody> </table>	Specification	L	Specification	L	TR1-26.5L	26.5	TR1-48L	48	TR1-35L	35	TR1-60L	60	TR1-40L	40			C4E (EV) 06 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TC4E-30L</td> <td>30</td> <td>TC4E-48L</td> <td>48</td> </tr> <tr> <td>TC4E-40L</td> <td>40</td> <td>TC4E-60L</td> <td>60</td> </tr> </tbody> </table>	Specification	L	Specification	L	TC4E-30L	30	TC4E-48L	48	TC4E-40L	40	TC4E-60L	60	C3E (EV) 07 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TC3E-32.5L</td> <td>32.5</td> </tr> </tbody> </table>	Specification	L	TC3E-32.5L	32.5	IV 08 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>ITV-28S</td> <td>28</td> <td>ITV-40L</td> <td>40</td> </tr> <tr> <td>ITV-30.5L</td> <td>30.5</td> <td>ITV-48L</td> <td>48</td> </tr> <tr> <td>ITV-32L</td> <td>32</td> <td>ITV-60L</td> <td>60</td> </tr> <tr> <td>ITV-35L</td> <td>35</td> <td></td> <td></td> </tr> </tbody> </table>	Specification	L	Specification	L	ITV-28S	28	ITV-40L	40	ITV-30.5L	30.5	ITV-48L	48	ITV-32L	32	ITV-60L	60	ITV-35L	35														
Specification	L	Specification	L																																																																
TR1-26.5L	26.5	TR1-48L	48																																																																
TR1-35L	35	TR1-60L	60																																																																
TR1-40L	40																																																																		
Specification	L	Specification	L																																																																
TC4E-30L	30	TC4E-48L	48																																																																
TC4E-40L	40	TC4E-60L	60																																																																
Specification	L																																																																		
TC3E-32.5L	32.5																																																																		
Specification	L	Specification	L																																																																
ITV-28S	28	ITV-40L	40																																																																
ITV-30.5L	30.5	ITV-48L	48																																																																
ITV-32L	32	ITV-60L	60																																																																
ITV-35L	35																																																																		
TR4A 09 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR4A-34L</td> <td>34</td> </tr> <tr> <td>TR4A-40L</td> <td>40</td> </tr> <tr> <td>TR4A-48L</td> <td>48</td> </tr> </tbody> </table>	Specification	L	TR4A-34L	34	TR4A-40L	40	TR4A-48L	48	CR202 10 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>CR202-42L</td> <td>42</td> </tr> <tr> <td>CR202-45L</td> <td>45</td> </tr> </tbody> </table>	Specification	L	CR202-42L	42	CR202-45L	45	DIN7768 11 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>DIN7768-A90</td> <td>27</td> <td>DIN7768-A45</td> <td>25.5</td> </tr> <tr> <td>DIN7768-A70</td> <td>26.5</td> <td>DIN7768-A30</td> <td>25</td> </tr> <tr> <td>DIN7768-A60</td> <td>26</td> <td></td> <td></td> </tr> </tbody> </table>	Specification	L	Specification	L	DIN7768-A90	27	DIN7768-A45	25.5	DIN7768-A70	26.5	DIN7768-A30	25	DIN7768-A60	26			DIN7768C 12 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>DIN7768C-A90</td> <td>27</td> <td>DIN7768C-A53</td> <td>25.5</td> </tr> <tr> <td>DIN7768C-A70</td> <td>26</td> <td>DIN7768C-A45</td> <td>25</td> </tr> <tr> <td>DIN7768C-A60</td> <td>25.5</td> <td></td> <td></td> </tr> </tbody> </table>	Specification	L	Specification	L	DIN7768C-A90	27	DIN7768C-A53	25.5	DIN7768C-A70	26	DIN7768C-A45	25	DIN7768C-A60	25.5																				
Specification	L																																																																		
TR4A-34L	34																																																																		
TR4A-40L	40																																																																		
TR4A-48L	48																																																																		
Specification	L																																																																		
CR202-42L	42																																																																		
CR202-45L	45																																																																		
Specification	L	Specification	L																																																																
DIN7768-A90	27	DIN7768-A45	25.5																																																																
DIN7768-A70	26.5	DIN7768-A30	25																																																																
DIN7768-A60	26																																																																		
Specification	L	Specification	L																																																																
DIN7768C-A90	27	DIN7768C-A53	25.5																																																																
DIN7768C-A70	26	DIN7768C-A45	25																																																																
DIN7768C-A60	25.5																																																																		
TR4 13 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR4</td> <td>33.5</td> </tr> </tbody> </table>	Specification	L	TR4	33.5	TR87 14 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR87</td> <td>33</td> </tr> </tbody> </table>	Specification	L	TR87	33	TR13 15 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR13</td> <td>38</td> </tr> </tbody> </table>	Specification	L	TR13	38	TR6 16 <table border="1"> <thead> <tr> <th>Specification</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>TR6</td> <td>34</td> </tr> </tbody> </table>	Specification	L	TR6	34																																																
Specification	L																																																																		
TR4	33.5																																																																		
Specification	L																																																																		
TR87	33																																																																		
Specification	L																																																																		
TR13	38																																																																		
Specification	L																																																																		
TR6	34																																																																		




**BLACK CAT
TIRE**



**BLACK CAT
TIRE**





Packing & Delivery



* By default, we will send OEM packaging,100pcs/cartons. Also we could offer Black Cat color boxes in English versions.50Pcs /cartons.

Company Profile



We started producing tubes from 2010.We always put the quality on the very first position.Every single tube is tested before it ships out from our factory.

Exhibition



FAQ

Chat Now

Browsing History

How about the quality control ?
 Your satisfaction is our pursuit. Every single tube was test by our QC inspector. There is strictly quality control system.
 What is your MOQ?
 Different products have different quantity. please contact me for the details. If you want any thing or any help, really I'm here for you.
 What's your after-sale service?
 If there is any question about the items you got from us. Please let us know. we can't guarantee the products are 100% all good, but we 100% promise replace defective products for you.

Send your message to this supplier

To: Wayne Lee

*Message:

For better quotations, include:
 - A self introduction
 - Special requests, if any

Your message must be between 20-8000 characters






Quantity:

Recommend matching suppliers if this supplier doesn't contact me on Message Center within 24 hours. [Request for Quotation](#)

I agree to share my **Business Card** to the supplier.

[Send](#)

Supplier's popular products

 <p>High quality 16x1.95/2.125 butyl rubber tire bicycle...</p> <p>\$0.84 - \$1.15 5 Pieces (MOQ)</p>	 <p>bicycle tube 20x4.0 for fat bike tire e-bike inner tube</p> <p>\$1.51 - \$1.82 5 Pieces (MOQ)</p>	 <p>12x1.95/2.125 butyl rubber tire bicycle inner tube City...</p> <p>\$0.84 - \$1.15 5 Pieces (MOQ)</p>	 <p>butyl rubber bicycle inner tube 26x1.50/1.75 City...</p> <p>\$0.85 - \$2.13 5 Pieces (MOQ)</p>	 <p>Factory price 22x1.75/1.95 butyl rubber tire bicycle...</p> <p>\$0.88 - \$1.18 5 Pieces (MOQ)</p>
--	--	---	---	--

Not exactly what you want? 1 request, multiple quotations [Get Quotations Now >>](#)

Related Searches :

- | | | |
|--------------------------|------------------------------|---------------------------------|
| motorcycle inner tube | butyl tube | giant inner tubes |
| China fork inner tube | China bicycle inner tube | China tractor tire inner tubes |
| butyl inner tube | Michelin inner tubes | motorcycle tubes |
| China butyl inner tube | China large tire inner tubes | China electric motor inner tube |
| tractor tire inner tubes | tyre tube | small tire tubes |
| China truck inner tube | China heavy truck inner tube | China price of india inner tube |



Alibaba.com Site: International - Español - Português - Deutsch - Français - Italiano - हिंदी - Русский - 한국어 - 日本語 - اللغة العربية - ไทย - Türk - Nederlands - tiếng Việt - Indonesian - עברית

AliExpress | 1688.com | Tmall Taobao World | Alipay | Lazada

Browse Alphabetically: Onetouch | Showroom | Country Search | Suppliers | Affiliate

Product Listing Policy - Intellectual Property Protection - Privacy Policy - Terms of Use - User Information Legal Enquiry Guide

© 1999-2021 Alibaba.com. All rights reserved. 浙公网安备 33010002000092号 浙B2-20120091-4

Chat Now

Browsing History



TOP