



[Pricing](#) | [Media Library](#) | [Articles](#)



1-888-345-0809

(6 am - 6 pm PST)

Search Our Web Site!:

Search

Home

About Our Company

Events & News

Store Locations

Product List

Applications



Blue Max



Roof Coatings



Rubber / EPDM



Metal Roofs



Concrete Roofs



Basements

Ames® Maximum-Stretch™ Premium Elastomeric Roof Coating

- Pure Rubber and Acrylic Coating
 - Stretches Up to 750%
 - 98% Reflective
 - Saves Energy
 - Reduces Cooling Costs
 - Stops Leaks Fast!
- Built up Tar Roof Systems
 - Rubber Roofs with Super Primer
 - Rolled Roofs

Maximum-Stretch™ is a thick, high solids high-grade white elastomeric plastic coating and paint that stretches with the roof surface. Maximum-Stretch™ has several times the adhesive capability of most paint. It seals, saves and extends the life of old roofs and is an excellent choice for old tar roofs. Some surfaces such as EPDM, rubber roofs or vinyl will need a primer coat of Ames® Super Primer™ for the best adhesion. It is white with a reflectivity of 90 to 98% to drastically reduce the roof temperature from as much as 120°F. It has remarkable adhesion to almost any surface including rolled roofing. This liquid elastic coating and sealant flows easily into cracks and crevices and dries to completely seal roof leaks. Maximum-Stretch™, along with Super Elasto-Barrier™ and roof fabric can be formed into a roof system to form a new roof over the old roof and substantially extend the life of the roof by many years. Maximum-Stretch™ roof coating resists cracking and drastically reduces the expansion and contraction that tears roofs apart. Maximum-Stretch™ remains flexible from -30° to 150° F. It has been developed for cold and wet weather and formulated to resist fungus, mold and mildew. It is potable water compliant. Maximum-Stretch™ cleans up with water, contains no solvents and is easy to use. Just pour it out and paint it on.

- [How To](#) [Apply Maximum-Stretch™](#)
- [Colors](#) [Ace Color Formulations](#)
- [Specs](#) [Architectural Specifications](#)
- [Specs](#) [Sprayer Specifications](#)
- [MSDS](#) [Material Safety Data Sheets](#) (PDF)
- [Properties](#) [Physical Performance Properties](#) (PDF)
- [Testing](#) [Fire Testing](#)
- [FAQ](#) [Frequently Asked Questions](#)
- [Photos](#) [Maximum-Stretch™ Roof Coating-Spray Application](#)
- [Pricing](#) [Pricing & Ordering](#)



We have a 95 year old Spanish style house that was impossible to keep cool during the summer. Our electric bill for last August alone was \$600 and we still couldn't get the living room temperature below 90 F....day or night.



Concrete
Block Walls



Foundation Coatings



Paint Products



Deck and Roof Decks



Super Primer

Clear Seal

Liquid Granite

Reflective Safety Paint

Roof Fabric

Seam Tape

Built up Tar Roofs

Flat Roofs

Floor Coatings

Stucco

Pricing and Ordering

Catalog

Information and
Specifications

Media Library

Shopping Cart

Links

Contact Us

Espanol



What Do You Want to

This year we were almost ready to sign up for a \$25,000 fix when I saw your site on the internet. I ordered 15 gallons of Maximum Stretch...enough for one coat on our roof. With my infrared thermometer, I took the temperature of the living room ceiling before I started. It registered 87 F. By that afternoon, I finished the very easy "pour it out and roll it on" application and the temperature dropped to 75 F.

Not only did we save the \$25,000, we are saving \$100 per week in energy costs and will pay for the products in less than 6 weeks.

Thank you Ames!
David Perlstein,
San Jose, CA

[More testimonials...](#)

This Product Available at Participating Ace Hardware Stores

[Find Your Local Ace Store](#)

Stk. No.	Size	Description	Price	Shipping
	1 Gal	White	\$50.00	BUY IT NOW
	5 Gal	White / Tan / Grey	\$159.00	BUY IT NOW

Call 888-345-0809 for information on large quantity purchases



Desert Storm Tan
Bright White
Light Gray

approximate colors

[Back](#)

[Home](#) | [Privacy](#) | [Terms](#) | [Returns](#) | [Shipping](#) | [Got Skype?](#) | [Shopping Cart](#)

Ames® Research Laboratories, Inc., PO Box 1350 Jefferson, Oregon 97352 USA
Toll-Free: 1-888-345-0809 PST, Phone: 503-588-3330 PST, Fax: 503-364-2380,
Please be sure your spam filters are set to accept emails from amesstaff@amesresearch.com.
Email: amesstaff@amesresearch.com

We Sell Factory Direct and Worldwide!

Call For Free Technical Assistance and To Order: **1-888-345-0809**
(6 am - 6 pm PST)

Prices are in U. S. dollars and subject to change without notice. Copyright ©2002 Ames® Research Laboratories, Inc. All rights reserved. Unauthorized use of any images, thumbnails, illustrations, descriptions, article content, sounds, or registered trademarks of Ames® Research Laboratories, Inc. is strictly prohibited under copyright law. Site content, including photography, descriptions, pricing, promotions, and availability are subject to change without notice.

Waterproof Today?

---Choose one---



Interview of Dr. W. Ames
Curtright with Michael King,
The Cajun Contractor

