


The filing date of pending U.S. Application Serial No. 86828569 was DEAD. Please see the screenshot

vehicle brake lights, vehicle turn-signal light bulbs, wail lights, wail lights for illumination pur

Standard Characters Claimed
Mark Drawing Code (4) STANDARD CHARACTER MARK
Serial Number 86828569
Filing Date November 23, 2015
Current Basis 1B
Original Filing Basis 1B
Published for Opposition July 19, 2016
Owner (APPLICANT) Li Pengfei INDIVIDUAL CHINA Xixiang street, Baoan district Shenzhen CHINA
Type of Mark TRADEMARK
Register PRINCIPAL
Live/Dead Indicator DEAD 
Abandonment Date August 2, 2017



AMLIGHT

LED Under Cabinet Light, AMLIGHT 18-Inch 10W Dimmable Under-Counter Fixture with 3-Color Levels

★★★★☆ 22 customer reviews | 4 answered questions

Price: ~~\$139.99~~
 Sale: **\$46.99**
 You Save: **\$93.00 (66%)**

→ 价格平穩 一键海淘 **¥350.54** 收藏 扫码领优惠券

In Stock.

This item ships to **China**. [Learn more](#)

Sold by **AMERILIGHTING** and Fulfilled by **Amazon**. Gift-wrap available.

Color: **White-V2**

Share

Qty: 1 ▾

Add to Cart

Turn on 1-Click ordering in your [browser](#)

Ship to: China ▾

Add to List

Have one to sell?

- ★LINKABLE: It provides end-to-end connectors for applications that require continuous row and is also available with linkable connectors in varying lengths for corners. Each fixture has knockouts on the side and back panel of the fixture and has a removal back plate for easy access to the interior fixture compartment. The fixture may be direct wired with a duplex connection or hard wired. Each fixture comes with standard accessories, such as an on/off switch.
- ★CCT-SWITCH: (correlated color temperature switch) It allows for interchangeable color temperatures 3000K(warm white), 4000K(daylight) , 5000K(cool white). CRI is over 90, providing you with much more vivid and natural lights. Dimmable with most standard 2-wire and CL dimmers with 5-100% light output
- ★TOP-NOTCH QUALITY: AMLIGHT Undercabinet Light maintain a slim 1" extruded aluminum profile available in a variety of lengths and finishes to complement any décor. The extrusion is optimally designed to dissipate heat, to both maximize lamp life and minimize the cabinet contact temperature. An

Roll over image to zoom in

Discover a new way to shop with Amazon [Learn more](#)

Home & Kitchen > Seasonal Décor > Seasonal Lighting > Rope Lights



Roll over image to zoom in

AMLIGHT

LED Rope Light Kits, Amlight 18 Feet Long Heavy Duty Waterproof PVC Tubing String, 5-Foot Extension Power Cord, 120 Volt, Warm White

★★★★☆ [5 customer reviews](#)

Currently unavailable.

We don't know when or if this item will be back in stock.

- **HIGH FLEXIBILITY and SHEARING SUSTAINABILITY:** crystal clear PVC tubing can be shaped, formed or bent in any angle to perfectly fit the space being decorated. They can also be custom cut to fit any building's surface dimensions, you can install the light in your own creative style.
- **CREATE NEW HOME LIVING SPACES WITH AMBIANCE:** The rope light is magic brush, the home from starry night is on our canvas, where you can be your own designer. Reminiscent of the warm amber glow seen in the fairy-tale Prague Castle or the fantastic Twilight Saga. All unconsciously sit back and bask in the glow lighting, you and your family will linger the beauty of life all year long
- **STRONGEST LIGHTS ON THE MARKET:** ETL rated for Indoor and Outdoor use. Built using and latest irrigation technology sealing glue and a heavy duty clear plastic tube jacket covers the super bright LEDs for protection and durability throughout all 4 seasons. Rope lights can withstand extreme hot or cold temperatures and wet climates as it illuminates the landscape.
- **GREAT VERSATILE:** you can install the light in your own creative style at anywhere. It is perfect choice for decoration, creating atmosphere, light show and beautifying home and business. For inside homes to valances, line steps,

Share

Currentl
We don't kn
item will l

Add to List

Add to Wsd

Have one to sell?



RTGS CR2032
Battery 3V 16 P

★★★★☆ 5