EXHIBIT 2

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE
Store in a cool, dry, well-ventilated area at temperatures below 40°C/104°F. Avoid moisture getting into container.

PESTICIDE DISPOSAL
Pesticide may be acutely hazardous. Wastes resulting from the use of this product must be disposed off on-site, or at an approved waste disposal facility.

CONTAINER HANDLING
Norefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in a sanitary landfill.

DILUTION CHART
Tablet size 13.1g

Solution ppm (mg/L) available chlorine	Tablets	Gallons of Water
0.5	1	2153
1	1	1076
1.5	1	718
2	1	359
4	1	269
5	1	215
10	1	100
100	1	10
538	1	2
1076	1	1
2153	2	1
4306	4	1
5382	5	1

MADE IN IRELAND

0 19962 02389 7

evaclean

EarthSafe Chemical Alternatives
145 Wood Road
Braintree, MA 02184
1-866-666-2305

PUR·ONE
EFFERVESCENT CLEANER & DISINFECTANT TABLETS

Kills *Clostridium difficile* Spores in 4 minutes

- Disinfects while you clean.
- Formulated to kill 99.9999% of bacteria[1] in biofilms.
- PUR:ONE provides effective cleaning strength that will not dull high gloss floor finishes with repeated use.
- Convenient tablet form that is dissolved in water. Solution can be applied with dry wipes.
- No need to use liquid bleach again.

ACTIVE INGREDIENT:	
Sodium Dichloro-s-triazinetrione	48.21%*
OTHER INGREDIENTS	51.79%
TOTAL	100.00%

*Equivalent to 31.10% active chlorine by tablet weight. Refer to dilution chart for Available Chlorine concentrations.

For use in cleaning and disinfection on hard, non-porous surfaces in:

- Hospitals, neo-natal units, ICU, operating rooms, hospital drain pipes, nursing homes, dental facilities, laboratories
- Schools, child care centers, daycares, licensed care facilities
- Restaurants, kitchens, vending machines, breweries, beverage and food processing plants, egg processing plants, milk processing facilities, dairy farms
- Veterinary clinics, kennels, boarding facilities, lab animal facilities, zoos and aquariums, poultry premises, poultry housing, poultry hatcheries
- Office buildings, hotels, stores, shops, amusement parks, campsites, pools, spas, gyms, health clubs, restrooms, commercial laundries.

PUR·ONE is an effective sanitizing agent. Treatment with this product throughout food and beverage processing and food handling operations can help ensure the quality of the final product.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.

Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IN THE EVENT OF A MEDICAL EMERGENCY CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222.** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See side panel for additional precautionary statements and storage and disposal.

NET CONTENTS
NET WT 7.39 LBS. (3.35 kg)
EPA Reg. No. 71847-7-91524
EPA Est. No. 71847-IRL-001

256 Tablets / Tablet Size 13.1 gram

KEEP OUT OF REACH OF CHILDREN

DANGER

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions.
This product is not for use on medical device surfaces.
General Solution Preparation: Prepare a fresh solution twice weekly (every 3 days) when using closed containers (spray bottles). Prepare a fresh solution daily when using open containers (buckets) or if solution becomes diluted. Follow specific Directions for Use and Dilution Chart when preparing solution. Do not use hot water in solution preparation. All treated equipment that will contact food, feed, or drinking water must be rinsed with potable water before reuse.
HEALTHCARE DISINFECTION WITHOUT PRECLEAN: PUR:ONE is a Healthcare disinfectant when used at a level of 4,306 ppm available chlorine disinfectant solution. It is effective against Norovirus, Coxsackievirus, and *Aspergillus fumigatus* with a 1 minute contact time. It is effective against *Salmonella enterica, Staphylococcus aureus, Pseudomonas aeruginosa*, carbapenem resistant *Klebsiella pneumoniae, Acinetobacter baumannii*, vancomycin resistant *Enterococcus faecalis, Staphylococcus aureus* – methicillin resistant (MRSA) & glycopeptide-resistant (GRSA), *Streptococcus pneumoniae*, Influenza Virus H1N1, and Avian influenza A virus with a 4 minute contact time.
HEALTHCARE DISINFECTION WITHOUT PRECLEAN DIRECTIONS:
Prepare a 4,306 ppm solution; refer to Dilution Chart. Apply use solution to surface with mop, cloth, sponge, brush, wipe, or mechanical sprayer. Allow surface to remain wet for the appropriate contact time. (Refer to HEALTHCARE DISINFECTION WITHOUT PRECLEAN), then remove product by wiping with brush, sponge, or cloth, or allow to air dry.
PUR:ONE is also effective as a Healthcare disinfectant for critical areas potentially contaminated with *Clostridium difficile* spores when used at a level of 4,306 ppm available chlorine disinfectant solution. A 4 minute contact time is required.

CLOSTRIDIUM DIFFICILE
DISINFECTION FOR SURFACES CONTAMINATED WITH *CLOSTRIDIUM DIFFICILE*
Special Label Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* spores Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.
Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.
Infectious Materials Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.
Directions for Use: Prepare a 4,306 ppm solution; refer to Dilution Chart. Apply solution to pre-cleaned surface with mop, cloth, sponge, brush, wipe, or mechanical sprayer. Allow surface to remain wet for 4 minutes, then remove product by wiping with brush, sponge, or cloth, or allow to air dry.
PERFORMANCE AGAINST BACTERIA GROWING IN A BIOFILM ON HARD NON-POROUS NON-FOOD CONTACT SURFACES: PUR:ONE is also effective against bacteria [1] *Staphylococcus aureus* and *Pseudomonas aeruginosa* growing in biofilms on hard, non-porous, non-food contact surfaces when used at a level of 4306 ppm available chlorine disinfectant solution with a 4 minute contact time.
DIRECTIONS FOR USE AGAINST BACTERIA GROWING IN A BIOFILM: Pre-clean surfaces to remove soil and filth. Wipe dry. Prepare a 4306 ppm solution. Thoroughly wet pre-cleaned surface with product. Allow surface to remain wet for 4 minutes. Rinse thoroughly.
HEALTHCARE DISINFECTION: PUR:ONE is effective as a Healthcare disinfectant for micro- organisms and blood borne viruses[1] when used at a level of 1076 ppm available chlorine disinfectant solution. It is effective against, Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B virus, Hepatitis A virus, vancomycin resistant *Enterococcus faecalis, Trichophyton interdigitale, Klebsiella pneumoniae, Staphylococcus epidermidis, Streptococcus pneumoniae, Escherichia coli* O157:H7, *Staphylococcus aureus* – methicillin resistant (MRSA) & glycopeptide resistant (GRSA), Poliovirus type 1, Rhinovirus Type 14, Herpes simplex virus type 1, Norovirus with a 10 minute contact time.

PUR:ONE is also effective as a Healthcare disinfectant for bloodborne viruses (HIV-1, Hepatitis A Virus, Hepatitis B Virus and Hepatitis C Virus) when used at a level of 4306 ppm available chlorine disinfectant solution with a 1 minute contact time, in 5% organic soil load.
HEALTHCARE DISINFECTION/VIRUCIDAL[1] DIRECTIONS
Prepare solution strength as required, refer to Usage Table for correct doses and contact times; refer to Dilution Chart for solution preparation. Apply use solution to pre-cleaned, hard, non-porous, inanimate surfaces with mop, cloth, sponge, brush, or wipe to wet all surfaces thoroughly. Allow surfaces to remain wet for contact time as indicated in the Usage Table, then remove product by wiping with brush, sponge, or cloth, or allow to air dry.
SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST Human Immunodeficiency Virus Type 1 (HIV-1) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:
Personal Protection: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, and eye coverings.
Cleaning Protection: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of PUR:ONE. This cleaning process may be accomplished with any cleaning solution including PUR:ONE.
Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.
Contact Time: Leave surfaces wet for 10 minutes.
SANITIZER PERFORMANCE: PUR:ONE is an effective Sanitizer against Staphylococcus aureus and Salmonella enterica at 100 ppm with a 1 minute contact time.
SANITIZER FOR FOOD AND BEVERAGE PROCESSING AND FOOD HANDLING OPERATIONS: Prepare a 100 ppm solution; refer to dilution chart for the number of tablets to use.
This product is recommended for sanitizing all types of hard, non-porous equipment and utensils used in food processing and canning plants, bottling plants, breweries, fish processing plants, meat and poultry processing plants, milk handling and processing plants, stores, restaurants, and institutional dining establishments. Use a 100 ppm available chlorine solution to sanitize previously cleaned processing and packaging equipment. Allow at least a 1 minute contact time before draining. Allow adequate draining before contact with beverages.
ANIMAL PATHOGENS: When used at dosage and contact times as outlined in the Usage Table, PUR:ONE is effective against the following animal pathogens: Canine Parvovirus, Herpes simplex virus type 1[†] Newcastle Disease Virus, Pseudorabies virus, Feline Calicivirus, Norovirus, Canine Distemper virus, Infectious Canine hepatitis[†], Teschen/Talfan disease[†], Avian influenza[†], Porcine parvovirus[†], Runting & Stunting virus (tenosynovitis)[†], *Actinobacillus pleuropneumoniae*[†], *Bordetella bronchiseptica* (rhinitis)[†], *Brachyspira hyodysenteriae* (Treponema/ Serpulina) (swine dysentery)[†], Gumboro disease[†], Porcine Epidemic Diarrhea Virus[†], *Streptococcus uberis* [†], Transmissible gastroenteritis (TGE)[†], Swine Vesicular disease [†], African swine fever[†], Hog cholera/ Classical swine fever[†], Avipox (fowl pox)[†], Respiratory syncytial virus[†], Bovine Viral Diarrhea Virus[†] and Porcine epidemic diarrhea virus[†] . Re-apply product as necessary to ensure surface remains wet.
[†]Note: This use has not been approved by the California DPR.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION IN ANIMAL HOUSING FACILITIES:
1. Remove all animals and feed from premises, vehicles, and enclosures.
2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces with appropriate solution strength for the appropriate contact time, refer to Usage Table for correct dose and contact time, and to Dilution Chart for solution preparation
6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
7. Ventilate buildings and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried.
8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and allow to air dry before reuse.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Corrosive. Causes irreversible eye damage. Harmful is swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing dust. Wear chemical-resistant gloves and safety glasses or face shield when making up solution. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

See product insert for additional directions for use and Usage Table.

Shows Kill Claims, Institutional Use and EPA Reg. No. (under net contents)