Effective Date: February 15, 2019. This supersedes all previous price lists. Orders shipped after 12/31/2018 will be invoiced at current pricing regardless of order date.


			a at carrent price				
7	NEV	V					
NEW LEADER NL4500 Price List							
D'II T				6: /6 /		PO #:	
Bill To Company:		Address:		City/State/ Zip Code:		Contact:	
				• 1 20000 91		Phone:	
Ship To		Address:		City/State:		Zip Code:	
Company:		10000 policy (10000 1000 1000 1000 1000 1000 1000 1				histori∎a labboorkestinens.	
MultApplier Ready Units Mult.					ultApplier Ready (LESS INSE	RT)	
Select *	includes endgate kit	<u>List Price</u>	Total	Select ◆	SELECT INSERT BELOW	<u>List Price</u>	Total
	13' NL4500 409 SS				13' NL4500 409 SS*		
8	14' NL4500 409 SS				14' NL4500 409 SS*		
	13' NL4500 304 SS				13' NL4500 304 SS*		
	14' NL4500 304 SS				14' NL4500 304 SS*		
*Sizes from 12' to 16' in length are available. Call factory for pricing.							
Select *	*Price does not include insert or endgate kit						
	5' 304 MultApplier Insert (#4 BOC MOR), motorized valve, 180 count encoder, dual bin level sensors						
	7' 304 MultApplier Insert (#4 BOC MOR), motorized valve, 180 count encoder, dual bin level sensors						
	8' Three Bin MULTIBIN Package, three bin level sensors						
	8' Four Bin MULTIBIN Package, four bin level sensors						
	304 MB micronutrient cover with stainless steel air cylinder, tarp transition, screens, and control						
	304 side boards for MultApplier/ Multibin insert (fertilizer application only)						
Select * MC Options							
	409ss single bin conversion kit (endgate/lube bank/ hillside divider/ inverted V)						
	304ss single bin conversion kit (endgate/lube bank/ hillside divider/ inverted V)						
Select ◆ New Leader Options							
	Low bin level sensor (for removable endgate during single bin operation) - ADD						
	304 frame cover (under-body panel). Sizes: 124"; 144"; 154.5" - ADD						
	Add HP- High Performance Hydraulics Package W/#4 BOC (not available with MultiBin units)						
	Add HP- High Performance Hydraulics Package W/#3 CHAIN (not available with MultiBin units)						
	Spread pattern test kit						
	SGN and calibration kit						
	Heavy-duty 1/4" spinner discs ILOS 7-gauge discs - ADD						
	304 stainless steel hydraulic reservoir ILOS - ADD						
	304 hydraulic fittings ILOS- Single bin spreader - ADD						
	304 hydraulic fittings ILOS- Two bin spreader - ADD						
304 hydraulic fittings ILOS- Three and Four bin spreader - ADD							
Total List Price Estimate: SGN Kit and Spread Pattern Test Kit are NOT included as standard equipment							
				,			
Prices FOB factory. Optional equipment prices are for individual units only. Pre-approved return of unused equipment/options subject to 20% restocking charge. Specials/non-stocking items not returnable. Trade discount will be reduced for dealers without C-Tech/CDS on staff. Refer to dealer contract for territory and trade							
discount details. Subject to change without notice.							

New Leader Manufacturing | Ph: 319-363-8281 Fax: 319-286-3351 www.NewLeader.com | equipmentsales@NewLeader.com



Previous

Next



Learn More T

Find a Career -

Our Brands





Equipment in a field of its own.



Equipment for the challenging road ahead.



Get to Know Us

Quality People. Quality Equipment.

Throughout our history we've been laser focused on engineering and building the most accurate and reliable equipment possible. It's a consistent commitment to our customers, and it's what makes us leaders in the industries we serve.

Learn More







"The good treatment and overall environment around here are what I like most about NLM."

JUNIORMaterial Handler II - Shipping

Meet More Leaders



TOUTWILLEADER







The spinner assembly that started it all. As the first broadcast spinner to allow operators the ability to spread material up to 90 feet in up to 25 MPH winds, all while maintaining a consistent and accurate spread pattern, the L4000G4 revolutionized the broadcast spinner spreader industry.

Precision Application

- Consistent and accurate spread patterns up to 90 feet
- Variable rate capabilities

Optional Features

304 stainless steel take-up brackets, hydraulic tank, and fenders

Increase productivity by spreading two products in a single pass with the MultApplier, or up to four

Ease of Use

 Bolted-in rear endgate for better structural integrity and multi-product capabilities

Ease of Maintenance

 Spinner motor with stainless steel shaft sleeve

New Leader - L4000G4

with the MultiBin. Both inserts allow for additional products to be spread independently or simultaneously with the main bin, and at straight or variable rates.

Literature

- ☐ Features & Benefits Guide
- Departor's Manual
- Parts Manual
- ☐ G4 G5 Spread Pattern Instructions
- Fin Kit Instruction Sheet
- ☐ Installation Instructions

TILL AVA NEW LEADER MANUSACTURING

TONEWULEADER

2014117/V/V