

Hercules® Megaloc®



Call it the plumbing industry's only "bulletproof" thread sealant. Megaloc® Thread Sealant features DuPont™ Kevlar® in its formula. That's one part of what makes Megaloc the highest performing thread sealant on the market. It can be used on steel, stainless steel, brass, copper, aluminum and plastics. Plumbers have come to trust the Hercules offering to provide the highest quality thread sealants and other plumbing products.

AVAILABLE IN 7 VARIATIONS

TECHNICAL RESOURCES (6)

- Submittal
- SDS
- SDS Canada English
- SDS Canada French
- FAQ
- Product Information

KEY FEATURES

- Odorless formula is non-separating, non-flammable and non-hazardous
- Seals plastic and metal pipes and fittings
- Wipes clean from hands and tools and washes out of clothes
- Performs over a range from -50 degrees Fahrenheit to 400 degrees Fahrenheit
- Safe for drinking water lines
- In-lid applicator
- Sets soft with no cure time required
- Resists hardening and cracks
- Hydraulic resistant to 12,000 PSI

SPECIFICATIONS

Color:	Blue
Brand:	Hercules
Maximum Application Temperature °F:	122°F
Maximum Application Temperature °C:	50°C
Set Speed:	Immediate
Product Type:	With Kevlar
Set Type:	Soft Set
Material Compatibility:	ABS
Material Compatibility:	Aluminum
Material Compatibility:	Brass
Material Compatibility:	CPVC
Material Compatibility:	Copper
Material Compatibility:	Plastics
Material Compatibility:	PVC
Material Compatibility:	Stainless Steel

AVAILABLE IN 7 VARIATIONS

Showing 7 of 7

Filter by

Size +

Reset Filters >



Hercules® 16 oz.
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158085
[Part #] 15808

Size: **16 oz**

[VIEW](#)

Hercules® 32 oz.
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158115
[Part #] 15811

Size: **32 oz**

[VIEW](#)



Hercules® 1.1 oz.
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158023
[Part #] 15802

Size: **1 oz**

[VIEW](#)



Hercules® 4 oz.
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158047
[Part #] 15804

Size: **4 oz**

[VIEW](#)



Hercules® 5 Gallon
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158160
[Part #] 15816

Size: **5 gallon**

[VIEW](#)



Hercules® 55 Gallon
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158184
[Part #] 15818

Size: **55 gallon**

[VIEW](#)



Hercules® 8 oz.
Megaloc® Multi-
Purpose Thread Sealant

[UPC] 032628158061
[Part #] 15806

Size: **8 oz**

[VIEW](#)

Related Resources

FAQs


What pipe joint compounds are recommended for use in an approved piping system filled with natural gas? +

What is the curing time for pipe joint compound? +

Can pipe joint compound and thread sealant tape be used on the same joint? +

[VIEW MORE >](#)

VIDEOS



hercules megaloc - auto-pro - thread sealant

Hercules Megaloc Thread Sealant

SEE MORE >

HAVE A QUESTION? ASK OATEY!

the choice of plumbing professionals



Resources

FAQs
Videos
Blog
Case Studies
Plumbing Terms


Data Sheets (SDS) & Product Literature
BIM Revit
CSI 3 Part Spec
Oatey Limited Warranty
ARCAT
Catalogs

Company Info

About Us
Oatey University
Careers
News & Press
Idea Portal

Connect With Us

CONTACT US



Patents | Trademarks | Supply Chain Information | Privacy and Terms of Use

We use cookies to collect information about how you use our site, monitor site performance, and improve your experience.
By using our website you agree to these [Terms of Use](#).

© 2021 Oatey. All Rights Reserved.

I AGREE