

EFFECTIVE 01 OCTOBER 2021
Add 5% to all products
Round up to the nearest dollar

Price List

JUMP TO PRICING [CLICK HERE](#)

TABLES



VERSTEEL

Prices

All prices are list price, delivered (48 contiguous United States), effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Normal delivery is on a dock-to-dock basis. Orders are accepted subject to price prevailing at time of shipment. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Orders less than \$2500 net will be subject to a \$150 minimum order charge (orders originating from Canada less than \$2500 net will be subject to a \$200 minimum order charge).*

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

MAILING ADDRESS

Versteel
2332 Cathy Lane
Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

QS Quickship Program

Available for select products in the Deci, Paces, Performance, Vela and Wavelink table lines along with select products in the Chela, Companion, Kompis, SIMON, Quanta Max and The Maker Project seating lines.

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST).

Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com

Credit

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping Schedule*Standard Items*

Laminate, Convex T-Mold Edge	3-5 WEEKS
Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Laminate, Urethane Edge	6-8 WEEKS
Veneer, Wood Edge	6-8 WEEKS

Contact Versteel for special lead time requests.

Shipping

Normal delivery is on a dock-to-dock basis. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges.

Tables are shipped disassembled unless Assembled Folding Table option is selected; tops and base(s) ship simultaneously. ODIS, TIM and tilt-fold tables are shipped assembled. TIM fixed tables are cartoned separately.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel
2332 Cathy Lane
Jasper, IN 47546

Shipping Damage Claims or Shortages

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

Concealed Damage

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.

Force Majeure

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstance making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

Oversized Shipping Fee*

Orders received for items or tops 96" or greater in length will receive a \$125 net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 96" in length.

Warranty

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian® and upholstery is not covered by Versteel but is covered by laminate, Corian® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces, T-Mold, Bumper, PVC Edges and Urethane

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Corian® Surfaces

Clean regularly with a cloth or sponge wrung out in warm soapy water. You can also use ammonia-based cleaners or commercial cleaners recommended for use on Corian® surfaces. Wipe up any water spills immediately so as not to leave a film that makes the finish look blotchy.

Care of Powder Coat and Nickel Surfaces

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Maintenance of Mechanical Parts

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

Care of Upholstered Tack Panels

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

Base Construction

Versteel bases are constructed of a column, base and a mounting top plate in many styles and sizes.

- 1) **Mounting top plates** attach to the column to allow attachment to the top.

FIXED BASES

Fixed bases feature a heavy gauge plate and are field installed into marked pre-drilled positions on the top with hardware provided.

TILT BASES

The 10 gauge upper plate is factory installed on the table top. The 7 gauge lower formed plate is attached to the base column.

FOLDING BASES

Folding bases feature a formed pan with welded construction that is connected to a wire formed frame. The wire formed frame acts as stacking bumpers and carrying handles for the table. Bases can be field installed into marked pre-drilled positions with provided hardware or request the option for factory installation.

- 2) **Columns** are constructed of 16 or 14 gauge tubular steel in a variety of shapes and diameters appropriate to the series and base styles.
- 3) **Base rails, feet or discs** attach to the column and are heavy gauge steel to create a very stable table with glides to provide $\frac{3}{4}$ " vertical adjustment for leveling the table.

Base Shipping Specifications

All Series TC, T1, T2 bases, W2, P3, P4 columns and D1 disc base ship assembled from the factory. Brattice, Uno and Vela Series X1 and X4 bases and Vela Y3 base also ship assembled from the factory. Performance and Tuscany Series X1 and X4 bases ship unassembled for field assembly.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

1)
Mounting Top Plate
Folding Top Plate Shown

2)
Column

3)
Base Rail with Glides

**Reference Table Heights**

Tables can be specified at many different heights based on your application needs. Standard Versteel tables are 29" from the floor to the table surface. The Interplay Rover™ Pup is 26 $\frac{3}{4}$ " from the floor to the surface for use as a pull-up typing surface or can roll under most surfaces to store out of the way.

Suggested typing height table is 26 $\frac{3}{4}$ "
Suggested wheelchair height table is 32"
Suggested counter height table is 36"
Suggested stand up height table is 42"



Manufacturer certifies
that products meet or
exceed applicable
ANSI/BIFMA standards
and testing.

**TIM Base Construction**

TIM table bases are constructed of 14 gauge round tube upper legs with 16 gauge round tube telescoping height adjustment lower leg sections. Guide bushings inside the legs are molded from nylon bushing materials to provide smooth, quiet operation of the height adjustment feature. The height adjustment button is made of solid steel with a spring actuated movement. A Height Adjustment Lock Out Kit is available if you wish to lock out the push-button height adjustment feature.

FIXED BASES

Fixed bases feature a 1/4" thick mounting top plate and are field installed into pre-drilled holes with hardware provided. TIM tables with fixed bases include the push-button height adjustment feature.

***NOTE** FIXED BASES ARE SHIPPED SEPARATE FROM THE TOP AND ONLY REQUIRE SCREW ATTACHMENT TO ASSEMBLE*

TILT-NEST-FOLD BASES

Tilt feature is cable actuated with the pull of a release handle located under the table top on the end of the surface. The cable operates two brake control mechanisms mounted on each end of the table to support the top. Nest-fold features are constructed of die cast metal components and 14 gauge round tube, fully enclosed in reinforced plastic housings for smooth, quiet operation.

***NOTE** THE TABLE IS SHIPPED FACTORY ASSEMBLED FOR IMMEDIATE USE AFTER UNCARTONING*

Reference Table Heights

TIM tables are constructed with push-button height adjustment to provide five inches of vertical movement. The top leg hole position will set the surface height at 27" with the third from the top hole for 29" standard seated task, and the bottom round hole providing the 32" surface height required for wheelchair applications. The adjustment holes are at 1" spacing increments.



Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T.I.L No. A-30.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of a 45-50 pound particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped pre-drilled for field installation of bases and accessories.

Laminate, Lightweight Core Construction - 1 1/4"

Lightweight core is a multi-ply birch plywood, with a density of around 28 lbs. per cubic ft., offering a 30%–35% weight reduction for a typical table vs. standard core. The tops are surfaced with a high pressure laminate face. A backer sheet is laminated to the under side of the top, and tops are shipped pre-drilled for field installation of bases and accessories. Lightweight core is only available on 1 1/4" thick tops.

The lightweight plywood construction allows for mounting of bases or other accessories at any location under the top.

Lightweight core is available as an option for tops that are no larger than 48" x 96".

NOTE LIGHTWEIGHT TOPS LARGER THAN 48" X 96" REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE LIGHTWEIGHT CORE ONLY AVAILABLE ON LAMINATE TOPS

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores, and cores that contain no urea formaldehyde. Contact Versteel for pricing and availability.

PVC Flat or Fluted Edge



Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in twenty-one (21) standard colors.


Convex T-Mold Edge



Edge of 5/16" thick solid vinyl convex t-mold with 1 1/2" radius corners on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in four (4) standard colors.

Wood Flat or Fluted Edge



Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available on 7/8" and 1 1/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.

Bumper Edge



Exposed ply core banding with rubberized 5/8" width bumper in the center of profile. Corners with 1 1/2" radius are available on 7/8" and 1 1/4" edge thicknesses. Offered in black bumper standard color.

Reverse Bevel Acrylic



Edge of 2mm acrylic edge banding hot melt banded to MDF core. A reverse bevel is then cut into the edge exposing the MDF on the reverse bevel. The MDF is then clear coated.

Wood Square or Fluted Edge - 1 1/4"



Edge of 1 1/4" wide solid wood with softened top and bottom edges, and square, softened mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.



Wood Bullnose Edge - 1 1/4"



Edge of 1 1/4" wide solid wood with a full bullnose edge, and 1" radius mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.



Wood Reverse Bevel Edge - 2"



Edge of 2" wide solid wood designed with a reverse sloped edge on one side and a flat wood edge on the remaining three sides for all Entourage cabinets. When specified on Elements Conference the reverse bevel detail will be on all four sides with mitered corners. Available on 1 1/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.



Wood Ergo Edge - 1 3/4" or 2 1/2"



Edge of 1 3/4" wide (on 7/8" thick tops) or 2 1/2" wide (on 1 1/4" thick tops) solid wood designed with a sloped edge for added comfort with softened, mitered corners. Offered in Maple, Walnut or Cherry materials.



Urethane Ergo Edge (User Side) - 1 3/4"



Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 1/4" wide square urethane edge on the remaining three sides. Corners are square. Available on 7/8" edge thicknesses. Offered in five (5) standard colors.

Urethane/PVC Ergo Edge (User Side) - 1 3/4" & PVC



Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 2mm PVC flat edge on the remaining sides. PVC corners are available in square or radius on 7/8" and 1 1/4" edge thicknesses. Urethane offered in five (5) colors with matching PVC colors. When specifying Chicory contact Customer Service for availability.

Laminate Modesty, General Core Construction

The modesty panel is constructed of 3/4" thick, 45-50 lb. medium density particle board surfaced with high pressure laminate face on both sides. The modesty panel is 8" high on Vela and 10" high on Brattice and Performance series and extends the length of the top. The modesty panel is located along the front edge of the table for maximum leg and knee clearance.

Fixed Modesty (FixMod XM)

The Fixed Modesty panel is mounted to the top with screws through steel brackets and must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Finish details match the top unless specified differently.

Removable Modesty (RemMod RM)

The Removable Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to keep the modesty panel in position or loosen to remove the panel. For storage, the modesty attachment pins can be rotated 90° to prevent marring of the top surfaces. Finish details match the top unless specified differently.

Folding Modesty (FoldMod FM)

The Folding Modesty panel is mounted to the top with heavy duty hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Finish details match the top unless specified differently.

**Form Metal Modesty, General Construction**

The modesty panel is constructed with an aluminum extruded back panel and a perforated hinged steel door. There are three (3) separate unobstructed channels that allow the routing of power and data cables, with a wire exit on the back for the top and middle channel. The Form Modesty panel is 10" high and extends the length of the top on Brattice, Performance and Vela. The Form Modesty panel is located along the front edge of the table for maximum leg and knee clearance. Accessory end cap trim kit available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

Fixed Form Modesty (FixFormMod XF or XFS)

The Fixed Form Modesty panel is mounted to the top with screws through steel brackets. The fixed modesty panel must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XFS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES

Folding Form Modesty (FoldFormMod FF)

The Folding Form Modesty panel is mounted to the top with heavy duty steel hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED



**Fixed Lightweight Form Modesty
(FixLightweightFormMod XL or XLS)**

The Fixed Lightweight Form Modesty panel is a lightweight version of the Versteel Form Modesty. It is a formed steel perforated panel that is mounted to the top with screws through steel brackets. It must be field installed into pre-drilled positions in the top. A deep channel in the back of the panel allows for the routing of power and data cables inside of the modesty. Mounting hardware is packed with the modesty panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XLS INDICATES STRAIGHT MODESTY CONSTRUCTION W/SQUARE HOLES

**Hanging Modesty
(HangMod HM)**

The hanging modesty is mounted to the top with a metal hinge that is factory installed. This mechanism pivots if the table is tilted to allow for a 90 degree slim-tilt. Finish details match the top unless specified differently.



**Removable Lightweight Form Modesty
(RemLightweightFormMod RL or RLS)**

The Removable Lightweight Form Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to secure the modesty in position, or loosen them to remove the panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE RLS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES



Panel Modesty (MPL and MPV)

The Panel Modesty is constructed of 1/8" hardboard core with laminate or veneer face and back surfaces, machined with exposed edges. Panel Modesty can be specified on both fixed and tilt-nest-fold base tables and will swing out to nest on the table. The 8 1/2" high Panel Modesty is field mounted with hook brackets, installed with handwheels under the table top. Threaded inserts are installed in the top when Panel Modesty is specified with the table. Panel Modesty shapes complement the rectangle and arc rectangle top shapes. Finish details match the top unless specified differently.



Rectangle



Arc Rectangle


Sail Modesty (MS__)

AVAILABLE ON
TIM ONLY

The Sail Modesty panel is constructed of Lycra® fabric hooked into slotted holes on the table legs then stretched and hooked over pegs on the under surface of the table top. Sail Modesty panels can be specified on both fixed and tilt-nest-fold base tables and can be stored on table when tilted, nested or folded on table transport. All TIM tables are pre-drilled for the field installation of the Sail Modesty. Top pegs are installed when Sail Modesty is specified with the table. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost.



Grain Direction:
The stripe indicates the direction of the woodgrain for a standard order. If an alternative grain direction is desired, or nontraditional shapes or sizes are required, contact Versteel Customer Service with your request. We will engineer and produce the product to meet your needs for stability and long-term serviceability.



Seating Accommodations

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.



Round

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	3-4
42"	4
48"	4
54"	4-6
60"	6



Square

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	4
42"	4
48"	4
54"	4-8
60"	8



Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
18" x 48"	1
18" x 60"	2
18" x 72"	3
18" x 84"	4
18" x 90"	4
18" x 96"	4-5
24" x 30"	2
24" x 36"	2
24" x 42"	2, TIM 1, TOD 1
24" x 48"	2, TIM 1, TOD 1
24" x 60"	2-3, TIM 2, TOD 2
24" x 72"	3, TIM 2, TOD 2
24" x 84"	4, TOD 2-3
24" x 90"	4, TOD 2-3
24" x 96"	4-5, TOD 3-4
30" x 36"	2
30" x 42"	2, TIM 1, TOD 1
30" x 48"	2-4, TIM 1, TOD 1
30" x 60"	4, TIM 2, TOD 2
30" x 72"	6, TIM 2, TOD 2
30" x 84"	6, TOD 2-3
30" x 90"	6, TOD 2-3
30" x 96"	8, TOD 3-4
30" x 120"	8
36" x 48"	2-4
36" x 60"	4-6
36" x 72"	6-8
36" x 84"	6-8
36" x 90"	8
36" x 96"	8-10
36" x 120"	8-10
42" x 72"	6-8



Rectangle (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 168"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 168"	12
60" x 192"	12-14
60" x 240"	16-18



Pipeline

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
22" x 60"	2-4
22" x 72"	2-4
24" x 48"	1-2
24" x 60"	2-4
24" x 72"	2-4
28" x 48"	1-2
28" x 60"	2-4
28" x 72"	2-4
30" x 48"	1-2
30" x 60"	2-4
30" x 72"	2-4
34" x 48"	1-2
34" x 60"	2-4
34" x 72"	2-4
36" x 48"	1-2
36" x 60"	2-4
36" x 72"	2-4



Tide

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
24" x 48"	1-2
28" x 48"	1-2
30" x 48"	1-2
34" x 48"	1-2
36" x 48"	1-2



Surf

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 60"	2-4
22" x 72"	2-4
24" x 60"	2-4
24" x 72"	2-4
28" x 60"	2-4
28" x 72"	2-4
30" x 60"	2-4
30" x 72"	2-4
34" x 60"	2-4
34" x 72"	2-4
36" x 60"	2-4
36" x 72"	2-4

Seating Accommodations (continued)

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

Arc Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	6-8
36" x 84"	6-8
36" x 96"	8-10
42" x 72"	6-8
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

Racetrack

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4
42" x 84"	6
42" x 96"	8
48" x 96"	8
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

Oval

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4-6
42" x 84"	6
42" x 96"	8
48" x 84"	6
48" x 96"	8
48" x 120"	10
48" x 144"	10
60" x 120"	10-12
60" x 144"	10-12

Breaker

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 54"	1

Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 42" x 84"	6
30" x 42" x 96"	8
36" x 48" x 96"	8
36" x 48" x 120"	8-10
36" x 48" x 144"	10

Boatshape (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

Arc Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

Arc Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

Split Ellipse

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 60"	1
36" x 72"	1

Split Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48"	1
36" x 60"	2
36" x 72"	2

Corner


SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 42"	1
30" x 48"	1


Video Wedge


SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2


Seating Accommodations (continued)


The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.


	Openface	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 48"	2
	30" x 60"	2
	36" x 72"	2


	Stern Rectangle	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	42" x 30"	2
	48" x 35"	2

	Stern Arc	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	42" x 26"	2
	48" x 30"	2

	Transition	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 30"	1
	30" x 30"	1
	36" x 30"	1


	Cutback	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 30"	1
	30" x 30"	1
	36" x 30"	1

	Trapezoid	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 48"	4-5
	24" x 72"	4-5
	30" x 60"	4-5
	36" x 72"	4-5

	Crescent	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 75"	4-5
	24" x 94"	4-6
	30" x 94"	5-7
	36" x 113"	7-8

	Teardrop	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	42" x 24"	4
	52" x 30"	4-5

	Half Round	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 48"	2-4
	30" x 60"	2-4
	36" x 72"	2-4

	Crossover	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24" x 48"	2

	Vibe	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	30" x 60"	3

	Quarter Round	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24"	1*
	30"	1
	36"	1


* Linking top, not recommended for seating if top is not supported by a base.

	18° Wedge	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	18° 24"	LINKING TOP*
	18° 30"	LINKING TOP*
	18° 36"	LINKING TOP*


* Linking top, not recommended for seating if top is not supported by a base.

	30° Wedge	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	30° 24"	LINKING TOP*
	30° 30"	LINKING TOP*
	30° 36"	LINKING TOP*


* Linking top, not recommended for seating if top is not supported by a base.

	45° Wedge	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	45° 24"	LINKING TOP*
	45° 30"	LINKING TOP*
	45° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.

	60° Wedge	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	60° 24"	LINKING TOP*
	60° 30"	LINKING TOP*
	60° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.

	90° Wedge	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	90° 24"	LINKING TOP*
	90° 30"	LINKING TOP*
	90° 36"	LINKING TOP*


* Linking top, not recommended for seating if top is not supported by a base.

	Fin	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	24"	1
	30"	1
	36"	1













	Curl	
	SIZE OFFERING	SEATING ACCOMMODATIONS
	30"	2
	36"	2

These linking configurations suggest some of the possible configurations that can be created with standard table shapes.

If you specify table link for a specific configuration and/or table size, please provide us with a sketch or reference one of the following configurations to allow us to verify your layout.




VERSTEEL



TIM Tilted & Nested




20 1/4"




29 3/4"

26"

TIM on Table Transport



32 1/2"



49 3/8" high

VERSTEEL

TOD 20" x 60"




18 1/2"



32 1/2"

26 3/4"




39 1/4" high

TOD 24" x 60"




22 3/4"




37"

31 1/4"




42 3/4" high

TOD 30" x 72"




27"



41"

35 1/4"



47 3/4" high

Fixed Configuration Conference Tops

Conference tops may use fixed configurations to achieve larger than normal sizing and seating accommodations, but there are some specific items that must be considered. These large conference tops are generally greater than 60" wide and 240" long.

By contacting Versteel with your vision we can help you engineer and produce your table. Below is a list of important points we will address.

MATERIAL YIELD

Most laminate is available in a maximum sheet size of 60" x 144". Versteel can design shapes and linking configurations that will maximize material yield.


LAMINATE PATTERNS

Versteel can minimize seam lines by designing and positioning the linking configuration to take full advantage of your laminate pattern.

BASES AND JOINTS

Larger sections can be produced to limit the number of bases and joints required.

At right is a typical Versteel drawing of a large, fixed configuration conference table. The extremely large size (504" x 132") required nine (9) sections and twenty-seven (27) bases. Power and data options have been incorporated into the drawing.



Configuration Guidelines

Often we receive requests to assemble room configurations that one would assume are very easy. But without the proper input, it is not so simple. Below are some common questions that will help to define your needs as well as enable us to help you specify your tables.

Define Your Space

Start by asking yourself what you really want to accomplish in your room.

How will your room be used? Will you need breakout groups, is it a classroom with rows, or a boardroom? Do you need a T-shape, U-shape, or hollow square table group? Are there any special modifications that are specific to your application?

Besides the size of your room, here are some other items that you should take into consideration:

- ↪ instructor or speaker area
- ↪ wall with boards and/or audiovisual equipment
- ↪ door and window locations
- ↪ anything else which may interfere (columns, steps, ramps, HVAC, etc.)

Define Your Needs

Your table considerations should begin by thinking about the need for the following items:

- ↪ modesty panels
- ↪ linking
- ↪ power and data
- ↪ wire management and grommets
- ↪ keyboard trays
- ↪ fixed, folding or tilt bases
- ↪ special needs (alternate or adjustable height)

Your seating considerations should begin by thinking about the need for the following items:

- ↪ assume a 30" width per person
- ↪ mobility (casters)
- ↪ stacking or storage issues
- ↪ usage and wear (upholstery or wood)
- ↪ adjustable height
- ↪ function (task specific or multiple)

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Common Room Layout Guidelines

By using the guidelines below and the information that you supply (from answering the previous questions), Versteel can help you specify the tables and seating you need to make your space function at its maximum potential.

Between Rows Allow Four Feet (4')

If rows are used, four feet (4') between rows is considered adequate in order to provide space for movement.

Instructor Allowance of Eight - Ten Feet (8'-10')

A minimum of eight to ten feet (8' -10') should be allowed for the instructor's space, from the wall to the approach side of the first table row.

Back Wall Allowance of Seven Feet (7')

Space consideration for the back wall is necessary. A minimum of seven feet (7') from the back wall to the user's side of the last table is suggested.


Side Wall Allowance of Four Feet (4')

A minimum of four feet (4') from a side wall to the edge of a table should be incorporated into your configuration. Increase the distance for larger rooms.

Aisle Allowance of Four Feet (4')

If an aisle is needed, allow a minimum of four feet (4'). This dimension should increase with your room size.

The drawing below illustrates the guidelines above.



The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Reference information here originally appeared in *Architectural Graphic Standards*, published by John Wiley and Sons; and in US Government publications for compliance with the ADA (Americans with Disabilities Act).

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Common Seating Dimension Requirements

General spacing of thirty inches (30") of lateral space per chair at a table is standard. A minimum of twenty-four inches (24") may work, but will depend upon your chair style and table dimensions. Allow a minimum of thirty to thirty-six inches (30"-36") for wheelchair space at a table.

Most wheelchairs are designed to fit beneath a standard table with a twenty-nine inch (29") table top height. However, some wheelchairs require tables with tops at thirty-two inches (32") in height. Allow an additional twelve to eighteen inches (12"-18") in aisles where wheelchairs may be situated back to back.

A rule of thumb for cafeteria style seating is to allow a minimum of twelve square feet (12 ft²) for each seat.

Below

- A** Wheelchair, Double Passage
- B** Wheelchair, Single Passage
- C** Wheelchair, Turning Diameter




Table Seating Capacities by Size and Shape

Rectangular Tables

SIZE	CHAIRS	WHEELCHAIRS
24" x 48"	4	Not Recommended
30" x 48"	4	2
30" x 60"	4-6	4
36" x 72"	4-6	4-6
42" x 96"	6-8	8


Square Tables

SIZE	CHAIRS	WHEELCHAIRS
30" x 30"	2	Not Recommended
36" x 36"	2-4	Not Recommended
42" x 42"	4	2 (tight)
48" x 48"	4-8	2
54" x 54"	4-8	4
60" x 60"	4-8	4

Round Tables

SIZE	CHAIRS	WHEELCHAIRS
30" DIAMETER	2	Not Recommended
36" DIAMETER	2-4	Not Recommended
42" DIAMETER	4-5	Not Recommended
48" DIAMETER	5-6	2
54" DIAMETER	6-7	4

NOTE
A round table with a column base is often preferred for wheelchair disabled.




The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Minimum Table and Chair Space Allotments

Below

- A** 36" minimum, 44" preferred
54" minimum handicapped, 60" preferred
- B** 24" minimum
- C** 24" minimum per chair, 30" preferred
- D** 14" minimum




Dining Room Plan

Below

- A** 6" minimum (with no passage)
- B** 2' 6" to 3' minimum (for passage)
- C** 1' 6" minimum (for limited passage)
- D** 3' minimum

If using square tables and seating, there should be a minimum of sixty-six inches (66") between tables. This allows for a thirty inch (30") aisle and two (2) chairs. Diagonal seating requires a thirty-six inch (36") minimum between table corners.




Sample Space Use

Below

- A** Conference Room
- B** Small Team Planning
- C** Large Team Planning
- D** Round Table Discussion
- E** Individual Work Areas
- F** Breakout Areas

Since every space has its own unique size and function, it is important that you consider the aforementioned guidelines when planning your space. Be sure to allow adequate space for aisles and plan your rooms around walls and other permanent fixtures such as doors or windows. Anticipate the type of activity that will be going on and plan enough space at the table for easy movement of personnel when seated.

Don't forget to consider power and data needs also. For help planning and selecting the power and data options that are right for your space, see pages 56-71.



To Order, Specify...

- 1 Model Number, Include top and edge style
- 2 Top Material
 - a. Laminate
 - 1. Laminate manufacturer and color
 - b. Veneer
 - 1. Veneer species and finish color
 - c. Corian®
 - 1. Corian® color
- 3 Edge color or finish
- 4 Base color
- 5 Additional options




A **VTTC 2460REFD FM LP2R** is a Vela series 24" x 60" rectangle training table with folding TC bases, a folding modesty and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **TN S 6001-T / CEBO / PALY** specify a Nevamar S 6001-T laminate, Ebony PVC edge and an Alloy base.

BMV / TLL / PHE / WML PALY adds a mix of Vela wheel casters and glides, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Alloy finish.

Base Model VTTC 2460REFD FM LP2R



Sample Order Form

Quantity	Model # & Description	List Each	Extended List
21	<p>VTTC 2460REFD FM LP2R / TN S 6001-T / CEBO / PALY / BMV / TLL / WML PALY</p> <p>Vela series 24" x 60" rectangle training table, folding cantilevered bases, folding modesty panel, laminate top with flat PVC edge, 1 1/4" thick and radius corners / Nevamar S 6001-T laminate top / Ebony PVC edge / Alloy bases / mix of casters and glides / lightweight core / Alloy wire mesh legways</p>	\$2,233	\$46,893

Orders may be sent via:

MAILING ADDRESS
Versteel
2332 Cathy Lane
Jasper, IN 47546

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

Studio Steel®

Versteel’s “urban fabrication” process leaves the telltale signs of welding and assembly on the surface, highlighting a manufacturing aesthetic. Choosing a clear or transparent powder coat is recommended, allowing tonal striations (created as a result of extreme heat), natural textures, and the inherent qualities of raw steel to show through.

Studio Steel Process \$133

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard n/c
 Powder Coat - Premium \$133*

Powder Coat Colors

Alloy PALLY	Navy PNAV
Amethyst PAME	Nimbus PNIM
Anthracite PANT	Nutmeg PNUT
Black Anodized PBLA	Obsidian POBS
Bronze PBRO	Pacific PPAC
Calypso PCAL	Pearl PPEA
Carbon PCAR	Pebble PPEB
Champagne PCHA	Platinum PPLA
Coconut PCOC	Poppy PPOP
Copper PCOP	Raven PRAV
Crimson PCRI	Royal PROY
Crystal PCRY	Satin PSAT
Daffodil PDAF	Seaside PSEA
Ebony PEBO	Shipyard PSHI
Forest PFOR	Silver PSIL
Fossil PFOS	Snow PSNO
Garnet PGAR	Stone PSTO
Gold PGOL	Storm PSTM
Graphite PGRA	Terra Cotta PTEC
Hope PHOP	Whisper PWHI
Kelly Green PKEG	White Linen PWHL
Matte PMAT	Powder Coat Alternative OPA
Mica PMIC	
Mint PMNT	

*Platinum Powder Coat is available, see individual series for upcharge

Transparent Powder Coats (indicated by ⚡)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible. Not available for application on flat sheet metal surfaces found on Elements Conference, Entourage, Interplay, Platform, Form Modesty products or on Brattice disc bases and TOD.

Premium Powder Coats (indicated by Ⓢ)

Versteel’s premium process uses specially formulated powder coats for a truly unique color palette.

Powder Coat Alternatives

You must forward a color sample or an RAL number for each alternate powder coat color with order placement. Call Versteel Customer Service for pricing and availability.

NOTE ALTERNATIVE POWDER COAT COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Chrome

Versteel applies a deep luster nickel chrome plated finish available on most products. Chrome is the most durable finish available.

Chrome ECHR

For Chrome, an upcharge applies (see product price list for upcharge).

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nickel

Available on most products, Versteel applies a nickel plated finish with a clear coat applied for durability.

Nickel ENKL

For Nickel, an upcharge applies (see product price list for upcharge).

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Edges

Versteel table edges are available in a variety of standard materials, from PVC, Urethane, and T-mold, to wood.

- PVC provides hot melt applied in a continuous band around the surface.
- Reverse bevel acrylic edge banding is hot melt banded to MDF core.
- Urethane is a molded on material encapsulating the surface edge.
- Convex T-mold is a bumper edge driven into the surface grooved edge.
- Wood banding is a multi-ply wood band or miter-cornered solid in cherry, maple or walnut.
- ABS is an available alternate edge similar to PVC. Call Versteel Customer Service for pricing and availability.

Edge Colors, Codes & Availability

Color	PVC	Urethane	T-mold
Absolute Acajou . . .	CABA		
Alloy	CALY		
Carbon	CCAR		
Champagne	CCHA		
Chicory		UCHI	
Coconut	CCOC		
Ebony	CEBO	UEBO	TEBO
Florence Walnut . . .	CFLW		
Fossil	CFOS		
Graphite	CGRA	UGRA	TGRA
Grey	CGRE		
Kensington Maple . .	CKEM		
Nimbus	CNIM	UNIM	TNIM
Pearl	CPEA		
Platinum	CPLA		
Pralines & Cream . .	CPRC		
Shadow	CSHA		
Snow	CSNO		
Stone	CSTO		
Storm	CSTM	USTM	TSTM
Whisper	CWHI		
White Linen	CWHL		

Custom PVC Color Match

You must forward a sample for each PVC color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM PVC COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match

You must forward a sample for each t-mold color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM T-MOLD COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Resin Edge Material Alternatives

For resin edge material alternatives contact Versteel Customer Service with the specifications of the materials you would like to specify. Resin edges are available in gloss, satin or satin soft materials and are quoted per project.

NOTE RESIN EDGE MATERIAL ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Custom Urethane

You must forward a sample for each Urethane color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM URETHANE COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer & Wood Species

Versteel tables are available with standard Ash, Cherry, Maple and Walnut veneers and solid edges.

Veneer and Wood Finishes

Ash	Veneer Edge	Wood Edge
Beach	VBEA	WBEA
Chestnut	VCHE	WCHE
Drift	VDRI	WDRI
Fawn	VFAW	WFAW
Fog	VFOG	WFOG
Forest	VFOR	WFOR
Pebble	VPEB	WPEB
Seaside	VSEA	WSEA
Terra Cotta	VTEC	WTEC
Whisper	VWHI	WWHI
Cherry		
Blossom Cherry	VBLC	WBLC
Cordovan Cherry	VCNC	WCNC
Golden Cherry	VGNC	WGNC
Java Cherry	VJAC	WJAC
Millwork Cherry	VMWC	WMWC
Maple		
Caramel Maple	VCMM	WCMM
Solar Maple	VSLM	WSLM
Sugar Maple	VSUM	WSUM
Walnut		
Brighton Walnut	VBRW	WBRW
Espresso Walnut	VESW	WESW
Natural Walnut	VNAW	WNAW
Stain Finish Match		OSM

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

You must forward two 4" x 4" samples for each custom stain finish color match with order placement. Upcharge of \$810 list will apply for each stain color match.

NOTE STAIN FINISH MATCH COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

For veneer tables with wood finish alternative fill levels, contact Versteel Customer Service. Finish fill levels of semi-filled or full-filled are available on most species (oak veneer's natural pore grain does not allow the application of full-fill finish).

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Standard Laminates

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite. Eight (8) of these have been selected as Quickship.

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Glass Top Table Alternatives

For glass top table alternatives contact Versteel Customer Service with the specifications of the top you would like to order.

NOTE GLASS TOP TABLE ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Finish Reference & Samples

For finish color reference, please refer to Versteel's finish card. Contact Versteel to receive actual color samples for color matches and final color approval.

3form® Material

Available on Entourage lectern, cabinet and wall board. Standard 3form patterns are Solo (a grainless frost finish) and Aero (a random directional material also with a frost finish). The material is 3/16" thick and incorporates raw materials made of renewable material from natural landscapes all over the globe. The manufacturing process produces no VOC's or other harmful gases. 3form material is GREENGUARD Certified.

Upholstery Grades

Grade 2	Grade 3	Grade 4	Grade 5	Grade 6
Fedora	Boom II	Faux Mo	Fabric Grade-In	Fabric Grade-In
Graph	Cover Cloth	Oath		
Habit	Faux Felt	Fabric Grade-In		
Parenthesis	Flock			
Skip	Hobnob			
Tradition	Keynote			
Fabric Grade-In	Kit			
Customer's Own Material	Odessa			
	Polygon			
	Solitaire			
	Sport			
	Synergy			
	Fabric Grade-In			

Upholstery Details**QS Fedora (Mayer)** **FFE__ Grade 2**

Width 54" Content: 100% Polyester

Aegean	Eucalyptus	Plum
Aquamarine	Fawn	Purple
Bitumen	Indigo	Ruby
Cactus	Light Grey	Tangelo
Charcoal	Midnight	Tomato
Citron	Mink	Topaz
Dapper	Opal	Winter
Dew	Persimmon	
Espresso	Pewter	

Graph (Momentum) **FGR__ Grade 2**

Width 54" Content: 75% Repreve® Post-Consumer Recycled Polyester, 25% Polyester

Alloy	Coal	Ruby
Alpine	Cork	Tidal
Anchor	Lapis	Wave
Bark	Parrot	
Chalice	Poppy	

Habit (Momentum) **FHB__ Grade 2**

Width 54" Content: 100% Post-Consumer Recycled Polyester

Aspen	Kindle	Tailor
Blueprint	Pier	
Dune	Salt	

Parenthesis (Momentum) **FPA__ Grade 2**

Width 54" Content: 50% Repreve® Post-Consumer Recycled Polyester, 50% Polyester

Capri	Lime	Violet
Charcoal	Mercury	
Ink	Steel	

Skip (Momentum) **FSK__ Grade 2**

Width: 54" Content: 55% Post-Consumer Recycled Polyester, 45% Polyester

Alloy	Flint	Ruby
Captain	Fuchsia	Saffron
Chalk	Keylime	Sparrow
Clementine	Mushroom	Sprite
Cobalt	Nickel	Straw
Deep	Onyx	Terrain
Elm	Pewter	Vanilla
Flax	Pool	Yacht

Tradition (Momentum) **FTR__ Grade 2**

Width: 56" Content: 72% Post-Consumer Recycled Polyester, 28% Polyester

Ash	Jazz	Soar
Branch	Kelly	Soy
Class	Latte	Spiced
Distant	Malbec	Sprout
Flirt	Miller	Sterling
Fron	Mist	Sun
Grain	Peel	Tango
Hedge	Plated	Theater
Hidden	Regal	Wash
Isle	Sly	Weld

Fabric Grade-In **FG2__ Grade 2****Fabric Customer's Own Material** **FCM__ Grade 2****Boom II (Momentum)** **FBM__ Grade 3**

Width 54" Content: 71% Post Consumer Recycled Polyester, 29% Polyester

Black Ice	Klein	Sapphire
Butterscotch	Living	Slate
Cloud	Mirror	Spruce
Foliage	Mushroom	Stout
Frothe	Mystic	Toucan
Heather	Pewter	Wall Street
Honeycomb	Poppy	Zeal

Cover Cloth (Momentum) **FCL__ Grade 3**

Width: 59" Content: 100% Polyester

Antique	Graphite	Savor
Bouquet	Heirloom	Shire
Coffee	Hickory	Sorrel
Cyan	Indigo	Taiga
Delft	Jet	Taupe
Electric	Navel	Vesper
Flame	Oat	Vessel
Fuchsia	Platinum	Zest

Faux Felt (Momentum) **FFF__ Grade 3**

Width 54" Content: 62% Repreve® Post-Consumer Recycled Polyester, 38% Polyester

Bark	Graphite	Quail
Berry	Lagoon	Sprout
Camel	Path	Stone
Charcoal	Pebble	Vibrant
Coral	Pool	
Flannel	Pumice	

Flock (Momentum) **FFL__ Grade 3**

Width 56" Content: 53% Recycled Polyester, 47% Polyester

Agave	Flint	Nickel
Amber	Harbor	Paprika
Baltic	Harp	Ruby
Cayman	Hearth	Surf
Crocus	Heather	Twine
Demure	Ivy	Walnut
Dusk	Lapis	Wheat
Fern	Nautical	
Flannel	Nettle	

Hobnob (Momentum) **FHO__ Grade 3**

Width 56" Content: 51% Recycled Polyester, 49% Polyester

Adobe	Deck	Shale
Alarm	Depth	Smith
Armor	Dew	Tangelo
Ash	Forest	Teal
Bay	Ginger	Tide
Beyond	Henna	Timber
Cannon	Iris	Zebra
Carbon	Limon	
Carob	Maple	

Keynote (Momentum) **FKE__ Grade 3**

Width 54" Content: 100% Repreve® Post Consumer Recycled Polyester

Aquarian	Linen	Sangria
Chai	Menthe	Simmer
Chicory	Mesa	Wicker
Curry	Palmetto	
Granite	Reflect	

Kit (Momentum) **FKI__ Grade 3**

Width 54" Content: 57% Recycled Polyester, 43% Polyester

Aqua	Ebony	Paradise
Blazer	Fiesta	Pebble
Dover	Mocha	Quartz
Dune	Moonstone	
Earth	Pacific	

OS Odessa (Mayer) **FOD__ Grade 3**

Width 54" Content: 64% Acrylic, 36% Polyester

Bark	Mandarin	Ruby
Grass	Marigold	Sea
Gravel	Oyster	Turquoise
Indigo		

OS Polygon (Mayer) **FPO__ Grade 3**

Width 54" Content: 60% Post-Consumer Recycled Polyester, 40% Rayon

Citron	Navy	Sable
Grass	Ocean	Smoke
Jute	Onyx	Stone
Mulberry		

Solitaire (Momentum) **FSL__ Grade 3**

Width 57" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Aztec	Galena	Onyx
Cadet	Garnet	Peel
Currant	Graphite	Poppy
Cyan	Griffin	Pumice
Derby	Jubilee	Smith
Dove	Lapis	Tinsel
Emerald	Midnight	Tobacco
Flax	Mist	Violet

Sport (Momentum) **FSP__ Grade 3**

Width 56" Content: 98% Post Consumer Recycled Polyester, 2% Polyester

Alarm	Curry	Pewter
Aloe	Dayglow	Port
Apple	Downpour	Pumice
Brick	Flax	Sage
Cadet	Koi	Spa
Cobalt	Mercury	Turquoise
Cocoa	Onyx	

Synergy (Momentum) **FSN__ Grade 3**

Width 53" Content: 71% Repreve® Post Consumer Recycled Polyester, 29% Polyester

Aegean	Denim	Sandstone
Balsamic	Lichen	Seaglass
Barley	Meadow	Tango
Bedrock	Otter	
Carbon	Pecan	

Fabric Grade-In **FG3__ Grade 3**

Faux Mo (Momentum) **FFM__ Grade 4**

Width 55" Content: 58% Repreve® Post Consumer Recycled Polyester, 42% Polyester

Bark	Moss	Rust
Black	Nickel	Sapphire
Charcoal	Oat	Shadow
Crimson	Ochre	Shale
Delta	Path	Shell
Grass	Persimmon	Sienna
Lapis	Pine	Sky
Limon	Poppy	Spa
Marine	Putty	Stone
Merlot	Ruby	Wheat

Oath (Momentum) **FOA__Grade 4**

Width 55" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Anise	Chocolate	Lodestone
Azure	Cordovan	Madder
Balsam	Crocus	Mineral
Burlwood	Driftwood	Nectar
Cane	Ecru	Sandbar
Carnelian	Fieldstone	Tango
Celadon	Foothill	Taupe
Charcoal	Juniper	Verbena

Fabric Grade-In **FG4__Grade 4**

Fabric Grade-In **FG5__Grade 5**

Fabric Grade-In **FG6__Grade 6**

Swatch cards for all Versteel upholstery are available upon request.

Fabric Reference & Samples

For fabric reference, please refer to Versteel's fabric cards.

MOMENTUM
T E X T I L E S



Study Carrel Tack Panel COM Yardage Requirements

COM yardage requirement of one yard of fabric for each Study Carrel tack panel is based on a material width of 54" with no consideration for repeat. For material other than 54" wide, contact Versteel for yardage requirements.

NOTE ALL FABRICS ARE CUT UP THE ROLL TO MAXIMIZE YIELD AND WEAR PERFORMANCE. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS IF RAILOADED FABRIC OR SAME CENTER POINT IS REQUIRED.



VERSTEEL

Adjustable Height - Motorized
\$1960 / tableAVAILABLE ON
PERFORMANCE
VELASpecify code **BAM** (Adjustable Height - Motorized),
add \$1960.00 list per table

Motorized tables adjust electrically from 26 3/4" to 42" table height by operating the keypad control. Motorized height adjustment is available for tables with regular T1 or cantilevered TC bases. Top shapes include: rectangle, split rectangle, oval, split ellipse, boatshape or racetrack up to 36" x 96". (Shown with split ellipse.) Motorized bases include stretcher rails.

**NOTE** CABLE COIL AND CABLE HOOKS ARE THE ONLY TWO LEGWAY OPTIONS AVAILABLE**ADJUSTABILITY WITH FOUR PROGRAMMABLE HEIGHT SETTINGS**

(Travel time between lowest and highest position: 18 secs.)

NOTE REQUIRES STANDARD 110V/120V AC ELECTRICAL OUTLET**Adjustable Height - Pin**
\$179 / tableAVAILABLE ON
PERFORMANCE
TIM
WAVELINKSpecify code **BAP** (Adjustable Height - Pin),
add \$179.00 list per table or \$91.00 per base

Pin Adjustable height bases adjust from 27" to 32" table height in 1" increments by depressing the spring loaded pins in each column. Available on Performance T1 and TC fixed or tilt bases and Wavelink WA fixed bases.

**Adjustable Height - Counter Balance Pneumatic**
T Base, Cantilever Base and H BaseAVAILABLE ON
SOMET

See pages 540-543 for detailed availability and pricing

Counter balance pneumatic adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.



Adjustment Range: 19.5"

Table Height: 27.25"-46.75"*

Adjustable Height - Crank T BaseAVAILABLE ON
SOMET

See pages 538-539 for detailed availability and pricing

Crank adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.



Crank Ratio: 8 cranks per 1 inch

Adjustment Range: 17.75"

Table Height: 27.25"-45"*

Adjustable Height - Pneumatic T1 or TC Bases
\$999 / tableAVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELASpecify code **BAT** (Adjustable Height - Pneumatic T1 or TC),
add \$999.00 list per table

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on T1 or TC fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY. **ALSO** VELA WIRE MESH LEGWAY MANAGERS ARE NOT AVAILABLE**Adjustable Height - Pneumatic X1 or D1 Bases**
\$600 / tableAVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO[®]
VELASpecify code **BAX** (Adjustable Height - Pneumatic X1 or D1),
add \$600.00 list per table or base

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on X1 or D1 fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY**Alternate Table Height 32" and under**
\$80 / tableAVAILABLE ON
BRATTICE
INTERPLAY
PERFORMANCE
PLATFORM
TUSCANY
UNO[®]
VELA
WAVELINKSpecify code **BAH** (Alternate Height 32" and under), indicate
desired table height (32" or less), add \$80.00 list per table

Suggested typing height table is 26 3/4"
Suggested wheelchair height table is 32"
Suggested stand up height table is 42"

NOTE FOR ALTERNATE HEIGHTS OVER 32", CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY.**NOTE** ELIGA \$144 LIST (T BASE TABLES)

**Alternate Black Caster
No Charge**

AVAILABLE ON
ENTOURAGE
EQUIP

Specify code **CAS44** (Alternate Black Caster) no additional charge

Available on all Entourage units that have casters (carts, lecterns, 48" and 60" cabinets) where the standard soft wheel two-tone silver/black caster is replaced with an all black caster. This 3" diameter caster is standard locking and does not change the overall height of the unit.



**Base Glides
Subtract \$30**

AVAILABLE ON
TIM

Specify code **GLD02** (Glides), subtract \$30.00 list per table

Base Glides replace standard casters. This option reduces the overall table cost and keeps the tables in position without the need to lock the casters. Base glides reduce the overall table height by 1/8".



Casters - Dual Wheel

Dual Wheel, black, 2" diameter, standard locking casters are available for most base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table. See individual product pages for availability and ordering code.



NOTE NOT AVAILABLE ON D1 BASES

**Casters - Vela Wheel
\$138 / set of 4**

AVAILABLE ON
VELA

Specify code **CAS29** (Casters - Vela Wheel), add \$138.00 list per table

Unique, Vela-profile 3" diameter, standard locking casters are available on most Interplay and Vela base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table.



**Mix - Dual Wheel Casters & Glides
\$131 / table**

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
WAVELINK

Specify code **BMD** (Mix - Dual Wheel Casters & Glides), add \$131.00 list per table

Tables can be specified with dual wheel, black, 2" diameter, standard locking casters on half of the table, with glides on the other half. Each caster is fitted into a reinforced receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR D1 BASES

**Mix - Vela Wheel Casters & Glides
\$131 / table**

AVAILABLE ON
VELA

Specify code **BMV** (Mix - Vela Wheel Casters & Glides), add \$131.00 list per table

Tables can be specified with the unique, Vela-profile 3" diameter, standard locking casters on half of the table, with glides on the other half. Each is fitted into a reinforced caster receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR Y3 BASES

**Self-Leveling Glides
\$39 / table**

Specify code **GLD04** (Self-Leveling Glides), add \$39.00 list per table

Self-Leveling Glides replace standard glides. This option allows the table to automatically compensate up to 1/2" for floors that are not level. Self-leveling glides increase overall table height by 3/4". See individual product pages for availability.



**Table Floor Mount
\$45 / table**

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
VELA
WAVELINK

Specify code **BFB** (Table Floor Mount Bracket Set), add \$45.00 list per table

Bracket to slip over the standard table glide and fasten to the floor with fasteners supplied by the installer. Set of four (4) brackets will securely mount the table to the floor to prevent movement.



NOTE NOT AVAILABLE ON BASES WITH CASTERS OR SELF-LEVELING GLIDES

Chrome Finish

See individual series for availability and pricing.

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TOD
TUSCANY
TY
WAVELINK

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nickel Finish**\$181 / table**

Specify Nickel Finish, add \$181.00 list per table

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TUSCANY
WAVELINK

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Premium Powder Coats**\$133 / table**

When a premium powder coat is specified, add \$133.00 list per table

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ENTOURAGE
INTERPLAY
ODIS
PACES
PERFORMANCE
TIM
TOD
TUSCANY
TY
UNO[®]
WAVELINK

Pricing for all tables includes standard powder coat colors.


NOTE PLATINUM UPCHARGE VARIES, SEE INDIVIDUAL PRODUCT PAGES.

Coloration**No Charge**

AVAILABLE ON
TUSCANY

Specify code **BCO** (Coloration), required finish selection for: (Tuscany Two-Tone) the column ____ / the base rail ____

The unique construction and assembly of the Tuscany bases allows different colors to be applied to different base components at no additional charge.



NOTE REFER TO THE DRAWING ABOVE FOR LABELING REFERENCES

Assembled Folding Table**\$62 / table**

Specify code **BAF** (Assembled Folding Table), add \$62.00 list per table

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO[®]
VELA
WAVELINK

Folding bases can be attached to tops at the factory.

NOTE RECTANGLE TABLES WITH FOLDING BASE AND FOLDING MODESTY PANELS ARE SHIPPED ASSEMBLED WITHOUT ADDITIONAL CHARGE

**Bullet End Caps****\$104 / table**

Specify code **BBE** (Bullet End Caps), add \$104.00 list per table

AVAILABLE ON
PERFORMANCE

Bullet End Caps are welded in place of the standard welded rail blunt ends.

**Height Adjustment Lock Out Kit****\$39 / kit**

Specify code **BHL** (Height Adjustment Lock Out Kit), add \$39.00 list per table

AVAILABLE ON
TIM


All TIM tables have the height adjustment feature but can be locked into the desired height position easily. The Height Adjustment Lock Out Kit provides a stop and screw for each table leg. The stop fits into the round height position hole above or below the push-button and secures with the screw. The screw and stop can easily be removed to allow resetting table height as needed.

**Stretcher Rail****\$196**

Specify code **BSR** (Stretcher Rail), required finish selection ____, add \$196.00 list per table

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELA

Available for T1, TC and T2 style, fixed and tilt bases to increase table rigidity. Necessary tools are provided to install the stretcher.



NOTE A STRETCHER IS NOT A RETROFIT ITEM, IT MUST BE SPECIFIED AT TIME OF ORDER

VERSTEEL

**Lightweight Laminate Core to 96" Length
\$194 / table**

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PACES
PERFORMANCE
TY
UNO³
VELA
WAVELINK

Specify code **TLL** (Lightweight Laminate Core to 96" Length), add \$194.00 list per table

Lightweight Laminate Core is available for 1 1/4" tops that are of a dimension no larger than 48" x 96". The core is made of a multi-ply material that will allow the mounting of bases or other accessories at any location under the top.

NOTE TOPS WITH LENGTHS LONGER THAN 96" REQUIRE A SPECIAL QUOTE.
CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE NOT AVAILABLE ON VENEER TOPS

**Special Laminate
Call for Quote**

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
ENTOURAGE
INTERPLAY
ODIS
PACES
PERFORMANCE
PLATFORM
TIM
TOD
TY
UNO³
VELA
WAVELINK

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Versteel products. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE, AND WILSONART ARE STANDARD

CAUTION Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause

**Two-Piece Top (120")
\$511/ table**

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
PACES CONFERENCE
PERFORMANCE
VELA

Specify code **T2P** (Two-Piece Top), add \$511.00 list per table

Standard Versteel tables in lengths up to 120" are a seamless, single piece top. When the two-piece top option is specified, the splice joint edge is unfinished, table shipped with necessary hardware. Any table over 120" long will be produced as a two-piece top.

**Ergo Wood Profile - One Side
No Charge**

AVAILABLE ON
VELA

Specify code **TEO** (Ergo Wood Profile - One Side), no additional charge

The Ergo Edge Profile is applied to the user's side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - Two Sides
No Charge**

AVAILABLE ON
VELA

Specify code **TET** (Ergo Wood Profile - Two Sides), no additional charge

The Ergo Edge Profile is applied to the user's and the opposite side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - All Sides
No Charge**

AVAILABLE ON
VELA

Specify code **TEA** (Ergo Wood Profile - All Sides), no additional charge

The Ergo Edge Profile is applied to all sides of the table.



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

**Top Custom Cutout
\$97 / cutout**

AVAILABLE ON
ALL SERIES

Specify code **TCC** (Top Custom Cutout), add \$97.00 list per cutout

Top Custom Cutout requires a drawing for production and is subject to approvals.

**Sail Modesty
\$231 / each**

AVAILABLE ON
TIM

Specify code **MS** (Sail Modesty), add \$231.00 list per table.

Lycra® fabric Sail Modesty is stretched and hooked on screw pegs under table top and slotted holes in the table approach side legs. All TIM tables are pre-drilled for field installation of the Sail Modesty. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost. Can be stored on table when tilted, nested or folded on table transport.



**Panel Modesty, Laminate
\$335 / each**

AVAILABLE ON
PACES
TIM
TY

Specify code **MPL** (Panel Modesty, Laminate), add \$335.00 list per table.

Panel Modesty, Laminate is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



**Panel Modesty, Veneer
\$831 / each**

AVAILABLE ON
PACES
TIM
TY

Specify code **MPV** (Panel Modesty, Veneer), add \$831.00 list per table.

Panel Modesty, Veneer is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



AVAILABLE ON
BRATTICE
PERFORMANCE
TY
UNO²
VELA

Laptop Locker
\$1120 / locker

*Fixed tables only (not available on tilt, slim-tilt or folding tables)

Specify code **TLA1** (One Laptop Locker) or code **TLA2** (Two Laptop Lockers) add \$1120.00 list per Laptop Locker.

Indicate Manual Locking Keyed Individually **TMKI**, Manual Locking Keyed Alike **TMKA** or Electronic Locking **TLEL**. Add \$292 list per Laptop Locker when Electronic Locking is specified AND **TLPU** (Laptop Locker power unit) which is required for the electronic locking option, add \$461 list (Power unit sequences up to 10 lockers, includes 1 key).

The minimum table width available with Laptop Locker is 24".

The minimum table length available with Laptop Locker is 36". The maximum table length available is 96".

2 Laptop Lockers can be installed starting at a table length of 60" or greater (table subject to additional base and/or support base when more than one unit is installed in top greater than or equal to 72").

All lockers to have urethane edge on locker door and top opening.

NOTE LAPTOP LOCKER IS NOT AVAILABLE ON VENEER TOP SURFACES, WOODGRAIN OR DIRECTIONAL PATTERN LAMINATES OR TABLES WITH LIGHTWEIGHT LAMINATE CORE

For additional questions contact Versteel Customer Service at 800.876.2120.



AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²
VELA

Table Link
\$204 / table

Specify code **TLK** (Table Link), add \$204.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Table link will prevent the accidental disconnection of power supply to adjacent tables. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details.

Closed end link brackets are provided for the following applications:

- o Tops without bases.
- o Tables with a base that does not allow the table to stand alone.



AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²
VELA

Table Link - Ends Only
\$108 / table

Specify code **TLE** (Table Link - Ends Only), add \$108.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Specify Table Link - Ends Only when your configuration requires linking on the table ends only. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details. Table Link - Ends Only is included with electrical package options. This will prevent the accidental disconnection of power supply to adjacent tables.



AVAILABLE ON
TIM

Leash - TIM Table Link
\$77 / table

Specify code **TLS** (TIM Table Leash), add \$77.00 list per table

The Leash table link is available on all TIM tables as a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the underside of the table top, rotating from under the top to latch into the adjacent table Leash.



AVAILABLE ON
WAVELINK

Leash - Wavelink Table Link
\$107 / table

Specify code **TWL** (Wavelink Table Leash), add \$107.00 list per table

The Leash table link is a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the W2 bases, rotating from under the table top to latch into the adjacent table leg Leash. Available on all linkable Wavelink tables.



NOTE CANNOT BE FIELD INSTALLED

AVAILABLE ON
ELIGA BENCHING

Privacy Screen

Specify code **PSCR1S**, **PSCR1L**, **PSCR2S** or **PSCR2L** depending on material choice and size.

Privacy screens are available as an option to the Eliga Benching product and consists of 1/2" thick nominal panel running horizontal in the center of the table. The panel is 18" tall and sits 15.5" above the worksurface with a laser edge all around. Order privacy panel 12" shorter than the length of the table. One privacy panel per table.

Dry Erase Markerboard

- 36" - 48" (each).....**PSCR1S** \$ 427
- 60" - 84" (each).....**PSCR1L** \$ 807

Available in all Formica solid laminate colors.

Rauvisio Crystal Markerboard

- 36" - 48" (each).....**PSCR2S** \$1667
- 60" - 84" (each).....**PSCR2L** \$3099

Available in color Bianca.

These products can be written on with dry erase markers.

**Form Modesty Panel End Cap Trim Kit
\$41 / set of 2**

AVAILABLE ON
FORM MODESTY

Specify code **AFE2EB** (Form Modesty Panel End Cap Trim Kit), add \$41.00 list for set of 2

SPECIFICATIONS

- Metal plate attached with screws
- Black powder coat finish
- Attached to back panel to close end of channels
- Set of 2 will cover both ends of a single or run of Form Modesty Panels



**Metal Modesty Panel End Cap Trim Kit
\$41 / set of 2**

AVAILABLE ON
FORM MODESTY
SQUARE METAL MODESTY

Specify code **APE2EBSQ** for square powered modesty

Specify code **AFE2EBSQ** for square non-powered modesty

Specify code **APE2EB** for form powered modesty

Specify code **AFE2EB** for form non-powered modesty



**Storage Pouch - ODIS
\$120 / pouch**

AVAILABLE ON
ODIS

Specify code **AOPAY** (Storage Pouch, Alloy) or **AOPEB** (Storage Pouch, Ebony), add \$120.00 list per pouch

Accessory Pouches are available on the 29" tall ODIS tables. The pouch which is made of a durable gray or black mesh material has a 2" opening, is 12" long and 6" deep. Files, folders, laptops and books can all be stored in the pouch. The 3/16" solid wire frame is held in place by a solid aluminum extrusion. The frame and extrusion colors match the color of pouch specified. Since no tools are required for installation this item can be ordered with the table or may be ordered for field installation.



**Acrylic Tray - Entourage Cabinet
48" Cabinet**

AVAILABLE ON
ENTOURAGE

Specify code **AAT48O** (Acrylic Outer Tray - 48" Entourage Cabinet), add \$122.00 list each.

Specify code **AAT48C** (Acrylic Center Tray - 48" Entourage Cabinet), add \$136.00 list each.

60"/72" Cabinet

AVAILABLE ON
ENTOURAGE

Specify code **AAT60** (Acrylic Tray - 60" Entourage Cabinet), add \$122.00 list each.

Specify code **AAT72** (Acrylic Tray - 72" Entourage Cabinet), add \$136.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 60" AND 72" CABINETS



84" Cabinet

AVAILABLE ON
ENTOURAGE

Specify code **AAT84O** (Acrylic Outer Tray - 84" Entourage Cabinet), add \$136.00 list each.

Specify code **AAT84C** (Acrylic Center Tray - 84" Entourage Cabinet), add \$186.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 84" CABINETS

Acrylic Trays may be added to Entourage Cabinet Models.

**Acrylic Tray - Entourage Cart
16" Wide Cart.**

AVAILABLE ON
ENTOURAGE

Specify code **AAT16** (Acrylic Tray - 16" Entourage Cart), add \$171.00 list each.

20" Wide Cart.

Specify code **AAT20** (Acrylic Tray - 20" Entourage Cart), add \$181.00 list each.

Acrylic Trays may be added to Entourage Carts.



Table Transport \$1511 / each

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA
WAVELINK

Specify code **ATT3054** (Table Transport), add \$1511.00 list each

The transport saves time and labor. Its 31" width can move tables of any length through doorways with ease.



SPECIFICATIONS

- Weight: 61 lbs.
- 31" x 54" overall footprint
- Black powder coat finish
- Two (2) swivel and two (2) non-swivel casters
- 5" casters are non-marking wheel material

TRANSPORT CAPACITY

FOLDED TABLES WITHOUT MODESTY PANEL	6 ON EDGE
	8 STACKED FLAT
FOLDED TABLES WITH MODESTY	5 STACKED FLAT
OVERLAPPING FOLDED TABLES	4 ON EDGE

NOTE MAXIMUM LOAD WEIGHT: 1,000 LBS

NOTE TABLES GREATER THAN 27" IN WIDTH DO NOT STACK HORIZONTALLY ON THE TRANSPORT

Table Transport - TIM \$1511 / each

AVAILABLE ON
TIM

Specify code **ATT3020** (Table Transport) for 42"- 72" length tables, add \$1511.00 list each

The transport saves time and labor. Its 30" width can move tables of specified lengths through doorways with ease.



SPECIFICATIONS

- Weight: 37 lbs.
- 30" overall depth
- Alloy powder coat finish
- Two (2) locking and two (2) non-locking casters
- Casters are non-marking wheel material

TRANSPORT CAPACITY

5 ON EDGE
FOLDED TABLES WITHOUT PANEL MODESTY
OR FOLDED TABLES WITH SAIL MODESTY

NOTE MAXIMUM LOAD WEIGHT: 1,000 LBS

NOTE TABLE LEGS EXTENDED HIGHER THAN 29" STANDARD HEIGHT WILL NOT STORE ON THE TRANSPORT. THE LEGS WILL EXCEED THE TRANSPORT HEIGHT AND DRAG ON THE FLOOR WHEN ROLLING THE CART

Table Transport - ODIS \$540 / each

AVAILABLE ON
ODIS

Specify code **ATT2824** (Table Transport - ODIS), add \$540.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 28" w x 24" d x 50" h.



SPECIFICATIONS

- Weight: 21 lbs.
- 28" x 24" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Table Transport Handle & Strap - ODIS \$391 / each

AVAILABLE ON
ODIS

Specify code **AOTTHS** (Table Transport Handle & Strap - ODIS), add \$391 list each

SPECIFICATIONS

- Table Transport Handle and Strap may be added to the Table Transport for ODIS to secure tables when using the cart on rough or incline surfaces.

Table Transport Tray - ODIS \$157 / each

AVAILABLE ON
ODIS

Specify code **AOTTT1718** (Table Transport Tray - ODIS), add \$157.00 list each

Table Transport Tray may be added to the Table Transport for ODIS for the storage of the accessory pouch.



SPECIFICATIONS

- Weight: 13 lbs.
- 18" w x 20" l x 4" d
- Alloy powder coat finish

Table Transport - ODIS ADA \$770 / each

AVAILABLE ON
ODIS ADA

Specify code **ATT3058** (Table Transport - ODIS ADA), add \$770.00 list each

Stacks 10 ODIS ADA tables high. Cart with 10 tables measures approximately 32½" w x 58" d x 42" h



SPECIFICATIONS

- Weight: 35 lbs.
- 30" x 58" overall footprint (with handle)
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Table Transport - ODIS Youth \$540 / each

AVAILABLE ON
ODIS YOUTH

Specify code **ATT2321** (Table Transport - ODIS Youth), add \$540.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 23" w x 21" d x 44" h



SPECIFICATIONS

- Weight: 19 lbs.
- 23" x 21" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Custom PVC Color Match**Call for quotation / one time charge per color, per order**

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match**Call for quotation / one time charge per color, per order**

Specify code **OCT** (Custom T-Mold Color Match), add cost from Versteel quotation

T-Mold Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For T-Mold Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Powder Coat Alternative**Call for quotation**

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match**\$810 / one time charge per finish, per order**

Specify code **OSM** (Stain Finish Match), add \$810.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply a 4" x 4" finish color and grain reference sample. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer and Wood Solids Alternative**Call for quotation**

For veneer and wood requirements other than the standard cherry, maple and walnut, contact Versteel Customer Service. Versteel is adept at working with a host of domestic and exotic materials. From inlays, figures, pie cuts and special edge profiles, to custom fill levels and sheens, each top is created using the best of technology and old world craftsmanship. The items you only imagined or expected to only be available from a millwork shop are now just another part of your Versteel order. Call Versteel Customer Service for availability and quotation.

Wood Finish Alternative**Call for quotation**

When veneer tables are required to have a finish other than the standard open pore level, semi-filled or full-filled finishes are available by requesting a quote from Versteel. Call Versteel Customer Service for availability and quotation.

Resin Edge Material Alternative**Call for quotation****GLOSS**

Seamless, rigid, blended resin edge with a hand polished high gloss finish.

SATIN

Seamless, semi-rigid, blended resin edge with a hand sanded satin finish. Scuffs, scratches and surface damage to the edge are field repairable.

SATIN-SOFT

Seamless, pliable, blended resin edge with a hand sanded finish. The features are memory and pliability. Scuffs, scratches and surface damage to the edge are field repairable.

Call Versteel Customer Service for availability and quotation.

Glass Top Table Alternative**Call for quotation**

Versteel glass top tables meet or exceed government specification DDG-451d, which regulates the quality standards of all glass manufacturing. This specification takes into consideration certain imperfections inherent in glass production. Call Versteel Customer Service for availability and quotation on series not priced with glass tops.

Henri - \$279 / unit

Specify code **PH_** (Henri - Location_),
add \$279.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications.

SPECIFICATIONS

- One 9' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71


NOTE FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 51

Location **A****1 Henri - Location A**
\$279 / table

Specify code **PHA** (1 Henri - Location A),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in the front center location of the top.

NOTE LOCATION A HENRI UNITS NOT AVAILABLE ON 72" LENGTH TIM RECTANGLES AND ARC RECTANGLES

Location **D****2 Henris - Location D**
\$558 / table

Specify code **PHD** (2 Henris - Location D),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in the front corner locations of the top.

NOTE LOCATION D HENRI UNITS NOT AVAILABLE ON 42" & 48" LENGTH TIM RECTANGLES AND ARC RECTANGLES

Location **F****1 Henri - Location F**
\$279 / table

Specify code **PHF** (1 Henri - Location F),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in the center of the top.

Location **E****2 Henris - Location E**
\$558 / table

Specify code **PHE** (2 Henris - Location E),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in the front outer corner locations of the top.

Location **K****1 Henri - Location K**
\$279 / table

Specify code **PHK** (1 Henri - Location K),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed lengthwise in the center of the top.

Location **H****2 Henris - Location H**
\$558 / table

Specify code **PHH** (2 Henris - Location H),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in predetermined positions in the top.

Location **R****1 Henri - Location R**
\$279 / table

Specify code **PHR** (1 Henri - Location R),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in a predetermined position in the top.



Henri Now linking systems require an [HNPU](#) power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Henri Now - \$270 / unit

Specify code [PHN](#) (Henri Now - Location_), add \$270.00 list per Henri Now.

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

NOTE FOR HENRI NOW VOICE AND DATA JACK OPTIONS SEE PAGE 51

NOTE HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH GFCI RECEPTACLES. CONTACT VERSTEEL FOR ADDITIONAL INFORMATION.



Location A

**1 Henri Now - Location A
\$270 / table**

Specify code [PHNA](#) (1 Henri Now - Location A), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in the front center location of the top.



Location D

**2 Henri Nows - Location D
\$540 / table**

Specify code [PHND](#) (2 Henri Nows - Location D), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front corner locations of the top.



Location F

**1 Henri Now - Location F
\$270 / table**

Specify code [PHNF](#) (1 Henri Now - Location F), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in the center of the top.



Location N

**2 Henri Nows - Location N
\$540 / table**

Specify code [PHNN](#) (2 Henri Nows - Location N), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front outer corner locations of the top.



Location K

**1 Henri Now - Location K
\$270 / table**

Specify code [PHNK](#) (1 Henri Now - Location K), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed lengthwise in the center of the top.



Location H

**2 Henri Nows - Location H
\$540 / table**

Specify code [PHNH](#) (2 Henri Nows - Location H), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in predetermined positions in the top.



Location R

**1 Henri Now - Location R
\$270 / table**

Specify code [PHNR](#) (1 Henri Now - Location R), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in a predetermined position in the top.



Single Circuit Powerlink Package \$963 or \$1260 / table

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

Specify code **PPTL1** (Powerlink Package 72" or less), add \$963.00 list per table

Specify code **PPTG1** (Powerlink Package greater than 72"), add \$1260.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Single Circuit, Soft-wired, linking system
- 9' cord, standard grounded plug (custom lengths available)
- 15 Amp circuit w/breaker and Surge Protector
- One duplex outlet (2 simplex outlets) on Powerlinks up to 48" in length, and two duplex outlets on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Multiple Circuit Powerlink Package – System 2 \$963 or \$1260 / table

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

Specify code **PPTL2** (Powerlink Package 72" or less), add \$963.00 list per table

Specify code **PPTG2** (Powerlink Package greater than 72"), add \$1260.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Two 20 Amp Circuits (4-wire, 2-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 60" in length, and four duplex outlets (2 on each circuit) on units longer than 60" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Multiple Circuit Powerlink Package – System 3 \$1360 or \$1640 / table

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

Specify code **PPTL3** (Powerlink Package 48" or less), add \$1360.00 list per table

Specify code **PPTG3** (Powerlink Package greater than 48"), add \$1640.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Three 20 Amp Circuits (8-wire, 3-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 48" in length, and three duplex outlets (circuits 1, 2, & 3) on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Power Source Outlets \$158 / power source

Specify code **PPS** (Power Source Outlets), add \$158.00 list per table

Power Source Outlets supply individual tables surge protected electrical connections. Unit is field installed and controlled by an illuminated On/Off switch.



SPECIFICATIONS

- 10' 14 AWGx3C power cord
- Illuminated On/Off and Reset switch
- 1,000 Joules surge protection
- Six (6) grounded power outlets per unit
- Aluminum housing mounts to underside of top
- Black

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Power Bay - \$1055 / unit


Specify code **EPB_** (Power Bay - Location_), add \$1055.00 list per Power Bay for first unit per table and \$1055.00 for each additional unit.

For clear anodized aluminum finish, add \$114 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Four electrical outlets per unit
- Data plate with 9 slots



NOTE FOR MORE PLANNING AND ORDERING
 DETAIL INFORMATION SEE ELECTRICAL PLANNING
 SECTION PAGES 56-71

NOTE USE POWER BAY DATA PLATE GUIDELINES TO SPECIFY DATA JACKS

?

**1 Power Bay - Provide Location Print
 \$1055 / table**

Specify code **EPB1** (1 Power Bay - Provide Location Print), add \$1055.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.

??

**2 Power Bays - Provide Location Print
 \$2110 / table**

Specify code **EPB2** (2 Power Bays - Provide Location Print), add \$2110.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

???

**3 Power Bays - Provide Location Print
 \$3165 / table**

Specify code **EPB3** (3 Power Bays - Provide Location Print), add \$3165.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

????

**4 Power Bays - Provide Location Print
 \$4220 / table**

Specify code **EPB4** (4 Power Bays - Provide Location Print), add \$4220.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

**Power Bay Data Plate
 Guidelines**

The Power Bay Data Plate has (9) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$36
Voice	VO	1	\$14
Mini Stereo	MS	1	\$17
VGA	VG	2	\$25
HDMI	HD	2	\$84
USB	US	2	\$38
Data Coupler	DD	1	\$116
Voice Coupler	VV	1	\$33

V Charge Wireless Charging

Wireless charging pads for phones and tablets with built-in Qi wireless charging. Pads are surface mounted into the table top.

**Option Code**

WVC1

\$249 list

SPECIFICATIONS

- 10 Watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 6' power supply included*

Unit Color

BLK	Black	n/c
WHT	White	n/c

Option Code

WVC2

\$320 list

SPECIFICATIONS

- 15 watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 5' power supply included*

Unit Color

BLK	Black	n/c
WHT	White	n/c

V Power™ (Kwikboost EdgePower)

V Power™ supports diversity and flexibility in a fluid environment. Utilizing cordless, battery-powered charging, the V Power attaches to the edge of each worksurface, giving individuals and teams the freedom to work or learn anywhere. For a more discreet appearance, mount unit under the worksurface with an optional bracket, sold separately.

CHARGING UNIT SPECIFICATIONS

- Adjustable, attaches to 0.7" to 1.5" tops
- Includes 110V AC outlet, USB-A port and USB-C PD port
- Charges laptops, tablets, phones, etc
- Operating temperatures:
 - 32 to 113°F (0 to 45°C) while in use
 - 14 to 131°F (-10 to 55°C) when not in use
- Dimensions (with battery): 10.3"L x 4.9"W x 5.2" to 6"H†



RECHARGEABLE BATTERY SPECIFICATIONS

- Easily Interchangeable
- Rechargeable using base charging station
- Includes LED charge indicator lights
- 146.52 battery capacity
- 18650 Li-ion battery
- Up to 500 life cycles
- Recharge time: 2 hours
- Dimensions: 9.1"L x 3"W x 2.1"H



CHARGER / CHARGING STATION SPECIFICATIONS

- Single charger, 3-bay charging station, or 9-bay charging station
- Fully recharges batteries in 2 hours
- 3-bay station is stackable and expandable
- Dimensions (with battery):
 - Single 3.25"L x 0.75"W x 2.25"H
 - 3-bay 15"L x 12"W x 6"H
 - 9-bay 15"L x 12"W x 13.5"H



Personal Use Bundle

Model	Description	
VPPUB	Two (2) Rechargeable Batteries One (1) Clamp-on Desktop Charging Unit One (1) Single Battery Charger	\$995 list†

Light Use Bundle

Model	Description	
VPLUB	Three (3) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units One (1) 3-Bay Base Charging Station	\$1,956 list†

Medium Use Bundle

Model	Description	
VPMUB	Six (6) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units (1) 3-Bay Base Charging Station	\$2,864 list†

Heavy Use Bundle

Model	Description	
VPHUB	Nine (9) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$4,792 list†

Constant Use Bundle

Model	Description	
VPCUB	Twelve (12) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$5,680 list†

Under Surface Mounting Bracket

Model	Description	
VPUSMB	Under Surface Mounting Bracket	\$ 30 list

Eclipse

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

- Hole mount is 4.5" diameter

Model	Description	
ECL-IP3X	Three (3) power	\$355 list
ECL-IP2U	Two (2) power and one (1) dual port USB charger	\$419 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

Model Example: ECL-IP2U-STB-72

Hemisphere

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

- Hole mount is 3" diameter

Model	Description	
HEM-IP3X	Three (3) power	\$255 list
HEM-IP2U	Two (2) power and one (1) dual port USB charger	\$317 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

Model Example: HEM-IP2U-STB-72

Mini-Tap

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



SPECIFICATIONS

- Two (2) Simplexes
- Available with spill-proof Simplexes

Model	Description	
MTP-IP2X	Two (2) power	\$120 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$311 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

Model Example: MTP-IP2X-72

Node

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



Model	Description	
NOD-IP2X	Two (2) power	\$228 list
NOD-IP2U	One (1) power and one (1) dual port USB charger	\$314 list
NOD-IP2O	One (1) power and one (1) open data port	\$215 list

Unit Color (Additional finishes available upon request)

DBP	Dark Bronze Plated	\$110 list
MPC	Midnight Powder Coat	n/c
PPC	Parchment Powder Coat	n/c
SNP	Satin Nickel Plated	\$110 list
SPC	Silver Powder Coat	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

Data Option (Only available with NOD-IP2O)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
US	USB passive jack	\$ 57 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: NOD-IP2U-SPC-72

Salt or Pepper

Individual USB charger or power outlet for easy, quick access applications.



SPECIFICATIONS

- Salt or Pepper hole mount is 1 3/4" diameter
- Smooth seamless design
- Spill-proof power simplex
- 72" power cord, black

Model	Description	
SLT1	One (1) dual port USB A charger	\$167 list
SLT3	One (1) single port USB C 60 watt charger	\$353 list
SLT4	One (1) 10 watt USB A + 10 watt USB C charger*	\$212 list
PPR	One (1) power outlet w/ 72" cord	\$ 92 list

Unit Color (Additional finishes available upon request)

BERP	Berry
BLKP	Black
BLUP	Blue
DSKP	Dusk
FOGP	Fog
HNYP	Honey
NVYP	Navy
ORGP	Orange
PCKP	Peacock
PPYP	Poppy
SGRP	Spring Green
SRMP	Storm
WHTP	White

Model Example: SLT-BLKP

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$338 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$346 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$353 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$361 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$359 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$365 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$373 list
AXZ-IP-4-0	Four (4) power and no open ports	\$445 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$452 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$458 list

Unit Color

MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$116 list
MBBA	Matte Black Faceplate, Black Trim	\$116 list
MSBA	Matte Storm Faceplate, Black Trim	\$116 list
MFBA	Matte Fog Faceplate, Black Trim	\$116 list
GWBA	Gloss White Faceplate, Black Trim	\$116 list
GBBA	Gloss Black Faceplate, Black Trim	\$116 list
SVBA	Silver Faceplate, Black Trim	\$116 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

USB Charging Options

UA	One (1) dual port USB A charging module (requires 1 open port)	\$123 list
UA2	Two (2) dual port USB A charging module (requires 2 open ports)	\$243 list
UAC	One (1) 10 watt USB A + 180watt USB C charging module (requires 1 open port)*	\$123 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)*	\$246 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$263 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Axil Z SL2 (Soft-Wired, Linked)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
AXZ-SL2-2-0	Two (2) power and no data	\$348 list
AXZ-SL2-2-2	Two (2) power and two (2) open ports	\$357 list
AXZ-SL2-2-4	Two (2) power and four (4) open ports	\$364 list
AXZ-SL2-2-6	Two (2) power and six (6) open ports	\$371 list
AXZ-SL2-3-1	Three (3) power and one (1) open port	\$369 list
AXZ-SL2-3-3	Three (3) power and three (3) open ports	\$377 list
AXZ-SL2-3-5	Three (3) power and five (5) open ports	\$384 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$116 list
MBBA	Matte Black Faceplate, Black Trim	\$116 list
MSBA	Matte Storm Faceplate, Black Trim	\$116 list
MFBA	Matte Fog Faceplate, Black Trim	\$116 list
GWBA	Gloss White Faceplate, Black Trim	\$116 list
GBBA	Gloss Black Faceplate, Black Trim	\$116 list
SVBA	Silver Faceplate, Black Trim	\$116 list

Power Infeed

BPS2-72	72" cord length, black	\$461 list
BPS2-120	120" cord length, black	\$477 list
BPS2-180	180" cord length, black	\$504 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

UA	One (1) dual port USB A charging module (requires 1 open port)	\$123 list
UA2	Two (2) dual port USB A charging module (requires 2 open ports)	\$243 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)*	\$123 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)*	\$246 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$263 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: AXZ-SL2-2-0-GWCA

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.

NOTE ELLORA UNITS ARE NOT RECOMMENDED ON TILTING TABLES

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¼" thick
- Requires cutout in worksurface

Model	Description	
ELL-IP-2-0	Two (2) power and no data	\$530 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$541 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$549 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$559 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$555 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$565 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$573 list
ELL-IP-4-0	Four (4) power and no open ports	\$690 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$699 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$709 list

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$166 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: ELL-IP-4-4-SAABT-72-U1-DA-DA-HD



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Ellora SL2 (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¼" thick
- Requires cutout in worksurface
- Maximum of 8 units in sequence
- Interlink IQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
ELL-SL2-2-0	Two (2) power and no data	\$541 list
ELL-SL2-2-2	Two (2) power and two (2) open ports	\$555 list
ELL-SL2-2-4	Two (2) power and four (4) open ports	\$578 list
ELL-SL2-2-6	Two (2) power and six (6) open ports	\$602 list
ELL-SL2-3-1	Three (3) power and one (1) open port	\$551 list
ELL-SL2-3-3	Three (3) power and three (3) open ports	\$574 list
ELL-SL2-3-5	Three (3) power and five (5) open ports	\$599 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$166 list

Power Infeed

BPS2-72	72" cord length, black	\$461 list
BPS2-120	120" cord length, black	\$477 list
BPS2-180	180" cord length, black	\$504 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: ELL-SL2-2-0-SAABT



Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
MHO-IP-2-0	Two (2) power and no data	\$454 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$462 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$473 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$481 list
MHO-IP-3-1	Three (3) power and one (1) open port	\$530 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$542 list
MHO-IP-3-5	Three (3) power and five (5) open ports	\$551 list
MHO-IP-4-0	Four (4) power and no open ports	\$592 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$600 list
MHO-IP-4-4	Four (4) power and four (4) open ports	\$609 list

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$166 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 16 list

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: MHO-IP-3-3-SAABT-72-U1-DA-DA

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Mho SL2 (Soft-Wired, Linked)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
MHO-SL2-2-0	Two (2) power and no data	\$471 list
MHO-SL2-2-2	Two (2) power and two (2) open ports	\$479 list
MHO-SL2-2-4	Two (2) power and four (4) open ports	\$491 list
MHO-SL2-2-6	Two (2) power and six (6) open ports	\$498 list

MHO-SL2-3-1	Three (3) power and one (1) open port	\$551 list
MHO-SL2-3-3	Three (3) power and three (3) open ports	\$560 list
MHO-SL2-3-5	Three (3) power and five (5) open ports	\$570 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$166 list

Power Infeed

BPS2-72	72" cord length, black	\$461 list
BPS2-120	120" cord length, black	\$477 list
BPS2-180	180" cord length, black	\$504 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: MHO-SL2-2-0-SAAWT

All Ashley soft-wired linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Ashley Duo Over

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADO-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$438 list
ADO-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$495 list
ADO-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$615 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Trio Over

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATO-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$491 list
ATO-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$522 list
ATO-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$615 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Duo Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADU-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$385 list
ADU-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$438 list
ADU-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$560 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Trio Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATU-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$456 list
ATU-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$491 list
ATU-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$560 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

CPU Holder
\$192 / each

Specify code **ACPU3-9F** (CPU Holder), add \$192.00 list each

SPECIFICATIONS

- Width adjustment from 2 1/2" to 9"
- Height adjustment from 10" to 21 1/2"

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



CPU Holder
\$126 / each

Specify code **ACPU5-8F** (CPU Holder), add \$126.00 list each

SPECIFICATIONS

- Adjusts from 5" to 8"



CPU Holder (Slim Line)
\$126 / each

Specify code **ACPU3F** (CPU Holder), add \$126.00 list each

SPECIFICATIONS

- Adjusts from 3" to 5"



Keyboard Platform with Mouse Surface
\$618 / each

Specify code **AKP27M** (Keyboard Platform with Mouse Surface), add \$618.00 list each

SPECIFICATIONS

- Low profile design
- 7" height adjustment with single lever control for height and tilt features
- 25° adjustable tilt feature
- 360° rotation
- Ergonomic wrist rest
- 8" mouse surface with pad installs right or left of keyboard
- Meets BIFMA standards

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



Data Jacks
\$73 / set of 2

Specify code **AHDDJ** (Two Data Jacks), add \$73.00 list for set of 2

SPECIFICATIONS

- Data/data access plate with two jacks
- Two (2) CAT6 data jacks
- The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



Voice and Data Jacks
\$63 / set of 2

Specify code **AHVDJ** (Voice and Data Jacks), add \$63.00 list for set of 2

SPECIFICATIONS

- Voice/data access plate with two jacks
- One (1) CAT3 voice jack
- One (1) CAT6 data jack
- The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



Quick Connect
\$157 / each

Specify code **AHQCVDJ** (Quick Connect System), add \$157.00 per unit

This option provides a pre-wired, quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT3 voice jacks and two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing voice/data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.



SPECIFICATIONS

- Voice/data access plate with two (2) jacks
- The mounting plate snaps in to the Henri unit
- Surface-mount box with two jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Quick Connect
\$180 / each

Specify code **AHQDDJ** (Quick Connect System), add \$180.00 per unit

This option provides pre-wired quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

SPECIFICATIONS

- Data access plate with two (2) jacks
- The mounting plate snaps into the Henri unit
- Surface-mount box with two (2) jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Couplers

Data Couplers - Specify code **DD**, add \$97.00 list each

Voice Couplers - Specify code **VV**, add \$73.00 list each

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.



Available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

Round Grommet - \$61 / each

Specify code **WR_** (Round Grommet - Location _),
add \$61.00 list per grommet

SPECIFICATIONS

- 3" diameter
- 2 1/4" inside dimension
- 2-piece black insert
- factory installed in specified location

**1 Grommet - Location A**

Round Grommet - Specify code **WRA**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOA**,
add \$78.00 list per table

1 grommet is factory installed in the front center location of the top.

1 Grommet - Location B

Round Grommet - Specify code **WRB**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOB**,
add \$78.00 list per table

1 grommet is factory installed in the front left corner location of the top.

1 Grommet - Location C

Round Grommet - Specify code **WRC**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOC**,
add \$78.00 list per table

1 grommet is factory installed in the front right corner location of the top.

2 Grommets - Location D

Round Grommet - Specify code **WRD**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOD**,
add \$156.00 list per table

2 grommets are factory installed in the front center locations of the top.

2 Grommets - Location E

Round Grommet - Specify code **WRE**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOE**,
add \$156.00 list per table

2 grommets are factory installed in the front corner locations of the top.

Oval Brush Grommet - \$78 / each

Specify code **WO_** (Oval Brush Grommet - Location _),
add \$78.00 list per grommet

SPECIFICATIONS

- 3" x 7 1/2" oval
- black brush insert cord access
- 1 1/2" x 4" inside dimension
- factory installed in specified location

**1 Grommet - Location F**

Round Grommet - Specify code **WRF**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOF**,
add \$78.00 list per table

1 oval brush grommet is factory installed running widthwise in the center location of the top.

2 Grommets - Location H

Round Grommet - Specify code **WRH**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOH**,
add \$156.00 list per table

2 grommets are factory installed in a predetermined centerline location of the top.

1 Grommet - Location K

Round Grommet - Specify code **WRK**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOK**,
add \$78.00 list per table

1 grommet is factory installed running lengthwise in the center location of the top.

1 Grommet - Location R

Round Grommet - Specify code **WRR**,
add \$61.00 list per table

Oval Brush Grommet - Specify code **WOR**,
add \$78.00 list per table

1 grommet is factory installed in a predetermined position in the top.

**1 Grommet - Provide Location Print**

Round Grommet - Specify code **WRG**,
add \$61.00 list per table

Oval Brush Grommet - Specify code **WOG**,
add \$78.00 list per table

1 oval brush grommet is factory installed in the top location based on specifier's print.



Cable Coil™
Standard / No Charge

AVAILABLE ON
INTERPLAY

Specify code not applicable, standard / no charge per coil
The Cable Coil conducts wires from the underside of the top to the power and data source. It is attached to the undersurface of the top and hooks under the base ring. Finish is the same as the frame or base finish.

Cable Hook Legway
\$96 / set of 2

AVAILABLE ON
BRATTICE
PERFORMANCE
WAVELINK

Specify code **WCK** (Cable Hook Legway), add \$96.00 list per table
Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



NOTE CABLE HOOK LEGWAY (WCK) MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Cable Hook Legway
\$96 / set of 2

AVAILABLE ON
TIM

Specify code **WCH** (Cable Hook Legway), add \$96.00 list per table
Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



NOTE CABLE HOOK LEGWAY (WCH) MAY BE SPECIFIED WITH ANY BASE USING A 1 1/2" DIAMETER ROUND COLUMN

Canvas Legway
\$80 / legway

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO®
VELA
WAVELINK

Specify code **WCL** (Canvas Legway), add \$80.00 list per legway
Canvas Legways conduct wires from the underside of the top to the power and data source near the floor.



SPECIFICATIONS

- Black cloth material
- 1" inside diameter
- Self-adhesive backing
- Upper and lower dual lock closure safety straps secure multiple wire bundles

NOTE CANVAS LEGWAY CAN BE INSTALLED ON ALL TABLE TYPES, INCLUDING FOLDING BASE TABLES

Plastic Legway
\$63 / legway

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELA
WAVELINK

Specify code **WRL** (Plastic Legway), add \$63.00 list per legway
Plastic Legways conduct wires from the underside of the top to the power and data source near the floor.



SPECIFICATIONS

- Black extruded rigid PVC plastic
- 3/8" x 1" inside dimension on each of two (2) raceways
- Snaps on and off for storage

NOTE PLASTIC LEGWAY MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Wire Mesh Legway
\$166 / pair

AVAILABLE ON
VELA

Specify code **WML** (Wire Mesh Legway), required finish selection ____, add \$166.00 list per pair
Plastic channel with wire mesh insert routes cords and cables from underside of top to a power and data source near the floor. Legway snaps into T1 and TC bases and is shipped installed.



SPECIFICATIONS

- Black 1/16" thick extruded rigid PVC plastic
- 2 channels, 3/8" x 1 3/4" inside diameter
- Snaps on and off for storage

Wire Mesh X4 Insert
\$99 / each

AVAILABLE ON
VELA

Specify code **WMX** (Wire Mesh X4 Insert), required finish selection ____, add \$99.00 list each
Wire Mesh X4 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on X4 bases and is shipped installed.



SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert can only be removed by separating base and top

Wire Mesh Y3 Insert
\$166 / pair

AVAILABLE ON
VELA

Specify code **WMY** (Wire Mesh Y3 Insert), required finish selection ____, add \$166.00 list per pair
Wire Mesh Y3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on Y3 bases and is shipped installed.



SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert can only be removed by separating base and top

Wire Mesh T3 Insert
\$99 / each

Specify code **WMT** (Wire Mesh T3 Insert), required finish selection ____, add \$99.00 list each
Wire Mesh T3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert is riveted into position on T3 bases and is shipped installed.

SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert is riveted to the column and cannot be easily removed



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Basket - Modesty Mount \$78 / basket

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA

Specify code **WBM** (Basket - Modesty Mount), add \$78.00 list per basket

The modesty mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18". The wire basket can be located on the backside of the modesty panel.



Base Wire Access \$25 / access

AVAILABLE ON
BRATTICE
PERFORMANCE

Specify code **BWA** (Base Wire Access), add \$25.00 list per access

The wire management access is available on fixed and tilting tables, 36 x 72 or smaller. Any table over 72" long must have 3 bases (either the two outer bases or only the middle base can be specified with the wire management access. T1 and X1 bases only.

NOTE NOT AVAILABLE ON TABLES WITH ADJUSTABLE PIN HEIGHT, PNEUMATIC ADJUSTABLE HEIGHT, OR MOTORIZED ADJUSTABLE HEIGHT BASES.

Basket - Under Top Mount \$78 / basket

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PERFORMANCE
VELA
WAVELINK

Specify code **WBT** (Basket - Under Top Mount), add \$78.00 list per basket

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18".



Canvas - Under Top Mount \$185 / manager

AVAILABLE ON
TIM

Specify code **WCT** (Canvas - Under Top Mount), add \$185.00 list per table

The Under Top Mount Canvas wire manager is made of black canvas, with snap attachment to the underside of the table. The snap studs are installed to the underside of the table top on the approach side, when specified as a table option. The table tops are pre-drilled for field installation of the snap studs if the option is selected at a later date. The canvas wire manager runs the length of the table to channel wires from end to end. Excess cords from table top can be dropped into the front edge of the wire manager.



Plastic Runner - Under Top Mount \$133 / runner

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA
WAVELINK

Specify code **WRT** (Plastic Runner - Under Top Mount), add \$133.00 list per runner

The under top mount plastic runner is a J-shaped channel made of black PVC. Inside dimension is 1 1/8". Lengths coordinate with tables up to 96". The plastic runner mounts under the top, at the front edge (approach side) of the table.



Henri Now linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection




Eliga Power - \$397 / unit

Specify code **EG_** (Eliga Power - Location_),
add \$397.00 list per Eliga Power unit

The Eliga Power unit is factory installed and mounted in the frame of the Eliga sliding table and not in the table top.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit,
standard grounded plug
- Surge protection
- Two electrical outlets per unit



1 Eliga Power \$397 / table

Specify code **EG1** (1 Eliga Power unit),
add \$397.00 list per table

One Eliga Power electrical unit is factory installed.

2 Eliga Power \$794 / table

Specify code **EG2** (2 Eliga Power unit),
add \$794.00 list per table

Two Eliga Power electrical units are factory installed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Essential Information

Like space planning with room configurations, we often receive requests to create power and data needs that one would assume are very easy. Below are some common questions that will help to define your needs and in turn will enable us to help you specify your tables.

Which Solution Best Fits Your Needs

Ask yourself some basic questions to help define your specific needs.

Is storage an issue? Some tables may be folded or tilted with certain power and data sources in position, while others may require that the power and data source be removed for these functions. Make sure you consider the space that you will need to store all the parts of your configurations.

Will you be moving your tables? If your tables are going to be utilized in varied locations, you will want to ensure that you can easily disconnect and reconnect your power and data. Table Link - Ends Only is included with Henri and Powerlink electrical package options to prevent the accidental disconnection of power supply to adjacent tables.

How will your tables be used? Power and data choice may depend upon whether your tables will be task-specific or multipurpose. A single use may have different requirements than a multi-use configuration. Remember to consider the need for wire management and modesty panels also.

Will your needs be changing? You don't always know what your specific needs will be in the future, but you may want the ability to add power and data at a later date.

Where is the power and data source for the room? Before any power and data is specified for a table, it is important to know where the power will be coming from in your room. If you are plugging into existing outlets then the power feed for the table must be within six feet (6') of the outlet.

Have you calculated the power load? Power loads are measured in amps (abbreviated form of amperes). Your circuits will only handle so many amps so you need to know what you can safely plug in without causing an overload situation. Use the worksheet on the next page for a general idea.

Selecting Your Power and Data Options

Select the best power and data option based on your particular need and application.



Henri

- ↪ pop-up feature is cool
- ↪ when not in use, there is nothing to obstruct the use of the table surface
- ↪ when popped-up, provides immediate access for laptop computers
- ↪ surface access for conference tables
- ↪ safe and easy to operate
- ↪ easy to set up and take down with tables
- ↪ voice and data connections built in
- ↪ plugs into a standard 15 amp grounded outlet plug



Powerlink Single Circuit

- ↪ choice of locations
 - above surface, great for laptops
 - below surface facing out for semi-permanent computer applications (not available on some models)
 - below surface facing user with grommets for permanent computer applications (not available on some models)
- ↪ all the above can be changed without tools
- ↪ move power and data from table to table in different locations
- ↪ remove Powerlink and seat people on both sides of the table without interference
- ↪ integrated cable storage eliminates need for wire baskets or managers
- ↪ add Powerlink to Versteel tables in the future
- ↪ electrical sequencing direction can be changed by flipping internal power bars
- ↪ safe and easy to operate
- ↪ voice and data connections built in
- ↪ plugs into standard 15 amp grounded outlet plug

VERSTEEL

Alternate Power & Data Units

Alternate UL listed power and data units from other companies can be installed in Versteel tables. To ensure a proper fit in the top, supplier name, exact model number and cut-out template information must be provided with purchase order. When using power and data units from alternate sources, the table will not be UL listed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Amp Load Worksheet

Use this worksheet to get an approximate value of the amps you will be using. If there is any risk that the circuits may not be able to carry the load, contact a qualified electrician. Also, always consult any local codes or restrictions concerning power.

Worksheet

EQUIPMENT	QUANTITY	AMP LOAD
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

TOTAL _____
(National Electrical Code recommends less than or equal to 12 amps per power infeed)

See page 24 for examples on the sample order form.



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Wiring of voice and data jacks is the sole responsibility of the customer



Technical Specifications

Henri provides pop-up power and voice and data access. A built-in opening is provided for cables to be routed below the surface while up. Henri for linked table groups are powered from a single 9' cord, 15 amp standard grounded outlet plug with a circuit breaker and power surge protector. Voice and data plates can be ordered with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. LED light indicates when power is on. Optional data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

UL Listing requires the limitation of eight (8) Henri units (two plugs per Henri) on a single plug power entry.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See chart with amp load worksheet on page 57.

Each Henri is shipped installed in the table top and includes all necessary cables and cord mounting clips in order to complete the electrical installation. Henri is not retrofittable. However, if a brush grommet has been previously installed in your table, then it is possible to insert a Henri at a future date.

Henri Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will verify or help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 56-71.

CONSIDER

How many Henri units in each table?


Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?

What are the expected table configurations of the room?

Linking Examples

Location A H60A4R16
(4) 60" Tables, Linked,
(1) Henri per table,
Right Power



Location D H60D3R16
(3) 60" Tables, Linked,
(2) Henri per table,
Right Power



Location E H60D3R16
(3) 60" Tables, Linked,
(2) Henri per table,
Right Power



Location	Description	Model #
Locations A	(1) 42" Table, Right Power	H42A1R16
	(2) 42" Tables, Linked, Right Power	H42A2R16
	(3) 42" Tables, Linked, Right Power	H42A3R16
	(4) 42" Tables, Linked, Right Power	H42A4R16
	(5) 42" Tables, Linked, Right Power	H42A5R16
	(6) 42" Tables, Linked, Right Power	H42A6R16
	(7) 42" Tables, Linked, Right Power	H42A7R16
	(8) 42" Tables, Linked, Right Power	H42A8R16
Locations A	(1) 42" Table, Left Power	H42A1L16
	(2) 42" Tables, Linked, Left Power	H42A2L16
	(3) 42" Tables, Linked, Left Power	H42A3L16
	(4) 42" Tables, Linked, Left Power	H42A4L16
	(5) 42" Tables, Linked, Left Power	H42A5L16
	(6) 42" Tables, Linked, Left Power	H42A6L16
	(7) 42" Tables, Linked, Left Power	H42A7L16
	(8) 42" Tables, Linked, Left Power	H42A8L16
Locations A	(1) 48" Table, Right Power	H48A1R16
	(2) 48" Tables, Linked, Right Power	H48A2R16
	(3) 48" Tables, Linked, Right Power	H48A3R16
	(4) 48" Tables, Linked, Right Power	H48A4R16
	(5) 48" Tables, Linked, Right Power	H48A5R16
	(6) 48" Tables, Linked, Right Power	H48A6R16
	(7) 48" Tables, Linked, Right Power	H48A7R16
	(8) 48" Tables, Linked, Right Power	H48A8R16
Locations A	(1) 48" Table, Left Power	H48A1L16
	(2) 48" Tables, Linked, Left Power	H48A2L16
	(3) 48" Tables, Linked, Left Power	H48A3L16
	(4) 48" Tables, Linked, Left Power	H48A4L16
	(5) 48" Tables, Linked, Left Power	H48A5L16
	(6) 48" Tables, Linked, Left Power	H48A6L16
	(7) 48" Tables, Linked, Left Power	H48A7L16
	(8) 48" Tables, Linked, Left Power	H48A8L16
Locations A	(1) 60" Table, Right Power	H60A1R16
	(2) 60" Tables, Linked, Right Power	H60A2R16
	(3) 60" Tables, Linked, Right Power	H60A3R16
	(4) 60" Tables, Linked, Right Power	H60A4R16
	(5) 60" Tables, Linked, Right Power	H60A5R16
	(6) 60" Tables, Linked, Right Power	H60A6R16
	(7) 60" Tables, Linked, Right Power	H60A7R16
	(8) 60" Tables, Linked, Right Power	H60A8R16




Location A H60A4L16, (4) 60" Tables, Linked, Left Power

H	60	A	4	L16
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60A4L16** is a Henri sequence with four (4) 60" tables and the Henri units in Position A. Power enters from the user's left.

Location	Description	Model #
Locations A	(1) 60" Table, Left Power	H60A1L16
	(2) 60" Tables, Linked, Left Power	H60A2L16
	(3) 60" Tables, Linked, Left Power	H60A3L16
	(4) 60" Tables, Linked, Left Power	H60A4L16
	(5) 60" Tables, Linked, Left Power	H60A5L16
	(6) 60" Tables, Linked, Left Power	H60A6L16
	(7) 60" Tables, Linked, Left Power	H60A7L16
	(8) 60" Tables, Linked, Left Power	H60A8L16
Locations D	(1) 60" Table, Right Power	H60D1R16
	(2) 60" Tables, Linked, Right Power	H60D2R16
	(3) 60" Tables, Linked, Right Power	H60D3R16
	(4) 60" Tables, Linked, Right Power	H60D4R16
Locations D	(1) 60" Table, Left Power	H60D1L16
	(2) 60" Tables, Linked, Left Power	H60D2L16
	(3) 60" Tables, Linked, Left Power	H60D3L16
	(4) 60" Tables, Linked, Left Power	H60D4L16
Locations D	(1) 72" Table, Right Power	H72D1R16
	(2) 72" Tables, Linked, Right Power	H72D2R16
	(3) 72" Tables, Linked, Right Power	H72D3R16
	(4) 72" Tables, Linked, Right Power	H72D4R16
Locations D	(1) 72" Table, Left Power	H72D1L16
	(2) 72" Tables, Linked, Left Power	H72D2L16
	(3) 72" Tables, Linked, Left Power	H72D3L16
	(4) 72" Tables, Linked, Left Power	H72D4L16
Locations E	(1) 60" Table, Right Power	H60E1R16
	(2) 60" Tables, Linked, Right Power	H60E2R16
	(3) 60" Tables, Linked, Right Power	H60E3R16
	(4) 60" Tables, Linked, Right Power	H60E4R16
Locations E	(1) 60" Table, Left Power	H60E1L16
	(2) 60" Tables, Linked, Left Power	H60E2L16
	(3) 60" Tables, Linked, Left Power	H60E3L16
	(4) 60" Tables, Linked, Left Power	H60E4L16
Locations E	(1) 72" Table, Right Power	H72E1R16
	(2) 72" Tables, Linked, Right Power	H72E2R16
	(3) 72" Tables, Linked, Right Power	H72E3R16
	(4) 72" Tables, Linked, Right Power	H72E4R16


Location	Description	Model #	
Locations E	(1) 72" Table, Left Power	H72E1L16	
	(2) 72" Tables, Linked, Left Power	H72E2L16	
	(3) 72" Tables, Linked, Left Power	H72E3L16	
	(4) 72" Tables, Linked, Left Power	H72E4L16	
Locations E	(1) 84" Table, Right Power	H84E1R16	
	(2) 84" Tables, Linked, Right Power	H84E2R16	
	(3) 84" Tables, Linked, Right Power	H84E3R16	
	(4) 84" Tables, Linked, Right Power	H84E4R16	
Locations E	(1) 84" Table, Left Power	H84E1L16	
	(2) 84" Tables, Linked, Left Power	H84E2L16	
	(3) 84" Tables, Linked, Left Power	H84E3L16	
	(4) 84" Tables, Linked, Left Power	H84E4L16	
Locations E	(1) 96" Table, Right Power	H96E1R16	
	(2) 96" Tables, Linked, Right Power	H96E2R16	
	(3) 96" Tables, Linked, Right Power	H96E3R16	
	(4) 96" Tables, Linked, Right Power	H96E4R16	
Locations E	(1) 96" Table, Left Power	H96E1L16	
	(2) 96" Tables, Linked, Left Power	H96E2L16	
	(3) 96" Tables, Linked, Left Power	H96E3L16	
	(4) 96" Tables, Linked, Left Power	H96E4L16	
Locations F	For TIM Meeting Only		
	(1) 72" Table, Right Power	H72F1R16	
	(1) 84" Table, Right Power	H84F1R16	
Locations F	(1) 96" Table, Right Power	H96F1R16	
	Locations F	(1) 72" Table, Left Power	H72F1L16
		(1) 84" Table, Left Power	H84F1L16
(1) 96" Table, Left Power		H96F1L16	
Locations H	(1) 72" Table, Right Power	H72H1R16	
	(1) 84" Table, Right Power	H84H1R16	
	(1) 96" Table, Right Power	H96H1R16	
Locations H	(1) 72" Table, Left Power	H72H1L16	
	(1) 84" Table, Left Power	H84H1L16	
	(1) 96" Table, Left Power	H96H1L16	



Location D H60D3L16, (3) 60" Tables, Linked, Left Power



A **H60D3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position D. Power enters from the user's left.



Location E H60E3L16, (3) 60" Tables, Linked, Left Power



A **H60E3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position E. Power enters from the user's left.

Custom Location Print

Below are three easy steps for supplying a print that places Power & Data units in a custom location.

Step 1

Indicate where you want your Power & Data units located in the top. Use center lines for marking positions. Versteel will review your location requests to make sure that they do not interfere with base locations and their attachment.

Step 2


Indicate the face of all Power & Data units to determine which way the power outlets, voice jacks and data jacks will be accessed.

Step 3


Indicate where the Power & Data sources are located within the space. The orientation of the table(s) within the space will also help to determine the best possible access point.

It's that simple. Call Versteel Customer Service if you have any questions regarding Power & Data Custom Locations.


Boatshape conference table with four units. Power is located in the center of the table and the units alternate sides facing the users.




Square table with four units. Power is located to the side of the table and the units each face a user.



Two (2) square tables linked with two (2) units each. Power is located to the side of the table and the units face outwards.

**Sample Print**

Special Electrical four (4) units located in one (1) table on the center line of the table with 30" between units.



Wiring of voice and data jacks is the sole responsibility of the customer

Single Circuit Powerlink Technical Specifications
Powerlink provides horizontal power, voice and data access as well as cable management.

Powerlink Single Circuit system allows several tables to be powered from a single 15 amp standard grounded outlet plug which will power up to eight (8) duplex outlets per sequence. Circuit breakers and power surge protectors for single or sequenced Powerlinks are at the infeed.

UL Listing requires the limitation of eight (8) Powerlink 42" and 48" length (two plugs per Powerlink) or four (4) Powerlink 60", 72", 84" and 96" length (4 plugs per Powerlink) on a single plug power entry.

Single Circuit and Powerlink Technical Specifications

Voice and data plates are installed in the Powerlink cover with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. Data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

Mounting lever locks are factory installed in the bottom front edge of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

Each Powerlink unit includes all necessary hardwire connection or flex conduit jumpers, covers and hardware to complete the electrical installation.

Powerlink may be retrofitted to Versteel Class E tables only. Check your Versteel table product label located on the underside of the table top to determine if your table is Class E.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See amp load worksheet on page 57.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 56-71. Powerlink will always be top mounted facing user unless specified differently.

CONSIDER
Where are the power and data sources located in the room?

What are the expected table configurations of the room?

Powerlink Single Circuit with power infeed. Face drops to allow easy access to wire management channels and linking connections.



Powerlink with sequencing connection mounted above table top, facing user.




Powerlink mounted below table top, facing out.



Powerlink with sequencing connection mounted below table top, facing user.




Powerlink can be repositioned in any of the above positions by using the Powerlink lever lock. No tools are required



Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16
	(2) 42" Tables, Linked, Right Power	P1-42P2R16
	(3) 42" Tables, Linked, Right Power	P1-42P3R16
	(4) 42" Tables, Linked, Right Power	P1-42P4R16
	(5) 42" Tables, Linked, Right Power	P1-42P5R16
	(6) 42" Tables, Linked, Right Power	P1-42P6R16
	(7) 42" Tables, Linked, Right Power	P1-42P7R16
	(8) 42" Tables, Linked, Right Power	P1-42P8R16
Single	(1) 42" Table, Left Power	P1-42P1L16
	(2) 42" Tables, Linked, Left Power	P1-42P2L16
	(3) 42" Tables, Linked, Left Power	P1-42P3L16
	(4) 42" Tables, Linked, Left Power	P1-42P4L16
	(5) 42" Tables, Linked, Left Power	P1-42P5L16
	(6) 42" Tables, Linked, Left Power	P1-42P6L16
	(7) 42" Tables, Linked, Left Power	P1-42P7L16
	(8) 42" Tables, Linked, Left Power	P1-42P8L16
Single	(1) 48" Table, Right Power	P1-48P1R16
	(2) 48" Tables, Linked, Right Power	P1-48P2R16
	(3) 48" Tables, Linked, Right Power	P1-48P3R16
	(4) 48" Tables, Linked, Right Power	P1-48P4R16
	(5) 48" Tables, Linked, Right Power	P1-48P5R16
	(6) 48" Tables, Linked, Right Power	P1-48P6R16
	(7) 48" Tables, Linked, Right Power	P1-48P7R16
	(8) 48" Tables, Linked, Right Power	P1-48P8R16
Single	(1) 48" Table, Left Power	P1-48P1L16
	(2) 48" Tables, Linked, Left Power	P1-48P2L16
	(3) 48" Tables, Linked, Left Power	P1-48P3L16
	(4) 48" Tables, Linked, Left Power	P1-48P4L16
	(5) 48" Tables, Linked, Left Power	P1-48P5L16
	(6) 48" Tables, Linked, Left Power	P1-48P6L16
	(7) 48" Tables, Linked, Left Power	P1-48P7L16
	(8) 48" Tables, Linked, Left Power	P1-48P8L16
Single	(1) 60" Table, Right Power	P1-60P1R16
	(2) 60" Tables, Linked, Right Power	P1-60P2R16
	(3) 60" Tables, Linked, Right Power	P1-60P3R16
	(4) 60" Tables, Linked, Right Power	P1-60P4R16

Circuit	Description	Model #
Single	(1) 60" Table, Left Power	P1-60P1L16
	(2) 60" Tables, Linked, Left Power	P1-60P2L16
	(3) 60" Tables, Linked, Left Power	P1-60P3L16
	(4) 60" Tables, Linked, Left Power	P1-60P4L16
Single	(1) 72" Table, Right Power	P1-72P1R16
	(2) 72" Tables, Linked, Right Power	P1-72P2R16
	(3) 72" Tables, Linked, Right Power	P1-72P3R16
	(4) 72" Tables, Linked, Right Power	P1-72P4R16
Single	(1) 72" Table, Left Power	P1-72P1L16
	(2) 72" Tables, Linked, Left Power	P1-72P2L16
	(3) 72" Tables, Linked, Left Power	P1-72P3L16
	(4) 72" Tables, Linked, Left Power	P1-72P4L16
Single	(1) 84" Table, Right Power	P1-84P1R16
	(2) 84" Tables, Linked, Right Power	P1-84P2R16
	(3) 84" Tables, Linked, Right Power	P1-84P3R16
	(4) 84" Tables, Linked, Right Power	P1-84P4R16
Single	(1) 84" Table, Left Power	P1-84P1L16
	(2) 84" Tables, Linked, Left Power	P1-84P2L16
	(3) 84" Tables, Linked, Left Power	P1-84P3L16
	(4) 84" Tables, Linked, Left Power	P1-84P4L16
Single	(1) 96" Table, Right Power	P1-96P1R16
	(2) 96" Tables, Linked, Right Power	P1-96P2R16
	(3) 96" Tables, Linked, Right Power	P1-96P3R16
	(4) 96" Tables, Linked, Right Power	P1-96P4R16
Single	(1) 96" Table, Left Power	P1-96P1L16
	(2) 96" Tables, Linked, Left Power	P1-96P2L16
	(3) 96" Tables, Linked, Left Power	P1-96P3L16
	(4) 96" Tables, Linked, Left Power	P1-96P4L16



Powerlink Sequence P1-42P4L16

P1-	42P	4	L16
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-42P4L16** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left.



Powerlink Sequence P1-60P3L16


P1-	60P	3	L16
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-60P3L16** is a Sequenced Powerlink unit using a single circuit on a sequence of three (3) 60" tables. Power enters from the user's left.

VERSTEEL

Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16-AR
	(2) 42" Tables, Linked, Right Power	P1-42P2R16-AR
	(3) 42" Tables, Linked, Right Power	P1-42P3R16-AR
	(4) 42" Tables, Linked, Right Power	P1-42P4R16-AR
	(5) 42" Tables, Linked, Right Power	P1-42P5R16-AR
	(6) 42" Tables, Linked, Right Power	P1-42P6R16-AR
	(7) 42" Tables, Linked, Right Power	P1-42P7R16-AR
	(8) 42" Tables, Linked, Right Power	P1-42P8R16-AR
Single	(1) 42" Table, Left Power	P1-42P1L16-AR
	(2) 42" Tables, Linked, Left Power	P1-42P2L16-AR
	(3) 42" Tables, Linked, Left Power	P1-42P3L16-AR
	(4) 42" Tables, Linked, Left Power	P1-42P4L16-AR
	(5) 42" Tables, Linked, Left Power	P1-42P5L16-AR
	(6) 42" Tables, Linked, Left Power	P1-42P6L16-AR
	(7) 42" Tables, Linked, Left Power	P1-42P7L16-AR
	(8) 42" Tables, Linked, Left Power	P1-42P8L16-AR
Single	(1) 48" Table, Right Power	P1-48P1R16-AR
	(2) 48" Tables, Linked, Right Power	P1-48P2R16-AR
	(3) 48" Tables, Linked, Right Power	P1-48P3R16-AR
	(4) 48" Tables, Linked, Right Power	P1-48P4R16-AR
	(5) 48" Tables, Linked, Right Power	P1-48P5R16-AR
	(6) 48" Tables, Linked, Right Power	P1-48P6R16-AR
	(7) 48" Tables, Linked, Right Power	P1-48P7R16-AR
	(8) 48" Tables, Linked, Right Power	P1-48P8R16-AR
Single	(1) 48" Table, Left Power	P1-48P1L16-AR
	(2) 48" Tables, Linked, Left Power	P1-48P2L16-AR
	(3) 48" Tables, Linked, Left Power	P1-48P3L16-AR
	(4) 48" Tables, Linked, Left Power	P1-48P4L16-AR
	(5) 48" Tables, Linked, Left Power	P1-48P5L16-AR
	(6) 48" Tables, Linked, Left Power	P1-48P6L16-AR
	(7) 48" Tables, Linked, Left Power	P1-48P7L16-AR
	(8) 48" Tables, Linked, Left Power	P1-48P8L16-AR

Circuit	Description	Model #
Single	(1) 60" Table, Right Power	P1-60P1R16-AR
	(2) 60" Tables, Linked, Right Power	P1-60P2R16-AR
	(3) 60" Tables, Linked, Right Power	P1-60P3R16-AR
	(4) 60" Tables, Linked, Right Power	P1-60P4R16-AR
Single	(1) 60" Table, Left Power	P1-60P1L16-AR
	(2) 60" Tables, Linked, Left Power	P1-60P2L16-AR
	(3) 60" Tables, Linked, Left Power	P1-60P3L16-AR
	(4) 60" Tables, Linked, Left Power	P1-60P4L16-AR
Single	(1) 72" Table, Right Power	P1-72P1R16-AR
	(2) 72" Tables, Linked, Right Power	P1-72P2R16-AR
	(3) 72" Tables, Linked, Right Power	P1-72P3R16-AR
	(4) 72" Tables, Linked, Right Power	P1-72P4R16-AR
Single	(1) 72" Table, Left Power	P1-72P1L16-AR
	(2) 72" Tables, Linked, Left Power	P1-72P2L16-AR
	(3) 72" Tables, Linked, Left Power	P1-72P3L16-AR
	(4) 72" Tables, Linked, Left Power	P1-72P4L16-AR



Powerlink Sequence P1-42P4L16-AR

P1-	42P	4	L16	AR
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-42P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape



Powerlink Sequence P1-60P3L16AR

P1-	60P	3	L16	AR
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-60P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape


**Power Source Outlet**

Power Source Outlets provide power access to individual tables through a single circuit with one (1) 10' cord and a standard grounded plug. Power Source Outlets have six (6) grounded electrical outlets per unit with surge protection and are controlled by an illuminated On/Off switch. Unit is field installed and retrofittable.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

The configurations illustrated on these pages are meant to show possible options using similar power sources.



Configuration 1

Henri Location E or Powerlink Single Circuit

A classroom or training room with double aisles consisting of two (2) groups (outer) and an instructor's table, each with an individual power supply. Each set of linked tables in the center section has its own power supply.

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
A H60E1R16 Henri Location E (1) 60" table, right power	2
B H60E1L16 Henri Location E (1) 60" table, left power	3
C H60E3L16 Henri Location E (3) 60" tables, linked, left power	2

FURNITURE	QUANTITY
Tables (24" x 60")	22
Chairs	42

Powerlink Power and Data, Single Circuit Option

DESCRIPTION	QUANTITY
A P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	2
B P1-60P1L16 Powerlink Single Circuit (1) 60" table, left power	3
C P1-60P3L16 Powerlink Single Circuit (3) 60" tables, linked, left power	2

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.


Configuration 2

Henri Location E

A U-shaped linking configuration for conferencing or training. Three linked table groups are powered from floor monuments.

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
A H60E2L16 Henri Location E (2) 60" tables, linked, left power	1
B H60E2R16 Henri Location E (2) 60" tables, linked, right power	3




FURNITURE

Tables (24" x 60")
Chairs

QUANTITY

6
12



Configuration 3

Powerlink Single Circuit


A classroom or training room created from a long narrow room. All the power is located on a side wall of the room, with the exception of the instructor's table which has its own power monument in the floor.

Powerlink Power and Data, Single Circuit Option

DESCRIPTION	QUANTITY
A P1-60P2R16 Powerlink Single Circuit (2) 60" tables, linked, right power	3
B P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?

Where are the power sources in the room?


Are the tables within a six foot (6') radius of the power sources?

FURNITURE

Tables (24" x 60")
Chairs

QUANTITY

7
14




The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 4

Henri Location A or Henri Location E

A classroom or training room occupying a large center section of linked tables with two (2) possible power supplies. The instructor's table has an individual power supply.



Henri Power and Data, Location A Option

	DESCRIPTION	QUANTITY
A	H60A5L16 Henri Location A (5) 60" tables, linked, left power	4
B	H60A1L16 Henri Location A (1) 60" table, left power	1


FURNITURE	QUANTITY
Tables (24" x 60")	21
Chairs	41

Henri Power and Data, Location E Option

	DESCRIPTION	QUANTITY
C	H60E3L16 Henri Location E (3) 60" tables, linked, left power	4
D	H60E2L16 Henri Location E (2) 60" tables, linked, left power	4
E	H60E1L16 Henri Location E (1) 60" table, left power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



Configuration 5

Henri Location A or Henri Location E

A large conference or meeting area formed by linked tables and wedge tops. Two (2) power sources feed the four (4) power and data sequences.

Henri Power and Data, Location A Option

DESCRIPTION	QUANTITY
A Special Electrical Package Henri Location A (5) 60" tables, linked, right power	2

FURNITURE	QUANTITY
Tables (24" x 60")	10
Tables (45° 24" wedge)	8
Chairs	20

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
B Special Electrical Package Henri Location E (3) 60" tables, linked, right power	2
C Special Electrical Package Henri Location E (2) 60" tables, linked, left power	2

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.

SCALE



Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 6

Henri Location E


A large classroom or training room with side aisles. The room consists of six (6) rows of tables. Power and data is supplied from a floor grid.

FURNITURE

FURNITURE	QUANTITY
Tables (24" x 60")	24
Tables (24" quarter round)	4
Chairs	48

Henri Power and Data Option (Location E)

DESCRIPTION	QUANTITY
A H60E2L16 (2) 60" tables, linked, left power	6
B H60E2R16 (2) 60" tables, linked, right power	6



POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 7

Powerlink Single Circuit (for arc rectangle top shape)

An amphitheater style classroom or training room with a single aisle. Power sources are located along the aisle and service linked tables with hardwired multi-circuit power. Instructor table has its own single circuit outlet power supply.

FURNITURE

Tables (24" x 60")
Chairs

QUANTITY


26
52

Powerlink Power and Data, Single Circuit Option

	DESCRIPTION	QUANTITY
A	P1-60P3R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Right Power	4
B	P1-60P3L-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Left Power	4
C	P1-60P2R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (2) 60" Tables, Linked, Right Power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?


Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



Connecting Data/Voice Systems To Your Network Grid

Multiple options are available when specifying data/voice connections for power/data systems in Versteel tables. The appropriate option is dependent upon your specific application.



UNWIRED CONNECTIONS

Unwired data/voice connections need to be wired by the customer's IT department, or an outside IT provider. Unwired connections are "standard" for the following products:

- Henri/Henri Now
- Powerlink
- Power Bay
- Powered Form Modesty

(Unwired connections are optional for all other power/data systems offered by Versteel.)



PREWIRED CONNECTIONS

Prewired data/voice connections terminate with a "male" patch cable connector on the end. This enables the unit to be plugged directly into a data wall plate. A 10' cable is standard for data connections, and a 7' cable is standard for voice connections. Prewired connections are "standard" for the following products:

- Axil Z
- Ellora
- Mho
- Node



DATA COUPLERS

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Data Couplers are available on all power/data units, excluding Henri and Henri Now (*Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now*).



Questions?
1.800.876.2120

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Veneer Wood
	Flat 	Flat 	Bumper 	Flat
edge ordering code > top thickness >	LP1R 7/8"	LW1R 7/8"	LB1R 7/8"	VW1R 7/8"
	Fluted 	Fluted 		Fluted
edge ordering code > top thickness >	LPF1R 7/8"	LWF1R 7/8"		VWF1R 7/8"
top thickness price >	7/8"	7/8"	7/8"	7/8"

Style	Description	Model #	Product Wt	7/8"	7/8"	7/8"
Rover Pup	26 3/4" Height					
 26 3/4" Height	22 Fix 	IPRP 22PUFX	20	786	1040	1586
 42" Height	22 Fix 	IPRPS 22PUFX	24	875	1129	1675

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Frame Color
- 6 Additional Options



Questions?
1.800.876.2120

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Veneer Wood
	Flat 	Flat 	Bumper 	Flat
edge ordering code > top thickness >	LP2R 1 1/4"	LW2R 1 1/4"	LB2R 1 1/4"	VW2R 1 1/4"
	Fluted 	Fluted 		Fluted
edge ordering code > top thickness >	LPF2R 1 1/4"	LWF2R 1 1/4"		VWF2R 1 1/4"
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Options **Code Price**
Alternate Table Height
32" & Under.....BAH \$ 80
Alternate Table Height
32" & Over.....BSP call

Finish Options
Powder Coat - Standard..... n/c
Powder Coat - Premium..... \$ 133
Platinum..... \$ 397

Top Options
Special Laminate..... TSP call
Custom Cutout (per cutout) . . . TCC \$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options
Cable Coil (standard)..... n/c

Rover Utility
Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options
1 Oval Brush Grommet -
Provide Location Print . . . WOG \$ 78
1 Round Grommet -
Provide Location Print . . . WRG \$ 61

Accessories
Keyboard Platform
w/ Mouse Surface . . . AKP27M \$ 618
CPU Holder
(3" - 9" adjustment) . . . ACPU3-9F \$ 192
CPU Holder
(5" - 8" adjustment) . . . ACPU5-8F \$ 126
CPU Holder
(3" - 5" adjustment) . . . ACPU3F \$ 126

Style	Description	Model #	Product Wt			
 29" Height w/Shelf	29" Height 27 x 40 Fix	IPRS 2740UTFX	46	1099	1554	2508
	29" Height w/Shelf 27 x 40 Fix	IPRS 2740USFX	58	1372	2105	3797
	42" Height 27 x 40 Fix	IPRSS 2740UTFX	48	1185	1640	2592
	42" Height w/Shelf 27 x 40 Fix	IPRSS 2740USFX	60	1448	2181	3875



Questions?
1.800.876.2120

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Veneer Wood
	Flat 	Flat 	Bumper 	Flat
edge ordering code > top thickness >	LP2R 1 1/4"	LW2R 1 1/4"	LB2R 1 1/4"	VW2R 1 1/4"
	Fluted 	Fluted 		Fluted
edge ordering code > top thickness >	LPF2R 1 1/4"	LWF2R 1 1/4"		VWF2R 1 1/4"
top thickness price >	1 1/4"	1 1/4"		1 1/4"

Style	Description	Model #	Product Wt			
Rover Computer	29" Height 30 x 40 Fix 	IPRS 3040CPFX	48	1099	1554	2508
	29" Height w/Shelf 30 x 40 Fix	IPRS 3040CSFX	60	1372	2105	3797
	29" Height w/Convenience Shelves 30 x 40 Fix	IPRS 3040CPFX CS	51	1493	1949	2902
	29" Height w/Shelf & Convenience Shelves 30 x 40 Fix	IPRS 3040CSFX CS	63	1769	2504	4196
	42" Height 30 x 40 Fix	IPRS 3040CPFX	50	1185	1640	2592
	42" Height w/Shelf 30 x 40 Fix	IPRS 3040CSFX	62	1448	2181	3875
	42" Height w/Shelf & Convenience Shelves 30 x 40 Fix	IPRS 3040CSFX CS	65	1843	2577	4271

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Frame Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options	Code	Price
Cable Coil (standard)		n/c
1 Oval Brush Grommet - Location R	WOR	\$ 78
1 Round Grommet - Location R	WRR	\$ 61
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/ Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126

Style	Description	Model #	Product Wt	Price	Rover Computer w/ Accessories
Accessories	Double Modesty	IPADM__	8	427	 <p>Sample Base Model w/ Accessories 29" Height w/ Shelf & Convenience Shelves 30 x 40 Fix IPRS 3040CSFX CS \$ 1769</p> <p>shown with accessories: Double Modesty IPADM__ \$ 427 Big Screen IPABS__ \$ 237 Transaction Small Screen IPATS__ \$ 308</p>
	Triple Modesty	IPATM__	14	638	
	Big Screen	IPABS__	12	237	
	Small Screen	IPASS__	8	235	
	Transaction Small Screen	IPATS__	10	308	

Note: Transparent powder coats can not be used on flat metal surfaces. Transparent powder coats can be used on frame tubes.



Questions?
1.800.876.2120

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Veneer Wood
	Flat 	Flat 	Bumper 	Flat
edge ordering code > top thickness >	LP2R 1 1/4"	LW2R 1 1/4"	LB2R 1 1/4"	VW2R 1 1/4"
	Fluted 	Fluted 		Fluted
edge ordering code > top thickness >	LPF2R 1 1/4"	LWF2R 1 1/4"		VWF2R 1 1/4"
top thickness price >	1 1/4"	1 1/4"		1 1/4"

Style	Description	Model #	Product Wt			
Rover Daddy	29" Height (paper tray included)					
	30 x 40 Fix	IPRD 3040CPFX	55	1279	1734	2686
	29" Height w/Shelf (paper tray included)					
	30 x 40 Fix	IPRD 3040CSFX	67	1554	2285	3979
	29" Height w/Convenience Shelves (paper tray included)					
	30 x 40 Fix	IPRD 3040CPFX CS	58	1675	2131	3084
	29" Height w/Shelf & Convenience Shelves (paper tray included)					
	30 x 40 Fix	IPRD 3040CSFX CS	70	1950	2684	4375

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Frame Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call


Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options	Code	Price
Cable Coil (standard)		n/c
1 Oval Brush Grommet - Location R	WOR	\$ 78
1 Round Grommet - Location R	WRR	\$ 61
1 Round Grommet - Provide Location Print	WRG	\$ 61









Accessories		
Keyboard Platform w/ Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126

Style	Description	Model #	Product Wt	Price	Rover Daddy w/ Accessories									
Accessories	Double Modesty	IPADM__	8	427	 <p>Sample Base Model w/ Accessories 29" Height w/ Shelf & Convenience Shelves (paper tray included) 30 x 40 Fix IPRD 3040CSFX CS \$ 1950</p> <p>shown with accessories:</p> <table border="0"> <tr> <td>Double Modesty</td> <td>IPADM__</td> <td>\$ 427</td> </tr> <tr> <td>Big Screen</td> <td>IPABS__</td> <td>\$ 237</td> </tr> <tr> <td>Transaction Small Screen</td> <td>IPATS__</td> <td>\$ 308</td> </tr> </table>	Double Modesty	IPADM__	\$ 427	Big Screen	IPABS__	\$ 237	Transaction Small Screen	IPATS__	\$ 308
Double Modesty	IPADM__	\$ 427												
Big Screen	IPABS__	\$ 237												
Transaction Small Screen	IPATS__	\$ 308												
	Triple Modesty	IPATM__	14	638										
	Big Screen	IPABS__	12	237										
	Small Screen	IPASS__	8	235										
	Transaction Small Screen	IPATS__	10	308										
	Paper Tray	IPAPT__	3	77										






Note: Transparent powder coats can not be used on flat metal surfaces. Transparent powder coats can be used on frame tubes.



Questions?
1.800.876.2120

Style	Description	Model #	Product Wt	top > edge >			
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Veneer Wood
				Flat 	Flat 	Bumper 	Flat 
				edge ordering code > LP1R top thickness > 7/8"	edge ordering code > LW1R top thickness > 7/8"	edge ordering code > LB1R top thickness > 7/8"	edge ordering code > VW1R top thickness > 7/8"
				Fluted 	Fluted 		Fluted 
				edge ordering code > LPF1R top thickness > 7/8"	edge ordering code > LWF1R top thickness > 7/8"		edge ordering code > VWF1R top thickness > 7/8"
				top thickness price > 7/8"	top thickness price > 7/8"	top thickness price > 7/8"	top thickness price > 7/8"
Looksee	Basic Unit 29 x 37 Fix 	IPLS 2937EAFX	81	2252	2529	3270	



Accessories	Description	Model #	Product Wt	Price	Looksee w/ Accessories
	Marker Cup 	IPAMC__	1	70	 <p>Sample Base Model w/ Accessories Basic Unit 29 x 37 Fix IPLS 2937EAFX \$ 2252 shown with accessories: Marker Cup IPAMC__ \$ 70 Storage Tub IPAST__ \$ 150 Projection Screen IPAPS50 \$ 670</p>
	Storage Tub 	IPAST__	4	150	
	Paper Tray 	IPAPT__	4	77	
	Projection Screen 	IPAPS50	14	670	

To Order, Specify...








- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Frame Color
- 6 Additional Options



Questions?
1.800.876.2120

Finish Options	Code	Price
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Style	Description	Model #	Product Wt	Price	Wordplay w/ Accessories
 Basic Unit	Laminate Surface 23 x 46 Fix 	IPWP 2346LEFX L	40	1714	Metal shield will be in the same powder coat as the frame 
	Veneer Surface 23 x 46 Fix 	IPWP 2346LEFX V	40	1895	
Accessories	Adjustable Shelf 	IPAAS__	5	157	
	Adjustable Shelf with Drink Holder 	IPADH__	5	163	
	Cable Manager/Hook 	IPACH__	1	31	
<p>Note: Transparent powder coats can not be used on flat metal surfaces. Transparent powder coats can be used on frame tubes.</p>					<p>Sample Base Model w/ Accessories</p> <p>Laminate Surface 23 x 46 Fix IPWP 2346LEFX L \$ 1714</p> <p>shown with accessories:</p> <p>Adjustable Shelf w/ Drink Holder IPADH__ \$ 163</p> <p>Cable Manager / Hook IPACH__ \$ 31</p>

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com
Made in America
800 876 2120