

Order Form



Discount: _____
 Terms: _____
 Freight: _____
 Taken By: _____

Account Number: _____
 Provider Name: _____
 Contact: _____
 Phone: _____
 Fax: _____
 Date: _____
 PO#: _____
 Marked For: _____
 Ship To Address: _____
 City: _____ State: _____ Zip: _____

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice. All prices are MSRP.

BASE OPTIONS		
Description	Price	HCPCS Code
<input type="checkbox"/> Litestream XF <i>250lbs. Weight Capacity, Allows Seat-To-Floor Heights 15"-19.5"</i>	\$1,995.00	K0005

ADDITIONAL BASE OPTIONS		
Description	Price	HCPCS Code
<input type="checkbox"/> Ultra Hemi Package ^{1,2} <i>250lbs. Weight Capacity, Allows Seat-To-Floor Heights 12.5"-17"</i>	\$120	K0056
<input type="checkbox"/> Depth Adjustable Package ^{1,2} <i>Depth Adjustable Frame Allows For Up To 3" Additional Seat Depth</i>	\$200	
<input type="checkbox"/> Heavy Duty Package ^{2,3} <i>Increases Weight Capacity To 350lbs, Available 18-22"W</i>	\$495	K0108

COLOR SELECTION		
Metallic Colors: N/C	Solid Colors: N/C	Custom Prints: \$795
<input type="checkbox"/> Cosmic Silver	<input type="checkbox"/> Green Mantis	<input type="checkbox"/> Winter Camo
<input type="checkbox"/> Pacific Blue	<input type="checkbox"/> Pink Flamingo	<input type="checkbox"/> Digital Woodland Camo
<input type="checkbox"/> Rainforest Green	<input type="checkbox"/> Arctic White	<input type="checkbox"/> Digital Army Camo
<input type="checkbox"/> Plum Crazy	<input type="checkbox"/> Orange Crush	<input type="checkbox"/> Digital Marine Camo
<input type="checkbox"/> Purple Haze	<input type="checkbox"/> Red Hot	<input type="checkbox"/> American Flag
	<input type="checkbox"/> Blue Sky	<input type="checkbox"/> Woodland Camo
	<input type="checkbox"/> Black Abyss	<input type="checkbox"/> Pink Camo
	<input type="checkbox"/> Yellow Sunshine	<input type="checkbox"/> Mossy Oak
		<input type="checkbox"/> Snake Skin

SEATING DIMENSIONS		
Description	Price	HCPCS Code
Width:		
<input type="checkbox"/> 14"W	No Charge	
<input type="checkbox"/> 15"W	No Charge	
<input type="checkbox"/> 17"W	No Charge	
<input type="checkbox"/> 18"W	No Charge	
<input type="checkbox"/> 20"W	\$450	E2201
<input type="checkbox"/> 21"W		
<input type="checkbox"/> 22"W ⁵		
Depth:		
<input type="checkbox"/> 14"D ³	No Charge	
<input type="checkbox"/> 15"D ³	No Charge	
<input type="checkbox"/> 17"D	No Charge	
<input type="checkbox"/> 18"D	No Charge	
<input type="checkbox"/> 20"D	\$500	E2203
<input type="checkbox"/> 19"D		
Frame Length:		
<input type="checkbox"/> 16" (14"D-16"D)		
<input type="checkbox"/> 18"D (16"D-18"D)		
<input type="checkbox"/> 20"D (18"D-20"D)		

AXLE PLATE AND CAMBER ⁶		
Description	Price	
<input type="checkbox"/> 3" Single Slot Axle Plate	No Charge	
<i>Camber:</i> <input type="checkbox"/> No Camber		<input type="checkbox"/> 1.5° Camber
<input type="checkbox"/> Amputee Axle Plate ^{1,2}	\$175	<input type="checkbox"/> 3° Camber
<i>Camber:</i> <input type="checkbox"/> No Camber		<input type="checkbox"/> 1.5° Camber
		<input type="checkbox"/> 3° Camber

SEAT-TO-FLOOR HEIGHT		
<i>Rear Seat-To-Floor Can Not Be Higher Than Front Seat-To-Floor Height</i>		
<i>Quick Release Fork Allows For A Maximum Dump Of 2"</i>		
<i>Bolt-On Fork Allows For A Maximum Dump Of 2.5"</i>		
Front:		
<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"
<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"
<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"
		<input type="checkbox"/> 14"
		<input type="checkbox"/> 14.5"
		<input type="checkbox"/> 16.5"
		<input type="checkbox"/> 17"
		<input type="checkbox"/> 19"
		<input type="checkbox"/> 19.5"

SEAT-TO-FLOOR HEIGHT (CONT'D)				
Rear:	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"
	<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"
	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"
			<input type="checkbox"/> 14.5"	<input type="checkbox"/> 17"

ARMRESTS		
Description	Price	HCPCS Code
Armrests:		
<input type="checkbox"/> Tubular, Swing-Away, 12"L, 10-11"H ^{2,7}	No Charge	
<input type="checkbox"/> Height Adjustable, 10"H-14"H, Removable, Drop-in ⁷	\$275	E0973
<input type="checkbox"/> Dual Post, Flip Back, Removable, Height-Adjustable, 10.5"-15.5" ^{2,6,7,8}	\$245	E0973
<input type="checkbox"/> Flip-Up Height Adjustable ⁹ (For Depth Adjustable Pkg. Only)	\$275	E0973
	<input type="checkbox"/> Locking	<input type="checkbox"/> Non-Locking
Armpads:		
<input type="checkbox"/> Straight Armpads	No Charge	
<i>Size:</i> <input type="checkbox"/> Desk Length	<input type="checkbox"/> Full Length	
<input type="checkbox"/> Waterfall Armpads ⁹	No Charge	
<i>Size:</i> <input type="checkbox"/> Desk Length	<input type="checkbox"/> Full Length	

WHEEL LOCKS		
Description	Price	HCPCS Code
<input type="checkbox"/> Push-to-Lock ¹⁰	No Charge	
<input type="checkbox"/> Push-to-Lock Extensions ¹¹	\$75	E0961
<input type="checkbox"/> Pull-to-Lock	No Charge	
<input type="checkbox"/> Pull-to-Lock Extensions	\$75	E0961
<input type="checkbox"/> Hill Holder	\$295	E0974
<input type="checkbox"/> Scissor Locks ¹¹	\$195	
<input type="checkbox"/> Unilateral Wheel Lock System ¹³	\$129	
	<input type="checkbox"/> Left Side	<input type="checkbox"/> Right Side

WHEEL TYPE	
<input type="checkbox"/> Pre-Configured Wheels	See Page 2
<input type="checkbox"/> Build-To-Order Wheels	See Pages 2 & 3

- Footnotes:**
- Not available with HD Package.
 - Not available with Occupied Transit Kit.
 - 14"D-17"D with HD Package Requires SOF.
 - Seat Width is measured at outside edges of seat frame.
 - Requires HD Package.
 - Dual Post, Flip Back Armrests are not available with Camber.
 - Not available with Depth Adjustable Package.
 - Can not adjust to lower than 12.5"H when used with 24" or 26" rear wheels set in highest axle position.
 - Not available with Dual Post Flip-Back Armrests.
 - May interfere with ELR's.
 - May interfere with full length arms.
 - Not available with 26" drive wheels with 16" frame. Limits center-of-gravity adjustment when used with 24" drive wheels.
 - Must be used with Tubular Armrests

BACK CANES

Description	Price
<input type="checkbox"/> 8° Back Canes ¹ w/ Push Handles Size: <input type="checkbox"/> 12"-16"H <input type="checkbox"/> 15"-19"H	No Charge
<input type="checkbox"/> Straight Back Canes ¹ Size: <input type="checkbox"/> 12"-16"H <input type="checkbox"/> 15"-19"H Handles: <input type="checkbox"/> With Push Handles <input type="checkbox"/> Without Push Handles	No Charge
<input type="checkbox"/> Angle-Adjustable Back Canes ² Size: <input type="checkbox"/> 12"-16"H <input type="checkbox"/> 15"-19"H Handles: <input type="checkbox"/> With Push Handles <input type="checkbox"/> Without Push Handles ¹	\$164
<input type="checkbox"/> Straight Reinforced Canes 15-19"H w/ Push Handles	No Charge
<input type="checkbox"/> Fold Forward Back Canes (Depth Adjustable Package Only) Size: <input type="checkbox"/> 16"H <input type="checkbox"/> 18"H <input type="checkbox"/> 20"H <input type="checkbox"/> 22"H <input type="checkbox"/> 24"H	No Charge

REAR SEAT-TO FLOOR HEIGHT CHART

Drive Wheel	Rear STF
20"	12.5" - 16"
22"	13.5" - 17"
24"	14.5" - 18"
25" ⁵	15" - 18.5"
26"	15.5" - 19"

BACK OPTIONS

Description	Price	HCPCS Code
<input type="checkbox"/> Padded Sling Back ³	No Charge	
<input type="checkbox"/> Tension Adjustable Seat Back ³	\$330	E2611
<input type="checkbox"/> 22"W Tension Adjustable Seat Back ³	\$445	E2612
<input type="checkbox"/> Synergy Shape GP Back (19"H) ² Width: <input type="checkbox"/> 14"W <input type="checkbox"/> 16"W <input type="checkbox"/> 18"W <input type="checkbox"/> 20"W <input type="checkbox"/> 22"W	\$465 \$485	E2611 E2612
<input type="checkbox"/> Synergy Shape Back Hardware: <input type="checkbox"/> 2-Point ² <input type="checkbox"/> 4-Point Height: <input type="checkbox"/> Low (16"H) <input type="checkbox"/> Standard (19"H) <input type="checkbox"/> Tall (23"H) Width: <input type="checkbox"/> 14"W <input type="checkbox"/> 16"W <input type="checkbox"/> 18"W <input type="checkbox"/> 20"W <input type="checkbox"/> 22"W	\$495 \$575	E2613 E2614
<input type="checkbox"/> Synergy Shape Deep Contour ² Height: <input type="checkbox"/> Medium <input type="checkbox"/> Tall Width: <input type="checkbox"/> 14"W <input type="checkbox"/> 16"W <input type="checkbox"/> 18"W <input type="checkbox"/> 20"W <input type="checkbox"/> 22"W	\$595 \$695	E2620 E2621
<input type="checkbox"/> Omit Backrest ²	(-\$15)	

PRECONFIGURED WHEEL ASSEMBLIES

Description	Price	HCPCS Code
<i>Includes Rim, Handrim and Tire For Customized Configurations See The Following Sections</i>		
<input type="checkbox"/> One-Arm Drive ^{1,2} w/ 24" Lightweight Quick-Release Wheel w/ Aluminum Handrim and Pneumatic Tire	\$795	E0958
<input type="checkbox"/> Composite Mag ¹ w/ Aluminum Handrim & 1½ Poly-urethane Tire Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"	No Charge	
<input type="checkbox"/> Composite Mag ¹ w/ Vinyl Coated Handrim & 1½ Poly-urethane Tire Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"	\$200	E2218
<input type="checkbox"/> 24" Composite Mag ¹ w/ Vinyl Coated 45° Projection-Handrim & 1½ Polyurethane Tire	\$295	E2218
<input type="checkbox"/> Spinerig Wire Spokes w/ Aluminum Handrim, & 1½ Everyday Gray Tire Size: <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 26"	\$395 No Charge \$395	
<input type="checkbox"/> 24" Magic Wheels ¹ 2-Speed Geared	\$5,495	E2227
<input type="checkbox"/> Heavy Duty 24" Skyway "Tuff" Composite Wheels w/ Aluminum Handrim and Flat-Free Insert	No Charge	

MILITARY BACK PATCHES

<input type="checkbox"/> U.S. Air Force No Charge	<input type="checkbox"/> U.S. Marines No Charge
	
<input type="checkbox"/> U.S. Army No Charge	<input type="checkbox"/> U.S. Navy No Charge
	
<input type="checkbox"/> Purple Heart No Charge	<input type="checkbox"/> U.S. Coast Guard No Charge
	

HEADREST⁴

Description	Price	HCPCS Code
Stealth:		
<input type="checkbox"/> Small (9.75"W x 3"H)	\$205	E0955
<input type="checkbox"/> Large (11"W x 6"H)	\$205	E0955
<input type="checkbox"/> Small Comfort Plus (10"W)	\$205	E0955
<input type="checkbox"/> Large Comfort Plus (14"W)	\$205	E0955
<input type="checkbox"/> Removable Headrest Bracket	\$210	E1028
<input type="checkbox"/> Swing-away (Flip-down) Headrest Bracket	\$210	E1028
<i>Interfaces with any headrest that uses 1/2" square down-tube.</i>		
Medical Applications:		
<input type="checkbox"/> Small (9.75"W x 3"H)	\$230	E0955
<input type="checkbox"/> Large (11"W x 6"H)	\$230	E0955
<input type="checkbox"/> Removable Headrest Bracket	\$210	E1028
<input type="checkbox"/> Fixed, Offset Mounting Bracket		

TIRE/RIM COMPATIBILITY

For Use When Ordering Customized Wheel Configurations On Page 3

		Rim				
		Composite Mag	Spinerig Wire Spoke	Spinerig Flex Rim	Spinerig Lite Extreme	Sport Lite Extreme
Tires	Pneumatic	20", 22", 24"	20", 22", 24", 26"	24"	20", 22", 24", 26"	24", 26"
	Poly Touring	20", 22", 24"	N/A	N/A	N/A	N/A
	Poly Treaded	20", 22", 24"	20", 22", 24", 25"	24"	20", 22", 24", 25"	24", 25"
	110 psi Primo	N/A	22", 24", 26"	24"	22", 24", 26"	24", 26"
	145 psi Schwable	N/A	24", 25", 26"	24"	24", 25", 26"	24", 25", 26"
	1.375" Knobby	24"	24", 26"	24"	24", 26"	24", 26"
	2.10" Knobby	N/A	25"	N/A	25"	25"

Footnotes:

1. Not available with HD package.
2. Not available with Occupied Transit Kit.
3. Not available with Depth Adjustable Package.
4. Only available with Shape Backs. Not pickable in configurator, must be line itemed.
5. When 25" rim is used with 26" Mountain Bike Tire the STF height for 26" wheel applies.

RIMS WITH HANDRIMS

Description	Price
<i>Must Select Tire In Addition To Rim w/ Handrim. Consult Chart On Page 2 For Compatibility.</i>	
<input type="checkbox"/> 24" Composite Mag w/ Alum. Handrim	No Charge
<input type="checkbox"/> 24" SpinerGY Wire Spokes w/ Alum. Handrim	No Charge
<input type="checkbox"/> 24" SpinerGY Wire Spokes w/ Natural Fit Handrim	\$395
<input type="checkbox"/> 24" SpinerGY FlexRim	\$995

RIMS WITH TIRES

Description	Price	HCPCS Code
<i>Must Select Handrim In Addition To Rim w/ Tire. Consult Chart On Page 2 For Compatibility.</i>		
<input type="checkbox"/> Composite Mags w/ 1/8" Gray Everyday Flat Free Tire	\$75	E2213
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"		

RIMS

Description	Price
<i>Must Select Handrim & Tire In Addition To Rims. Consult Chart On Page 2 For Compatibility.</i>	
<input type="checkbox"/> SpinerGY Lite Extreme Carbon Fiber Spokes	\$895
Size: <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
Color: <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> White <input type="checkbox"/> Yellow <input type="checkbox"/> Red <input type="checkbox"/> Green <input type="checkbox"/> Pink <input type="checkbox"/> Orange	
<input type="checkbox"/> SpinerGY Sport Lite Extreme Carbon Fiber Spokes	\$895
Size: <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
Color: <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> White <input type="checkbox"/> Yellow <input type="checkbox"/> Red <input type="checkbox"/> Green <input type="checkbox"/> Pink <input type="checkbox"/> Orange	
<input type="checkbox"/> SpinerGY Wire Spokes	\$245
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
<input type="checkbox"/> Composite Mags	No Charge
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"	

TIRES

Description	Price	HCPCS Code
<i>Must Select Rim & Handrim In Addition To Tires. Consult Tire/Rim Compatibility Chart On Page 2.</i>		
<input type="checkbox"/> 1 3/8" Gray Everyday Use Tire		E2213
Type: <input type="checkbox"/> Pneumatic <input type="checkbox"/> Flat Free	No Charge \$145	
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 26"		
<input type="checkbox"/> 1 3/8" Gray Knobby Tire		E2213
Type: <input type="checkbox"/> Pneumatic <input type="checkbox"/> Flat Free	No Charge \$145	
Size: <input type="checkbox"/> 24" <input type="checkbox"/> 26"		
<input type="checkbox"/> 1 3/8" Polyurethane Full Profile Touring Tread ¹	\$180	E2218
Color: <input type="checkbox"/> Dark Charcoal Gray <input type="checkbox"/> Everyday Light Gray (24" Only)		
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25"		
<input type="checkbox"/> 1" Schwable 145 PSI Tube & Tire ²	\$180	
Color: <input type="checkbox"/> Black, Marathon Plus Evolution <input type="checkbox"/> Gray, Marathon Plus		
Size: <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"		
<input type="checkbox"/> 26" x 2.10" Knobby Mountain Bike Pneumatic Tire & Tube ^{1,3}	\$145	
Color: <input type="checkbox"/> Black <input type="checkbox"/> Gray		
<input type="checkbox"/> 1 1/4" Gray Primo 110 PSI V-Trac Pneumatic Tire & Tube	\$95	
Size: <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"		
Color: <input type="checkbox"/> Gray <input type="checkbox"/> Red (24" & 26" Only) <input type="checkbox"/> Yellow (24" & 26" Only) <input type="checkbox"/> Blue (24" & 26" Only)		

Footnotes:

- Not available with HD package.
- Must be used with spoke wheels.
- Must use 25" spoke wheels.
- 2"W Tall Fork is required with 2"W Casters
- If an HD package is chosen with Frog Legs you must choose a 6" Caster and can only achieve an 18" STF Height.
- For Frog Legs Unitine Fork Seat-To-Floor Heights use Short Fork holes 2 & 3 (S2 & S3).
- Available through SOF.

HANDRIMS

Description	Price
<i>Must Select Tire and Rim In Addition To Handrim. Handrim Must Match Rim Size</i>	
For Spoke Rims:	
<input type="checkbox"/> Natural Fit Handrim	
Grip: <input type="checkbox"/> Standard Grip <input type="checkbox"/> Super Grip	\$345 \$395
Size: <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
<input type="checkbox"/> 24" Natural Fit LT Handrim	
Grip: <input type="checkbox"/> Standard Grip <input type="checkbox"/> Super Grip	\$345 \$395
<input type="checkbox"/> Anodized Aluminum	No Charge
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
<input type="checkbox"/> Vinyl Coated Aluminum	\$200
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	
<input type="checkbox"/> Projection Handrim	\$195
Style: <input type="checkbox"/> 45° Oblique <input type="checkbox"/> Vertical	
Size: <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 25" <input type="checkbox"/> 26"	

FRONT SEAT-TO-FLOOR HEIGHT/CASTER CHARTS


S = Short Fork L = Long Fork F = Frog Legs

		Standard Seat-to-Floor Heights									
		15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"
Caster Size	4"	S3	S2	S1/F3	L3/F2	L2/F1	L1				
	5"			S2	S1/L4	L3/F2	L2/F1	L1			
	6"					S1/L4	L3	L2/F1	L1		
	8"									L2	L1


		Ultra Hemi Seat-to-Floor Heights									
		12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"
Caster Size	4"	S3	S2	S1/F3	L3/F2	L2/F1	L1				
	5"			S2	S1/L4	L3/F2	L2/F1	L1			
	6"					S1/L4	L3	L2/F1	L1		
	8"									L2	L1

Hole Configuration

Short Fork



Long Fork



CASTER FORKS

Description	Price	HCPCS Code
Fork:		
<input type="checkbox"/> Short Fork	No Charge	
<input type="checkbox"/> Quick Release <input type="checkbox"/> High-Angle Bolt-On		
<input type="checkbox"/> Tall Fork	No Charge	
<input type="checkbox"/> Quick Release <input type="checkbox"/> High-Angle Bolt-On		
<input type="checkbox"/> 2" W Tall Fork, Quick Release ⁴	No Charge	
<input type="checkbox"/> Frog Legs ⁵	\$395	E1015
<input type="checkbox"/> Frog Legs Unitine Fork ⁶	\$249	E1015
Accessories:		
<input type="checkbox"/> Extended Stem Bolt For Increased Front STF Height ^{1,7}	No Charge	
<i>Quick Release Fork Allows For A Maximum Dump Of 2" Bolt-On Fork Allows For A Maximum Dump Of 2.5"</i>		
<input type="checkbox"/> .75" Higher <input type="checkbox"/> 1.5" Higher		
<input type="checkbox"/> Caster Pin Locks For Bolt-On Fork	\$195	K0073
<input type="checkbox"/> Short Fork <input type="checkbox"/> Tall Fork		

CASTER WHEELS

Description	Price
4" Casters¹:	
<input type="checkbox"/> Lighted Caster 1"W, 10 Spoke, Clear Acrylic Smooth, Flat Free	\$68
<input type="checkbox"/> Black Soft Roll 1.5"W, 3 Spoke Alum. Rim, Smooth Polyurethane	\$230
<input type="checkbox"/> Black Urethane 1.5"W, 3 Spoke Flat Free Smooth	\$65
<input type="checkbox"/> Colored Casters 1"W, 10 Spoke Acrylic, Smooth, Flat Free	\$85
Color: <input type="checkbox"/> Orange <input type="checkbox"/> Yellow <input type="checkbox"/> Green <input type="checkbox"/> Red <input type="checkbox"/> Blue <input type="checkbox"/> Clear	
5" Casters²:	
<input type="checkbox"/> Black Soft Roll 1.5"W, 3 Spoke Alum. Rim, Smooth Polyurethane	\$230
<input type="checkbox"/> Black Urethane 1.5"W, 3 Spoke Flat Free Smooth	No Charge
<input type="checkbox"/> Gray Flat Free Aluminum Wheel, Smooth Flat Free Tire	\$65
6" Casters^{2,3}:	
<input type="checkbox"/> Black Soft Roll 1.5"W, 3 Spoke Alum. Rim, Smooth Polyurethane	\$230
<input type="checkbox"/> Black Urethane 1.5"W, 3 Spoke Flat Free Smooth	No Charge
<input type="checkbox"/> Gray Pneumatic ¹ 1.25"W, 3 Spoke, Treaded Tire	\$85
8" Casters²:	
<input type="checkbox"/> Gray Pneumatic ^{1,4} 2"W, 3 Spoke, Threaded Tire	\$85
<input type="checkbox"/> Black Urethane 1.5"W, 3 Spoke Flat Free Smooth	No Charge

AXLE PLATE SELECTION

Description	Price
<input type="checkbox"/> Quick Release	No Charge
<input type="checkbox"/> Quad Release ¹	\$90

BI-DIRECTIONAL FOOT RIGGINGS

Description	Price	HCPCS Code
<i>Refer To Maximum Leg Length Charts Below.</i>		
<input type="checkbox"/> No Front Riggings		
XF, HD and Depth Adjustable:		
<input type="checkbox"/> Aluminum Swing-Away Legrests	No Charge	
Style: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 70° Tapered ⁵ <input type="checkbox"/> 80° ² <input type="checkbox"/> 90° ⁶		
Length: <input type="checkbox"/> 13.25"-17" <input type="checkbox"/> 15.25"-19" <input type="checkbox"/> 18.25"-22"		
<input type="checkbox"/> Elevating Legrests ^{6,7,8}	\$295	E0990
Callpad: <input type="checkbox"/> Standard <input type="checkbox"/> Offset ⁵		
Length: <input type="checkbox"/> 13.25"-17" <input type="checkbox"/> 15.25"-19" <input type="checkbox"/> 18.25"-22"		
Ultra Hemi:		
<input type="checkbox"/> Ultra Hemi Aluminum Swing-Aways	No Charge	
11.75"-14.75" Leg Length		
Style: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ⁹		
<input type="checkbox"/> High Pivot Elevating Legrests	\$295	E0990
11.75"-14.75" Leg Length		
Callpad: <input type="checkbox"/> Standard <input type="checkbox"/> Offset ⁵		

- Footnotes:**
- Not available with HD package.
 - 5", 6", and 8" casters can not be used with 90° Legrests. 8" casters can not be used with 80° legrests.
 - If an HD package is chosen with Frog Legs you must choose a 6" caster and can only achieve an 18" STF height.
 - 2"W Tall Fork must be used with 2"W caster wheels.
 - Only available on seats 16"W or greater.
 - Only available with 4" casters. Not available with HD package.
 - Not available on 14"W seat.
 - Not available with occupied transit kit.
 - Not available with 8" casters.

MAXIMUM LEG LENGTH CHARTS

Maximum Leg Length is measured with 3/4" minimum ground clearance with footplates set at 90° to legrest.

Composite Footplates						Aluminum Footplates						Ultra Hemi Frame Maximum Legrest Length						
Front STF	Rear STF	60 Degree	70 Degree	80 Degree	90 Degree	Front STF	Rear STF	60 Degree	70 Degree	80 Degree	90 Degree	Front STF	Rear STF	Composite Footplates		Angle Adjustable Footplates		
														60 degree	70 degree	60 degree	70 degree	
15"	14.5"	16"	14.75"	14"	13.25"	15"	14.5	16.75	15.5	14	13.25	12.5	12.5	12.5	N/A	12.5	N/A	
	15"	15.5"	14.75"	14"	13.25"		15	16.25	15.5	14	13.25			13	13.25	11.75	13.25	11.75
15.5"	14.5"	16.25"	15.25"	14"	14"	15.5"	14.5	17.5	16.25	14	14	13.5"	12.5	13.25	11.75	13.25	11.75	
	15"	16.25"	15.25"	14"	14"		15	17	16.25	14	14			13	13.25	11.75	13.25	11.75
	15.5"	16.25"	14.75"	14"	14"		15.5	16.75	16	14	14			13.5	13.25	11.75	13.25	12.5
16"	14.5"	17"	16"	15.25"	14.75"	16"	14.5	18.25	16.75	15.25	14.75	14"	13.5"	14.75	14	14.75	14	
	15"	16.75"	15.5"	14.75"	14"		15	17.5	16.25	14.75	14			13	14	12.5	13.25	12.5
	15.5"	16.75"	15.5"	14.75"	14"		15.5	17.5	16.25	14.75	14			13.5	13.25	11.75	13.25	12.5
16.5"	14.5"	18.25"	16.75"	16"	15.25"	16.5"	14.5	19	17.5	16	15.25	14.5"	12.5	14.75	13.25	14.75	13.25	
	15"	17.5"	16.25"	15.5"	14.75"		15	19	17.5	15.5	14.75			14	13.25	14	13.25	
	15.5"	17.5"	16.25"	15.5"	14.75"		15.5	18.25	16.75	15.5	14.75			14	13.25	14	13.25	
	16"	17.5"	16.25"	15.5"	14.75"		16	17.5	16	14.75	14			14	13.25	14	13.25	
17"	14.5"	19"	17.5"	16.25"	15.5"	17"	14.5	19.75	18.25	16.25	15.5	15"	12.5	14.75	14.75	14.75	14.75	
	15"	19"	16.75"	16.25"	15.5"		15	19.75	18.25	16.25	15.5			13	14.75	14.75	14.75	14
	15.5"	18.25"	16.75"	16"	15.5"		15.5	19.75	18.25	16	15.5			13.5	14.75	14.75	14.75	14.75
	16"	18.25"	16.75"	16"	15.5"		16	19	17.5	16	15.5			14	14.75	14.75	14.75	14.75
	16.5"	17.5"	16.25"	16"	15.5"		16.5	19	17.5	16	15.5			14.5	14.75	14.75	14.75	14.75
17.5"	15"	19.75"	17.5"	16.75"	16"	17.5"	14.5	20.5	19	16.75	16	15.5"	13.5	14.75	14	14.75	14	
	15.5"	19"	17.5"	16.75"	16"		15.5	20.5	19	16.75	16			14.5	14.75	14	14.75	14
	16"	19"	16.75"	16.25"	16"		16	19.75	18.25	16.25	16			13	14.75	14.75	14.75	14.75
	16.5"	18.25"	16"	16.25"	15.5"		16.5	19.75	18.25	16.25	15.5			13.5	14.75	14.75	14.75	14.75
	17"	18.25"	16"	16.25"	15.5"		17	19	18.25	16.25	15.5			14	14.75	14.75	14.75	14.75
	17.5"	18.25"	16"	16"	15.5"		17.5	19	17.5	16	15.5			14.5	14.75	14	14.75	14
18"	15.5"	19.75"	17.5"	17"	N/A	18"	15.5	21.25	19.75	17	N/A	16"	13.5	14.75	14.75	14.75	14.75	
	16"	19.75"	17.5"	17"	N/A		16	20.5	19	17	N/A			14	14.75	14.75	14.75	
	16.5"	19"	17.5"	17"	N/A		16.5	20.5	19	17	N/A			14.5	14.75	N/A	14.75	N/A
	17"	19"	17.5"	17"	N/A		17	20.5	19	17	N/A			15	14.75	N/A	14.75	N/A
	17.5"	18.25"	17.5"	16.75"	N/A		17.5	19.75	18.25	16.75	N/A			16	14.75	N/A	14.75	N/A
18.5"	18"	18.25"	16.75"	16.25"	N/A	18.5"	18	19	18.25	16.25	N/A	16.5"	14	14.75	N/A	14.75	N/A	
	16"	20.5"	19"	17.5"	N/A		16	22	20.5	17.5	N/A			14.5	14.75	N/A	14.75	N/A
	16.5"	20.5"	19"	17.5"	N/A		16.5	21.25	19.75	17.5	N/A			15	14.75	N/A	14.75	N/A
	17"	19.75"	19"	17.5"	N/A		17	21.25	19.75	17.5	N/A			15.5	14.75	N/A	14.75	N/A
	17.5"	19.75"	17.5"	17.5"	N/A		17.5	20.5	19	17.5	N/A			16	14.75	N/A	14.75	N/A
	18"	19"	17.5"	17"	N/A		18	19.75	19	17	N/A			16.5	14.75	N/A	14.75	N/A
19"	16.5"	20.5"	19"	17.5"	N/A	19"	16	22	20.5	17.5	N/A	16.5"	14.5	14.75	N/A	14.75	N/A	
	17"	21.25"	19"	N/A	N/A		16.5	22	20.5	N/A	N/A			15	14.75	N/A	14.75	N/A
	17.5"	19.75"	18.25"	N/A	N/A		17	22	20.5	N/A	N/A			15.5	14.75	N/A	14.75	N/A
	18"	19.75"	18.25"	N/A	N/A		17.5	21.25	19.75	N/A	N/A			16	14.75	N/A	14.75	N/A
	18.5"	19"	18.25"	N/A	N/A		18	20.5	19.75	N/A	N/A			16.5	14.75	N/A	14.75	N/A
19.5"	19"	19"	17.5"	N/A	N/A	19.5"	18.5	20.5	19	N/A	N/A	16.5"	14.5	14.75	N/A	14.75	N/A	
	17"	21.25"	19.75"	N/A	N/A		19	19.75	19	N/A	N/A			16	14.75	N/A	14.75	N/A
	17.5"	20.5"	19.75"	N/A	N/A		17	22	21.25	N/A	N/A			16.5	14.75	N/A	14.75	N/A
	18"	20.5"	19"	N/A	N/A		17.5	22	20.5	N/A	N/A			17	14.75	N/A	14.75	N/A
	18.5"	20.5"	19"	N/A	N/A		18	22	20.5	N/A	N/A			18	21.25	20.5	N/A	N/A
19"	19.75"	18.25"	N/A	N/A	19	21.25	19.75	N/A	N/A	19	21.25	19.75	N/A	N/A				

FOOTPLATES

Description	Price	HCPCS Code
<i>See Chart Below For Footplate Compatibility For Your Configuration</i>		
<input type="checkbox"/> Composite Footplate, Comfort Adjustable	No Charge	
Size: <input type="checkbox"/> 4.25"W <input type="checkbox"/> 4.25"W, Narrow ^{1,2} <input type="checkbox"/> 5"W <input type="checkbox"/> 6"W		
<input type="checkbox"/> Angle Adjustable Aluminum Footplates	\$185	K0040
Size: <input type="checkbox"/> 5.5"W <input type="checkbox"/> 6.5"W <input type="checkbox"/> 7.5"W		
Accessories:		
<input type="checkbox"/> Heel Loops	\$38	E0951

FOOTPLATE COMPATABILITY CHART

*Maximum Footplate Size Is Measured To Provide 3/4" Minimum Between Footplates
Chart Shows Maximum Extension Length For Given Footplate Size And Seat Width*

Chair Width	Legrest	4.25" W (Narrow) Composite & 5.5" W Aluminum	4.25" W Composite	5" W Composite & 6.5" W Aluminum	6" W Composite & 7.5" W Aluminum
14"	Straight	4.25" W Narrow Only	N/A	N/A	N/A
	70° Tapered	N/A	N/A	N/A	N/A
15"	Straight	ALL	ALL	N/A	N/A
	70° Tapered	N/A	N/A	N/A	N/A
16"	Straight	ALL	ALL	N/A	N/A
	70° Tapered	14"	N/A	N/A	N/A
17"	Straight	ALL	ALL	ALL	N/A
	70° Tapered	17.5" ext.	14.75" ext.	N/A	N/A
18"	Straight	ALL	ALL	ALL	N/A
	70° Tapered	ALL	19.75" ext.	N/A	N/A
19"	Straight	ALL	ALL	ALL	ALL
	70° Tapered	ALL	ALL	16" ext.	N/A
20"	Straight	ALL	ALL	ALL	ALL
	70° Tapered	ALL	ALL	ALL	14"
21"	Straight	ALL	ALL	ALL	ALL
	70° Tapered	ALL	ALL	ALL	16.75" ext.
22" (HD Only)	Straight	N/A	ALL	ALL	ALL
	70° Tapered	N/A	ALL	ALL	ALL

SLING SEAT

Description	Price
<input type="checkbox"/> Adjustable Tension Sailcloth ³	No Charge

SEAT CUSHIONS

Description	Price	HCPCS Code
<input type="checkbox"/> No Cushion Required	No Charge	
<i>Please refer to Synergy order forms for detailed pricing, sizes and codes.</i>		
Simplicity Cushion <i>General Use</i>		
<input type="checkbox"/> 16" x 16" - 20" x 20"	\$98	E2601
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$98	E2602
Solution@ 1 Cushion <i>Skin Protection</i>		
<input type="checkbox"/> 14" x 14" - 20" x 18"	\$380	E2603
<input type="checkbox"/> 20" x 20" - 20" x 20"	\$430	E2603
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$430	E2604
Solution@ Cushion Skin <i>Protection & Positioning</i>		
<input type="checkbox"/> 10" x 10" - 20" x 18"	\$380	E2607
<input type="checkbox"/> 20" x 20" - 20" x 20"	\$430	E2607
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$430	E2608
Spectrum@ Gel Cushion <i>Positioning</i>		
<input type="checkbox"/> 12" x 10" - 20" x 19"	\$480	E2605
<input type="checkbox"/> 20" x 20" - 20" x 20"	\$530	E2605
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$530	E2606
Spectrum@ Visco Cushion <i>Skin Protection & Positioning</i>		
<input type="checkbox"/> 10" x 10" - 20" x 18"	\$480	E2607
<input type="checkbox"/> 20" x 20" - 20" x 20"	\$530	E2607
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$530	E2608
Spectrum@ Air Adjustable <i>Skin Protection</i>		
<input type="checkbox"/> 14" x 12" - 20" x 20"	\$480	E2622
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$530	E2623
Spectrum@ Air Contour <i>Adjustable Skin Protection & Positioning</i>		
<input type="checkbox"/> 14" x 12" - 20" x 20"	\$499	E2624
<input type="checkbox"/> 22" x 16" - 22" x 20"	\$549	E2625

ACCESSORIES

Description	Price	HCPCS Code
<input type="checkbox"/> Adjustable Rear Anti-Tip Wheels	\$105	E0971
<input type="checkbox"/> Removable Plastic Side Guards, Small	\$90	
<input type="checkbox"/> Removable Aluminum Side Guards, Large	\$120	
<input type="checkbox"/> Lap Belt ⁴	\$50	E0978
<input type="checkbox"/> Spinegy Spoke Protectors	\$90	
Size: <input type="checkbox"/> 24" <input type="checkbox"/> 26"		
<input type="checkbox"/> Gel Arm Covers For 12" Tubular Arms	\$99	
<input type="checkbox"/> Case Logic Under Seat Organizer	\$85	
<input type="checkbox"/> Touch-up Paint	\$25	
<input type="checkbox"/> 7-Piece Tool Kit	\$25	
<input type="checkbox"/> Combat Cane/Crutch Holder ⁴	\$95	E2207
<input type="checkbox"/> Backpack w/ Quantum Logo	\$60	

TRANSIT SECUREMENT PACKAGE

Description	Price	HCPCS Code
<input type="checkbox"/> Occupied ⁵	\$315	
<input type="checkbox"/> with anti-tips	\$105	E0971
<input type="checkbox"/> without anti-tips	No Charge	
<input type="checkbox"/> Unoccupied	\$275	
<input type="checkbox"/> with anti-tips	\$105	E0971
<input type="checkbox"/> without anti-tips	No Charge	

THIS SECTION MUST BE READ

The Transit Securement Package, when used in conjunction with a wheelchair was tested in the specific configuration of a 16"x16" seat size, with 15"-19" straight back canes, desk-length height-adjustable armrests, padded back sling upholstery, and 70-degree bi-directional legrests, conforms with the standard of ANSI/RESNA WC/ Vol. 4, Section 19, for the purpose of enabling wheelchairs to be secured in certain types of motor vehicles. The Transit Securement Package, including manufacturer-installed front and rear securement brackets and pelvic belt anchoring brackets, has been crash tested in accordance with ANSI/RESNA WC/Vol. 4, Section 19, Frontal Impact Test, with a 168-lbs. (76.2 kg) surrogate occupant corresponding to a user weight range of 115 lbs. (52.16 kg) to 210 lbs. (95.25 kg). While the Transit Securement Package is compatible with additional seat sizes, optional components, and varied configurations, and provides designated securement points, Pride Mobility makes no claims that any other components or configurations have been tested beyond the above described ANSI/RESNA conforming configuration. Please refer to the Transit Securement Package supplement (part number INFMANU3659) for additional information. **However, the transit kit can be purchased with any size chair.**

Footnotes:

1. Not available with HD package.
2. Required on 14"W seats.
3. Automatically configured in i-Quantum.
4. Not available with occupied transit kit.
5. Not available with HD, Ultra Hemi or Depth Adjustable packages.