


PRODUCT CODE  
**SREV**


# No power = Big problem **REVERSE™ = No problem** Retrofit existing EXIT signs for safe exiting.



**Existing EXIT sign.** Units without power have 100% failure rate when power is out.  
Units with back-up power have only 90-min. life.




The photoluminescent **REVERSE™** sheet is easily applied onto the face of the existing EXIT sign.



Apply **REVERSE™** directional arrows where needed.

When directional arrows are used, remove knockouts.

Fits most EXIT signs with red or green illuminated letters.



Existing sign, power on

Existing sign, power out

**REVERSE™** with power out

## Safe-T-Nose®

Luminous Egress Path Marking Systems with Photo-Glo®



MADE IN THE  
**USA**



855-723-6673

[www.safeTnose.com](http://www.safeTnose.com)

Safe-T-Nose® and Photo-Glo® are registered trademarks.



# INSTALLATION




Diagram 1

- Instructions:**
- 1) Confirm clean, dry surface of existing exit sign.
  - 2) Place Reverse face down as shown in Diagram 2.
  - 3) Apply enclosed glue dots (or silicone adhesive, not included) per Diagram 2.
  - 4) Align letters and place Reverse onto face of existing sign per Diagram 1.




Diagram 2

**REVERSE**™ By **Safe-T-Nose**®  
[safetnose.com](http://safetnose.com)  
 1-855-723-6673

For more information, call 855-723-6673

[www.safeTnose.com](http://www.safeTnose.com)

**Safe-T-nose<sup>®</sup>**

Luminous Egress Path Marking Systems  
with Photo-Glo<sup>®</sup>

*PATENTS PENDING*