
Important Safety Information | Prescribing Information



# **CEQUA**<sup>™</sup> is also available at your local pharmacy

You can get CEQUA at retail pharmacies. However, CEQUA is also available at a lower cost if you have it delivered through Cequa Support<sup>™</sup> Pharmacy.

## Steps to get started with CEQUA

- 1. Your doctor will give you a prescription for CEQUA or send it to your retail pharmacy of choice.
- 2. Click here to activate copay card, then download or print the card.
- 3. **Bring the copay card** to your local pharmacy to receive the discount.



## WHAT IS CEQUA?

CEQUA<sup>™</sup> (cyclosporine ophthalmic solution) 0.09% is a topical solution that helps to increase the production of natural tears in your eye. Dry eye disease may affect the ability of your eyes to produce its own tears.



Do not use CEQUA if you are allergic to any of its ingredients. Be careful not to allow the vial tip to touch your eye or any surfaces, to help avoid potential eye injury or contamination of the product.

CEQUA should not be used while wearing contact lenses. If contact lenses are worn, they should be removed prior to using CEQUA and may be reinserted after 15 minutes.

Put one drop of CEQUA twice daily (approximately 12 hours apart) into each eye using a single-use vial. The solution should be used immediately after opening, and discard the vial and remaining contents immediately after using.

The most common side effects that may be experienced while using CEQUA include: eye pain after administering drops and eye redness. Other side effects reported were eye irritation, eyelid inflammation, headache, and urinary tract infection.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

## Please see the Full Prescribing Information.

program rules, regulations and these Terms and Conditions, that you have responded truthfully to questions when activating the card, and that you will disclose and report the use of this offer as may be required by your insurer. It is illegal to sell, purchase, trade, counterfeit, duplicate, or reproduce, or offer to sell, purchase, trade, counterfeit, duplicate, or reproduce the card. This card must be presented to the pharmacist with a valid prescription to participate in this program. If you have any questions regarding your eligibility or benefits, or if you wish to discontinue your participation, call the CEQUA Savings program at 855-268-1426 (8:00 am-8:00 pm EST, Monday-Friday). Sun Pharma reserves the right to modify or discontinue this offer at any time without notice.

## Learn more about CEQUA >

### WHAT IS CEQUA?

CEQUA<sup>™</sup> (cyclosporine ophthalmic solution) 0.09% is a topical solution that helps to increase the production of natural tears in your eye. Dry eye disease may affect the ability of your eyes to produce its own tears.



Do not use CEQUA if you are allergic to any of its ingredients. Be careful not to allow the vial tip to touch your eye or any surfaces, to help avoid potential eye injury or contamination of the product.

CEQUA should not be used while wearing contact lenses. If contact lenses are worn, they should be removed prior to using CEQUA and may be reinserted after 15 minutes.

Put one drop of CEQUA twice daily (approximately 12 hours apart) into each eye using a single-use vial. The solution should be used immediately after opening, and discard the vial and remaining contents immediately after using.

The most common side effects that may be experienced while using CEQUA include: eye pain after administering drops and eye redness. Other side effects reported were eye irritation, eyelid inflammation, headache, and urinary tract infection.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see the Full Prescribing Information.

Privacy Policy | Terms of Use | Contact Us | Site Map

© 2019 Sun Ophthalmics, a division of Sun Pharmaceutical Industries, Inc. All rights reserved. CEQUA, NCELL, and CEQUA Support are trademarks of Sun Pharma Global FZE. PM-US-CQA-0103 10/2019



### WHAT IS CEQUA?

CEQUA<sup>™</sup> (cyclosporine ophthalmic solution) 0.09% is a topical solution that helps to increase the production of natural tears in your eye. Dry eye disease may affect the ability of your eyes to produce its own tears.



Important Safety Information | Prescribing Information





FREE home delivery and the lowest cost option for commercially insured patients\*

## 1-month supply

Pay as little as

\$5<sup>†</sup>

And no more than \$90



3-month supply (33% MORE SAVINGS)

Pay as little as



## And no more than \$180



FREE delivery to your home in 3 to 5 business days after your approval

## How to get started

## Connect

Once your doctor prescribes CEQUA<sup>™</sup>, **expect a call from Cequa Support<sup>™</sup> Pharmacy** within 1 business day. The call will come from an 855 area code. You MUST answer the call (or return the call if you miss it) to get your prescription filled and delivered.

## Confirm

While on the call, Cequa Support<sup>™</sup> Pharmacy will confirm your insurance, potential cost, mailing address, and payment method.

## Receive


Following your approval, your **CEQUA prescription is delivered directly to you** within 3 to 5 business days or sooner—no signature is required, and delivery is FREE.



Questions? Cequa Support<sup>™</sup> Pharmacy is here for you Monday through Friday, 8 AM – 8 PM ET. Call 1-833-44-Cequa (1-833-442-3782)

## Compare Cequa Support<sup>™</sup> Pharmacy vs retail pharmacy

# Cequa Support<sup>™</sup> Pharmacy vs retail pharmacy\*



## CEQUA is also available at your local pharmacy

### WHAT IS CEQUA?

CEQUA<sup>™</sup> (cyclosporine ophthalmic solution) 0.09% is a topical solution that helps to increase the production of natural tears in your eye. Dry eye disease may affect the ability of your eyes to produce its own tears.

Do not use CEQUA if you are allergic to any of its ingredients. Be careful not to allow the vial tip to touch your eye or any surfaces, to help avoid potential eye injury or contamination of the product.

CEQUA should not be used while wearing contact lenses. If contact lenses are worn, they should be removed prior to using CEQUA and may be reinserted after 15 minutes.

Put one drop of CEQUA twice daily (approximately 12 hours apart) into each eye using a single-use vial. The solution should be used immediately after opening, and discard the vial and remaining contents immediately after using.

The most common side effects that may be experienced while using CEQUA include: eye pain after administering drops and eye

redness. Other side effects reported were eye irritation, eyelid Eligibility rules apply. Not valid for patients paying cash or with government inflammation headache, and urnary fract inflection medicaid. Patients must reside in the United States, Puerto Rico, Guam, or the Virgin Islands.

Youpareconcouraged tion of porthologality plaide for fleutery of prestoring to DUA, drugs of a star of the property of the control of the property of the control of the co

Tailgibility of Pappos Not valid for patients with government insurance including, but not limited to, Medicare or Medicaid. Actual out-of-pocket Plate of Pappos Proposed in the Pappos of Pappos Proposed in the United States, Puerto Rico, Guam, or the Virgin Islands.

Privacy Policy | Terms of Use | Contact Us | Site Map

© 2019 Sun Ophthalmics, a division of Sun Pharmaceutical Industries, Inc. All rights reserved. CEQUA, NCELL, and CEQUA Support are trademarks of Sun Pharma Global FZE. PM-US-CQA-0103 10/2019

