


**Usual Dose:** Apply a small amount to the affected area two to three times daily.  
For complete information read accompanying insert.

**WARNING: Keep out of reach of children.**

**Manufactured by:**  
Cosette Pharmaceuticals, Inc.  
111 Coolidge Street  
South Plainfield, NJ 07080

10-22515CP1 Iss. 05/2019

GTIN 00307130225151



N  
3 0713-0225-15 1




**Triamcinolone Acetonide**  
Cream, USP

NDC 0713-0225-15  
Rx only


*Usual Dose:* Apply a small amount to the affected area two to three times daily.  
*For complete information read accompanying insert.*  
**WARNING: Keep out of reach of children.**

**Manufactured by:**  
Cosette Pharmaceuticals, Inc.  
111 Coolidge Street  
South Plainfield, NJ 07080    10-22515CP1    Iss. 05/2019

COTM 052017130225-15




N 3 0713-0225-15 1

 **Triamcinolone Acetonide Cream, USP**    NDC 0713-0225-15  
**0.1%**    *Rx only*

**15 g**    **FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.**

polyoxy (40) stearate NF, polyethylene glycol USP, cetyl alcohol NF, sorbitan monostearate NF, polysorbate 60 NF, sorbic acid NF, polyoxy (40) stearate NF, propylparaben NF, methylparaben NF and purified water USP.

Store at 20° - 25°C (68° - 77°F) [see USP Controlled Room Temperature].  
Avoid excessive heat. Protect from freezing.



N 3 0713-0225-15 1

**Manufactured by:**  
Cosette Pharmaceuticals, Inc.  
111 Coolidge Street    Iss. 06/2019  
South Plainfield, NJ 07080    11-22515CP1



**Usual Dose:** Apply a small amount to the affected area two to three times daily.  
For complete information read accompanying insert.

**WARNING: Keep out of reach of children.**

**Manufactured by:**  
Cosette Pharmaceuticals, Inc.  
111 Coolidge Street  
South Plainfield, NJ 07080 10-22515CP1 Iss. 05/2019




# Triamcinolone Acetonide Cream, USP

NDC 0713-0225-15  
Rx only

**0.1%**

15 g

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.



# Triamcinolone Acetonide Cream, USP

NDC 0713-0225-15  
Rx only

**0.1%**

15 g

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.