


Saga

Scale

MS series
Jewelry Scale

Readme



General Maintenance and Care

1. Avoid exposure to extreme heat or cold. Also avoid any kind of moisture. Always allow your scale to acclimate to normal room temperature before use.
2. Keep your scale in a clean and dry environment. Dust, dirt, moisture, vibration, air currents and proximity to other electronic equipment may have an adverse effect on the accuracy and reliability of the scale.
3. Handle the scale with care. Gently apply all items to be weighed on the tray top. Although this scale is designed to be quite durable, avoid rough treatment, as this may permanently damage the internal parts. Always avoid shaking and dropping. This is a precision instrument and should be handled with extreme care.

Specification and Function

Capacity: 1000g

Resolution: 0.1g

Units: g, oz, ozt, dwt, ct, gn

Button: TARE, MODE, ON/OFF

Display: LCD display with blue backlight

Auto off: 60 seconds of inactivity

Power: 2 AAA batteries

Operation Temp: 10 to 30 deg C

Operation

1. Place the scale on a level surface & press "ON/OFF" to turn on the scale or power it off.

2. Wait until the LCD display shows zero, then press 'MODE' to choose the weighing unit.
3. Place the item/s at the center of the platform and wait until the reading is stable.

Tare Function

1. Turn on the scale.
2. Place an empty container on the scale then press "TARE" and wait until the LCD displays zero.
3. Then you can drop item/s into the container and measure the net weight of the item/s.

Calibration

1. Place the scale on a leveled surface and power it on.
2. Press and hold 'CAL' until the display shows 'CAL', then release the button.
3. Press the 'CAL' again and the display will show the required calibration weight.
4. Place the weight at the center of the platform. The LCD display will show "PASS" and then return to normal weighing mode. Remove the weight and turn off the scale.

Warning

1. "Lo": Low voltage. Please replace the batteries.
2. "EEEE": Overload. Please remove item quickly to protect the scale.