



15" L7 2Ω Subwoofer

\$469.95 USD

ADD TO CART Qty 1

The L7 stands alone as the most unique subwoofer on the market, with a cone shape that is exclusively designed to produce more output.



PASMAG PRODUCT REVIEW

Pasmag Reviews the L7 Q-Class Subwoofer

I can recall a time as a schoolboy when we were studying geometry. I could not fathom how this was ever going to be useful to me in my life, but of course, it was and continues to be. Apparently the engineers at Kicker were paying attention in those classes too, because they have put a fundamental principle of geometry to good use. We learned, way back then, that a square of a given size will always have more area than that of a circle of the same dimension - exactly 27.33 percent more, regardless of the relative dimension. [Read the full review here.](#)

THE NEW L7


The KICKER L7™ Subwoofer again reaches new heights in technology and design, capturing the imaginations of 2015 CES® Innovation Award judges and solidifying itself as the crown jewel among industry subwoofers. For more than a decade, KICKER's square woofer earned numerous awards including several CES accolades, and the 2015 version once again makes distinctive improvements on its way to another honor.



L715

KICKER POWER METER

RECOMMENDED AMP RMS POWER



Specifications

Thiele/Small Parameters

41L7152 T/S Parameters

Rated Impedance [Ω]

2

Sensitivity [1W, 1m]

88.6

Frequency Response [Hz]

18 - 100

Recommended Amplifier Power (watts RMS)

1200

Outer Frame Dimension [in, cm]

15-5/8, 39.6

Mounting Depth [in, cm]

9 3/8, 23.9

Mounting Cutout [in, cm]

13-3/4, 34.9

Sealed Enclosure Specs

Minimum Sealed Volume ft³ (L)

1.75 (49.56)


Maximum Sealed Volume ft³ (L)

6 (169.9)

Panel Dimensions for Minimum Sealed Enclosures using 3/4" (1.9cm) thick MDF

Box Volume [ft³, L]

1.75 (49.56)



Panel A [in, cm]

16.5x16.5, 42x42

Panel B [in, cm]

16.5x13.5, 42x34.3

Panel C [in, cm]

15x13.5, 38.1x34.3

Vented Compact

Box Volume, ft³ (L) + port displacement

3.0 (85)

Port Opening Size, in x in (cm x cm)

2.5x16.25 (6.4x41)

Port Length, in (cm)

19.5 (50)

Vented SQ

Box Volume, ft³ (L) + port displacement

6.0 (170)

Port Opening Size, in x in (cm x cm)

3.5x16.25 (8.9x41)

Port Length, in (cm)

13.75 (35)

*Assumes typical music program with minimal amplifier clipping; varies with enclosure size. See your KICKER dealer for details.

**Port Volume Excluded.


Due to continual development, product and specifications are subject to change without notice. Stillwater Designs and its agents are not responsible for typographical errors.

You may also like these related products*



IQ Amplifiers

Power and Control



QS Series

Component and Coaxial speakers



QW1220

12AWG 20ft Speaker Wire

* For more specific help in matching additional products call our customer support at (405) 624-8583.

Support



Manuals

2015 L7 Subwoofer | English |
Download



Support Links

Subwoofer / Speaker FAQ
Box Building Help
Wiring Diagrams




Contact Support

Technical Support
(405) 624-8583
8am - 5pm CST
support@kicker.com

Warranty Support
(405) 624-8510
8am - 5pm CST
warranty@kicker.com

★ SINCE 1973

 Sign up for offers



[Privacy Policy](#) | [Return and Refund](#)

© 2021, Stillwater Designs. All rights reserved. [Copyright and Trademark Notice](#).