## READ LABEL INFORMATION BEFORE USING THIS PRODUCT

## **GENERAL INFORMATION**

RIJEN contains a consortium of beneficial microbes that exist in nature. These microbes have been carefully selected and functionally characterized to produce synergistic results in agricultural production. RIJEN is a product that may enhance micronutrient uptake.

## DISCLAIMER

The use of this product is beyond the control of the manufacturer. No guarantee, expressed or implied, is made as to the effects of such or the results to be obtained. The buyer must assume all responsibilities, including injury or damage resulting from its misuse, as such, or in combination with other materials.

## CAUTION

Keep out of reach of children. This product may be harmful if swallowed. If ingested contact physician as soon as possible. If spilled on skin, wash off with water. This product should not be handled by people with compromised immune systems.

## PROTECTION OF THE ENVIRONMENT

Because of the ingredients used in RIJEN, the product will add beneficial microbes to the soil. Dispose of the container in an environmentally responsible manner.

## STORAGE AND TRANSPORT

Keep in cool area between 40F and 80F out of direct sunlight. Store container upright with an air gap inside the container to allow the microbes to breathe. Open or loosen the cap at least once a month to allow fresh air in.

APPROVED FOR USE IN ORGANIC CROP AND ORGANIC FOOD PRODUCTION INCLUDING IN THE STATE OF CALIFORNIA.

20200223



## CONTAINS NON PLANT FOOD INGREDIENTS

# **ACTIVE INGREDIENTS**

Azospirillum brasilense 4x107 CFU/mL Bacillus subtilis 1x107 CFU/mL 1x107 CFU/mL Pseudomonas fluorescens Trichoderma harzianum 1x105 CFU/mL 1x105 CFU/mL Trichoderma virens 7x105 CFU/mL Trichoderma viride 3% Humic Acids (derived from Leonardite)





# **MANUFACTURED & GUARANTEED BY:**



2959 Promenade St, Ste 200 West Sacramento, CA 95691

Lot #:

Mfg Date:

Exp Date:

**NET CONTENT** 2.11 gal / 8 L

Tel: +1 (833) 692-2352

www.acelabiotek.com

**NET WEIGHT** 18.3 lbs / 8.3 kg

DENSITY 8.68 lbs/gal @ 68°F

WSC2019120501

Dec 5, 2019

Dec 5, 2020

## APPLICATION INSTRUCTIONS

The recommended application rate is 6 oz/acre. Short duration crops need only 1 application while other crops may need 2 or more applications. Dilute RIJEN with water in the ratio of 1:400 to 1:2000 before applying to soil using standard spraying equipment or existing irrigation system. For best results, make sure soil pH is between 5.5 and 7.5 prior to application and reduce chemical fertilizers by at least 50%. For poor soils, apply more often until the soil has been revitalized.

## SHORT DURATION CROPS

Apply at the rate of 6 oz/acre right after seeding or transplantation.

## LONG DURATION CROPS

Apply at the rate of 6 oz/acre for each treatment. For best results, apply first treatment right after planting or at leaf emergence, and second treatment at the start of vegetative growth, typically 4 weeks after leaf emergence. A third (optional) treatment can be applied at the start of flowering. Additional treatments may be applied throughout growing season depending on your preference.

## **HOME GARDENS**

Dilute 1 teaspoon into 2 gallons of water (1:2000 ratio) and use the solution to water the plants once a week instead of plain water.

For specific instructions for individual crop types and soil conditions, consult with your distributor after obtaining soil sample analysis results.

## NOTICE

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html

Information about the components of this lot can be obtained by writing to Acela Biotek at 2959 Promenade St, Ste 200, West Sacramento, CA 95691 with the lot number found on this package.

CA