## Ехнівіт А

(Application Serial No. 87015660)

## rug Facts

am Dicxide 10,1% Zinc Oxide 28% .

elos prevent auribum.

If used as direct ed with oth protection measur decreases the risk of skin pancer and early skin aging caused by the sun,

r external use only

## Poison Control Cent

Apply liberally 15 minutes before sun exposure.

Use a water resistant s inscreen if swimming or sweeting.

Reapply at least every 2 hours. Chêdren under 6 months: ask a doctor

SUN PROTECTION ME Spending time in the sun incre your risk of cancer and early skin agin To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun

protection measures including: Limit time in the sun, especially 10am-2pm,

Weer long-sleeved shirts, pents, hets

ALCOHOL ZOATE, CAFFEINE, C12-15 ALKYL B

CAPRYLYL METHICONE, CETYL DIGLYCERYL TRISITRI METHYLS METHICONIE. CHROMIUM OXIDE GREEN

METHICONE HEXYLGLY

ANE, MAGNESIUM SULFATE METHYLPROPANEDIOL, SILICA TOCOPHEROL, TREITHOXYCAPRYLYL ILANE, TRISILOXANE, WATER

uestions?