EXHIBIT F

(Application Serial No. 87015660)

rug Facts

redients... um Dicxide 10,1%. c Oxide 28% .

Helps prevent sunburn. If used as directed with other sun protection measure

decreases the risk of skin cancer and early skin aging caused by the sun,

amings or external use only

Poison Control Cent

Apply liberally 15 minutes before

sun exposure. Use a water resistant s inscreen if swimming or sweeting.

Reapply at least every 2 hours. Chêdren under 6 months: ask a doctor.

SUN PROTECTION ME Spending time in the sun incre your risk of cancer and early skin agin To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun

protection measures including: Limit time in the sun, especially 10am-2pm,

Weer long-sleeved shirts, pents, hets

ZYL ALCOHOL C12-15 ALKYL BEN ZOATE, CAFFEINE, CAPRYLYL METHICONE, CETYL DIGLYCERYL TRISITRI METHYLS LOXY/SELYLETHYL DEMETHICONE CHROMIUM OXIDE GE DECAPRYLYL CARBO DIMETHICONE DIPOTA

GLYCYRRHIZATE, ETHYLHEXYLGLY-CERIN, GLYCERIN, HYDROGENATED ECETHIN, IRON OXIDES **ISOHEXADE** CANE, MAGNESIUM SULFATE METHYLPROPANEDIOL, SILICA TOCOPHEROL, TREITHOXYCAPRYLYL-

ILANE, TRISILOXANE, WATER

uestions?

735-4137